

1997

Remington[®]

C O U N T R Y



F I R E A R M S

• A M M U N I T I O N

• A C C E S S O R I E S



Remington M597 RIFLES

Rimfire With a Centerfire Attitude.™

Exceptional balance...super-strong action...great accuracy. Those are the qualities you expect in a great centerfire rifle. Remington believes you should have them in rimfire rifles as well, and that's why we're introducing the new Model 597.

It's rimfire the way it ought to be.

NEW!

MODEL 597™ RIFLES

Imagine a rimfire rifle with perfect balance, its weight anchored solidly between your hands. Picture an innovative action design that features a rugged, nickel-plated bolt with two steel guide rails for strength and reliability. Think about Remington's legacy of unequaled accuracy through superior barrel design. All of that and more has gone into the Model 597™ family. Suggested retail from \$159.

Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
Model 597™ MAGNUM	20"	40"	6	14"	1½"	2¼" ★
Model 597™ LSS	20"	40"	5½	14"	1½"	2¼" ★
Model 597™	20"	40"	5½	14"	1½"	2¼" ★

★ New For 1997

MODEL 597™ MAGNUM

A carbon-steel barrel, alloy receiver, special magnum bolt and black synthetic stock are a great marriage of form and function. It also marks Remington's return to rimfire magnum rifles and ammunition, with chambering for the .22 Win. Mag. cartridge.

MODEL 597™ LSS

A satin-finished stainless-steel barrel, matching gray-toned alloy receiver and nickel-plated bolt are set in a handsome laminated wood stock of light and dark brown shades. Chambering is for the .22 long rifle cartridge.

MODEL 597™

Chambered for .22 long rifle ammo, the basic Model 597™ matches a carbon-steel barrel with a strong, lightweight alloy receiver and nickel-plated bolt. All metal has a non reflective, matte black finish. The rifle is housed in a one-piece dark gray synthetic stock.

Receivers are grooved as well as drilled and tapped for special Weaver-style bases available from Remington.

Easily-adjustable iron sights.



Pistol grip ergonomically shaped for comfortable wrist position.

Drop-out style, staggered clip magazine assures reliable feeding and fast reloading.

Beaver-style fore-end, with rounded bottom and finger grooves for great handling.

Innovative Design — A Remington Tradition

The Model 597™ marks the most significant advance in autoloading rimfire rifle design since the introduction of the revolutionary Remington Nylon 66™ in 1959. A unique guidance system of two steel rails provides extremely smooth bolt travel and long-wearing functional reliability, giving these autoloaders the strength and stability normally found only in bolt actions. For consistent accuracy, the 20" barrels are free-floated and mounted to the receiver using a unique attachment system. Add a new trigger design that delivers consistent pull, no creep, and a crisp let-off and you've got it all. The new Remington Model 597™. Rimfire with a centerfire attitude.


Note: Scope not included.

Remington® Rimfire Rifles — The World's Finest Guns for the World's Most Popular Caliber.



MODEL 541-T™

Handsome good looks matched with target rifle accuracy. Strength and rigidity come from a unique rear lock-up bolt. The trigger mechanism has the sharp, crisp pull of a centerfire mechanism. Includes a 5-shot clip, clean barrel, and receiver drilled and tapped for scope mounts. Also available is the Model 541-T™ HB with 24" heavy barrel for enhanced accuracy. Suggested retail from \$455.



MODEL 572™ BDL FIELDMASTER®

The only pump-action .22 rimfire rifle made in America today. Shoots shorts, longs, and long rifle cartridges interchangeably from easy-loading tubular magazine. Centerfire rifle quality, including a high-gloss Monte Carlo walnut stock with cut checkering, big-game rifle sights, positive cross-bolt safety, high-luster bluing, and receiver grooved for scope mounts. Suggested retail is \$353.




MODEL 522™ VIPER®

Designed with unique safety and functional features, the Viper® is ideal for hunting, plinking, or target shooting use, by youngsters and adults. The strong, lightweight, synthetic stock is textured and checkered for good control with a slim pistol grip and semi-beavertail fore-end that fits shooters of all ages. Its strong synthetic receiver is topped with a grooved scope-mounting rail, and the barrel is equipped with adjustable, centerfire-type iron sights. Furnished with 10-round magazine clip. Suggested retail is \$152.



MODEL 552™ BDL SPEEDMASTER®

A true beauty with high-gloss walnut stock, Monte Carlo comb and cut checkering. This is the only American-made .22 autoloader that will shoot shorts, longs, and long rifle cartridges interchangeably. Easy-loading tubular magazine. Perfect for plinking and small-game hunting. It includes adjustable big-game sights, positive cross-bolt safety, high-luster bluing, and receiver grooved for scope mounts. Suggested retail is \$340.



SPORTSMAN® MODEL 581-S™

An economical bolt-action rimfire sporter with the rigidity and accuracy of Remington's exclusive rear lock-up bolt design. Ideal for youngsters and adults — for hunting, target practice, or plinking. Single-shot adapter makes it an excellent choice for junior training and competition. Receiver is grooved for scope mounts. Suggested retail is \$239.

Note: See page 31 for Rimfire Rifle specifications.

Model 700™ Muzzleloaders — 100% Modern. 100% Remington.


Take away the ramrod and you barely know they're muzzleloaders. These black powder rifles are crafted on the same modern, proven bolt-action centerfire design of the most popular bolt-action rifle ever produced: the Remington Model 700™. The same cocking action. The same trigger mechanism. The same lock time. The same legendary out-of-the-box accuracy. The differences? A modified bolt and ignition system, and, of course, the method of loading from the muzzle. Remington Model 700™ Muzzleloaders. A new era in muzzleloading rifle design and hunting performance.



NEW!

MODEL 700™ ML & MLS CAMO

We're adding an exciting new option to our .50-cal. Model 700™ muzzleloaders: stocks covered with Mossy Oak® "Break-Up" camo pattern. All Model 700™ Muzzleloaders have barrels rifled with a 1 in 28" twist. The breech is closed by a stainless-steel breech plug and nipple. In the modified bolt, the conventional firing pin is replaced by a cylindrical "hammer" that is cocked by bolt lift and released by pulling the trigger to strike a No. 11 percussion cap seated on the nipple. The lock time of 3.0 milliseconds is the fastest of any muzzleloader on the market. Suggested retail from \$405.



MODEL 700™ ML

The blued, satin-finished carbon-steel barrel, action, and bolt are precision-set in a black, fiberglass-reinforced synthetic stock with magnum recoil pad. The receiver is drilled and tapped for standard Model 700™ short-action scope mounts. The ramrod is recessed within the fore-end of the stock and firmly secured by a barrel band. Available in .50 caliber. Suggested retail is \$372.



MODEL 700™ MLS

The nonreflective satin-finished stainless-steel barrel, receiver, and bolt are machined from 416 stainless steel for incomparable rust and corrosion protection — then precisely fitted in a fiberglass-reinforced synthetic stock. The ramrod is neatly recessed in the stock and secured by a barrel band. The butt is fitted with a magnum recoil pad, while the receiver is drilled and tapped for standard Model 700™ short-action scope mounts. Available in .50 and .54 calibers. Suggested retail is \$469.



DETAIL OF NEW MOSSY OAK® "BREAK-UP" CAMO

Gun Dimensions / Average Weights

		Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
700™ ML Camo	Carbon	24"	44 1/2"	7 1/4	13 3/4"	1/2"	3/4" ★
700™ MLS Camo	Stainless	24"	44 1/2"	7 1/4	13 3/4"	1/2"	3/4" ★
700™ ML	Carbon	24"	44 1/2"	7 1/4	13 3/4"	1/2"	3/4"
700™ MLS	Stainless	24"	44 1/2"	7 1/4	13 3/4"	1/2"	3/4"

★ New For 1997

The Model 700™ — Accuracy Built In, Not Added On.

No production hunting rifle beats the Model 700™'s out-of-the-box accuracy. In fact, there aren't many custom rifles that can beat it either. That's why over 80% of the competitive shooters at the NRA's long-range silhouette championships shoot a Model 700™. And why the winning shooter has used a Model 700™ in 10 of the last 11 years. It's available to you in every Model 700™ that comes out of the Remington® factory. No special modifications, re-bedding, add-on devices or adjustments are necessary — just built-in accuracy you can count on every time you hunt.



MODEL 700™ ADL

The basic wood-stocked version of the Model 700™, the ADL, delivers all the performance features of strength, durability, and accuracy, while sacrificing nothing in looks. The famous Model 700™ action is combined with a satin-finished American walnut Monte Carlo profile stock that includes cut checkering and sling swivel studs. Barrel has front and rear sights. It is chambered for five versatile short- and long-action calibers, from the .243 Win. to the 7mm Remington Magnum. Suggested retail from \$485.




MODEL 700™ ADL SYNTHETIC

The Model 700™ ADL Synthetic, with the durability and all-weather stability of a fiberglass-reinforced synthetic stock, including a straight comb and raised cheekpiece, positive checkering, and a black rubber recoil pad. Both stock and blued metalwork have a nonreflective black matte finish, and front and rear sights. All the features of a Model 700™ action at a very modest price. Available in .243 Win., .270 Win., .308 Win., and .30-06 (22" barrels) and 7mm Remington Magnum (24" barrel). Suggested retail from \$425.



MODEL 700™ BDL

The only thing about a Model 700™ BDL that doesn't say "custom rifle" is its price. Its high-gloss American walnut Monte Carlo stock with raised cheekpiece is decorated with generous skipline cut checkering, plus a black fore-end tip and pistol grip cap with white-line spacers. It includes a hinged magazine floorplate, adjustable rear sight, hooded ramp front sight, and sling swivel studs. Now, it is further enhanced by Remington's new fine-line receiver and floorplate engraving. Available in 11 calibers from .17 Remington to .338 Win. Mag., plus three mirror-image, left-hand versions. Suggested retail from \$583.



MODEL 700™ BDL DM

The exceptional convenience of a quick-release detachable magazine has been added to the beautifully embellished stock design, rich bluing, and new fine-line receiver engraving of the Model 700™ BDL with the DM option. Available in eight short- and long-action calibers from .243 Win. to .300 Win. Mag., plus four mirror-image left-hand versions. Suggested retail from \$636.

Gun Dimensions / Average Weights

		Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
700" ADL	Magnum	24"	44½"	7½	13¾"	½"	1¾"
	Long Action	22"	42½"	7½	13¾"	½"	1¾"
	Short Action	22"	41½"	7½	13¾"	½"	1¾"
700" ADL Syn.	Magnum	24"	44½"	7½	13¾"	½"	¾"
	Long Action	22"	42½"	7½	13¾"	½"	¾"
	Short Action	22"	41½"	7½	13¾"	½"	¾"
700" BDL	Magnum	24"	44½"	7½	13¾"	½"	1¾"
	Long Action	22"*	42½"	7½	13¾"	½"	1¾"
	Short Action	22"*	41½"	7½	13¾"	½"	1¾"


* 24" Barrel in .17, .222, .22-250, and .25-06 Remington; .30-06 (Adds 2" to overall length for these calibers)

Gun Dimensions / Average Weights

		Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
700" BDL DM	Magnum	24"	44½"	7½	13¾"	½"	1¾"
	Long Action	22"*	42½"	7½	13¾"	½"	1¾"
	Short Action	22"	41½"	7½	13¾"	½"	1¾"
Seven"	Short Action	18½"	37¾"	6¼	13¾"	¾"	5/8"
Seven" Youth	Short Action	18½"	36¾"	6¼	12¾"	¾"	5/8"
700" Classic	Long Action	24"	44½"	7½	13¾"	½"	1¾"
700" Mtn DM	Long Action	22"	42½"	6½	13¾"	¾"	¾"
	Short Action	22"	41½"	6½	13¾"	¾"	¾"

* 24" Barrel in .25-06 Remington (Adds 2" to overall length)

NEW
Calibers
for '97


**MODEL SEVEN™**

At just 6¼ lbs. and a full 4" shorter than standard bolt-action rifles, the Model Seven™ is the little rifle that does a big job. Fast-handling and easy-carrying in dense cover, it still has the accuracy and power for long-range shots, and has been described as "the world's best whitetail deer rifle." Chambered for the .223 Remington, .243 Win., .308 Win., 7mm-08 Remington, and the new superbly performing .260 Remington. Hinged magazine floorplate and sling swivel studs are standard. Suggested retail is \$583.


**MODEL SEVEN™ YOUTH**

The Model Seven™ Youth is the perfect size for young shooters and smaller-framed adults, with no compromise in performance. The stock is cut 1" shorter and balances nicely with its 18½" barrel. Built with the rigidity of a Model 700" action, it is chambered for the .243 Win. and the 7mm-08 Remington. Suggested retail is \$479.

NEW
.280
Remington

**MODEL 700™ CLASSIC**

In 1997, the Model 700™ Classic is chambered for the .280 Remington, making an ideal match of gun and cartridge that has great appeal to tradition-minded shooters. With its clean lines, this year's addition has the classic stock design of satin-finished American walnut, with straight-line comb and no cheekpiece. Its clean 22" barrel has no sights, while the receiver is drilled and tapped for scope mounts. Cut checkering, recoil pad, and hinged magazine floorplate are standard. Suggested retail is \$583.

**MODEL 700™ MOUNTAIN RIFLE DM**

This is the rifle that's perfect for high-country hiking and dawn-to-dusk toting at an easy-carry weight of just 6½-7 lbs. It includes the advantages of our detachable magazine. With what many shooters consider to be the most graceful profile of any rifle made, its slimmed-down American walnut stock, with straight comb and cheekpiece, is satin-finished and cut with sharp, 20-line checkering. Offered in a choice of six long-range calibers from .243 Win. to .30-06. Suggested retail is \$636.


FIREARMS

CENTERFIRE RIFLES

Remington® Stainless Rifles — For When the Weather Is at Its Worst.

A hunter is like the mailman: weather doesn't keep him from what he does, ever. That's why Remington stainless rifles are built to provide the perfect combination of strength and corrosion resistance. And when you really need to reach out with pinpoint accuracy, nothing matches the performance of Remington's Sendero™ and varmint rifles with long, heavy-profile barrels.

NEW
Calibers
for '97




MODEL 700™ BDL SS

(STAINLESS SYNTHETIC)

Resistance to the elements is built into this all-weather package of a stainless-steel barreled action set in a strong, stable synthetic stock. Our Model 700™ BDL SS is a world traveler, ready for any conditions, in any climate. It also brings you the sleek silhouette of our Mountain Rifle stock profile, with hinged magazine floorplate and sling swivel studs. A 24" barrel delivers maximum ballistics from caliber choices of .270 Win., .30-06, 7mm Remington Magnum, .300 Win. Mag., and, new for 1997, .338 Win. Mag. and .375 H&H. Suggested retail from \$641.

NEW
Engraving


NEW
Calibers
for '97



MODEL 700™ BDL SS DM

(STAINLESS SYNTHETIC DETACHABLE MAGAZINE)

Here's the ultimate performance advantage for the serious big game hunter. The stainless-steel barreled action and synthetic stock take on any weather challenge. Fast, convenient loading comes with the quick-release detachable magazine. On magnum calibers, there's a recoil-reducing muzzle brake option (Model 700™ SS DM-B). With its totally nonreflective stock and metal finish, the Model 700™ BDL SS DM is available in 11 caliber choices from .243 Win. to .300 Win. Mag., including the new .260 Remington. The Model 700™ SS DM-B is available in 5 big game calibers including the new 7mm STW (Shooting Times Westerner). Suggested retail from \$702.




MODEL 700™ LSS

(LAMINATED STOCK STAINLESS)

The Model 700™ LSS provides a strikingly handsome alternative for those who want all-weather stock stability and performance, but prefer the warmth and feel of wood. It complements the stainless-steel barreled action with an exceptionally strong and stable resin-impregnated laminated stock. The layered, light and dark gray tones blend beautifully with the satin-finished silver of unblued stainless metal. BDL styling includes Monte Carlo comb and cheekpiece and hinged floorplate. Barrels are clean, without sights, and 24" long for compatibility with two powerful calibers — 7mm Remington Magnum and .300 Win. Mag. Suggested retail is \$714.

NEW
Calibers
for '97



MODEL SEVEN™ SS

(STAINLESS SYNTHETIC)

The Model Seven™ SS provides compact, carbine portability at just 6¼ lbs. with a clean, 20" barrel. All-weather compatibility comes from stainless-steel construction and a rugged fiberglass-reinforced synthetic stock, with proven Remington bolt-action strength and accuracy. Equally at home in dense cover or open ranges, and a joy to carry all day long — with plenty of power and reach for all medium-size game, in caliber choices of .243 Win., 7mm-08 Remington, and .308 Win. In 1997, we're adding chamberings in .223 Remington and the all-new .260 Remington cartridge. Suggested retail is \$641.

NEW
Calibers
for '97




MODEL 700™ SENDERO™ SF

(STAINLESS FLUTED)

The Model 700™ Sendero™ SF provides all the elements of Remington's most advanced varmint rifles in long-range big-game calibers. The stainless-steel action and free-floating 26" varmint-profile barrel are bedded in a Kevlar®-reinforced fiberglass stock with an action-long bedding block. A fluted barrel retains maximum rigidity while shaving a half-pound of weight. Perfectly designed for measured, long-range shooting, it's chambered in .25-06 Remington, 7mm Remington Magnum, and .300 Win. Mag., and new for 1997, the .300 Wby. Mag. and the exciting new 7mm STW. Suggested retail is \$852.


Remington® Long-Range Rifles — Factory-Accurized for Exceptional Performance.

We take a good thing and make it even better. Each rifle begins with the inherent strength and rigidity of our Model 700™ action. Building on that is a series of linked, factory-accurized features that let you take long-range shots with the same confidence you'd have at closer range. No other gun company can provide such consistently superior performance — right out of the box, right into the record books.



MODEL 700™ SENDERO™

The competition-level accuracy of a Model 700™ varmint gun has been combined with a long action to create this superb long-range big-game rifle. Steadiness and repeat-shot accuracy come from a 26" heavy-profile barrel with a spherical concave crown. Our Kevlar® and graphite composite synthetic stock houses a full-length aluminum bedding block that leaves the barrel completely free-floating. Available in .25-06 Remington, .270 Win., 7mm Remington Mag., and .300 Win. Mag. Suggested retail from \$705.



MODEL 700™ BDL VLS

(VARMINT LAMINATED STOCK)

The Model 700™ BDL VLS is the perfect combination for shooters who want tack-driving, varmint rifle accuracy, but prefer a stock with the looks and warmth of wood. It provides synthetic-like stability from a handsome resin-impregnated laminated stock. Firmly bedded in the stock is a rigid Model 700™ cylindrical action, mated to a vibration-dampening 26" heavy varmint barrel. All metal has a richly blued, fine satin finish. Five tight-grouping varmint calibers include .22-250 Remington, .223 Remington, .243 Win., and .308 Win., and, new for 1997, 7mm-08 Remington. Suggested retail is \$625.



MODEL 700™ VS

(VARMINT SYNTHETIC)

Our basic Model 700™ varmint rifle incorporates the technology of police and military rifle design. Great dimensional stability comes from a composite stock of DuPont Kevlar®, fiberglass, and graphite, with an aircraft-grade aluminum bedding block running the full length of the receiver. Fitted with a 26" free-floating, heavyweight barrel. All metalwork has a fine, black matte finish. Chambered for the 22-250 Remington, .223 Remington, .308 Win., and, new for 1997, .243 Win. Suggested retail is \$705.



MODEL 700™ VS SF

(VARMINT SYNTHETIC STAINLESS FLUTED)

The Model 700™ VS SF builds on the design features of our standard Model 700™ Varmint Synthetic with a stainless-steel action and free-floating 26" fluted barrel. The six longitudinal flutes substantially increase the heat-dissipating surface area of the barrel, to retain multiple-shot accuracy and extend barrel life. Available in four flat-shooting calibers: .220 Swift, .22-250 Remington, .223 Remington, and .308 Win. Suggested retail is \$852.

Gun Dimensions / Average Weights

		Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
700™ BDL SS	Magnum	24"	44½"	7½	13½"	½"	¾"
	Long Action	24"	44½"	7½	13½"	½"	¾"
700™ BDL SS DM*	Magnum	24"	44½"	7½	13½"	½"	¾"
	Long Action	24"	44½"	7½	13½"	½"	¾"
	Short Action	24"	43½"	7¼	13½"	½"	¾"
700™ LSS	Magnum	24"	44½"	7½	13½"	½"	1½"
	Short Action	20"	39½"	6½	13½"	¾"	¾"


* Model 700™ SS DM-B rifles with muzzle brake option have 25½" overall barrel length

Gun Dimensions / Average Weights

		Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
700™ Sendero™ SF	Magnum	26"	46½"	8½	13½"	¾"	1½"
	Long Action	26"	46½"	8½	13½"	¾"	1½"
700™ Sendero™	Magnum	26"	46½"	9	13½"	¾"	1½"
	Long Action	26"	46½"	9	13½"	¾"	1½"
700™ BDL VLS	Short Action	26"	45½"	9½	13½"	1½"	1½"
	Short Action	26"	45½"	9	13½"	¾"	¾"
700™ VS	Short Action	26"	45½"	8½	13½"	¾"	¾"


Models 7400™ and 7600™ — Built for Speed with Built-In Accuracy.

When the situation calls for fast loading, fast handling, and fast shooting, the Remington® Models 7400™ and 7600™ are the guns to call on. With its heritage from the legendary Remington Model 8, the Model 7400™ has a gas system that provides a reliable centerfire autoloader. The Model 7600™ stands alone as the only pump-action big-game rifle available. And with fine-line scroll and game scene engravings from the Remington Wildlife Art Collection, they've never looked better.



MODEL 7600™ PUMP ACTION

You can't find a big-game rifle with a better combination of practical shooting features: twin action bars provide slick, smooth operation for rapid repeat shots without ever taking the gun off your shoulder; a quick-release, drop-out magazine that loads and unloads instantly; and a free-floated barrel that matches the accuracy of the best bolt guns. An ideal cross-over rifle for pump-gun shotgunners. Five big-game calibers include .243 Win., .270 Win., .280 Remington, .30-06 (also available with 18½" carbine barrel), and .308 Win. The Monte Carlo walnut stock with a satin finish is standard. High-gloss finish available in .30-06 and .270 Win. Suggested retail is \$540.



MODEL 7400™ AUTOLOADER

This is the gun that brought reliability, strength, and comfortable weight to semi-auto rifle actions. Add to this the fast-loading convenience and extra shell storage of drop-out magazines. The gas-operated action smooths out recoil to a "push" instead of a "punch." Remington's new engraving process now decorates both receiver panels with handsome scroll-work and game scenes. Five calibers include .243 Win., .270 Win., .280 Remington, .308 Win., and .30-06 (also available with 18½" carbine barrel). Suggested retail is \$573.

NEW!

SPECIAL BUCKMASTERS® ADF LIMITED EDITIONS

For 1997 only, Remington will produce "Buckmasters® American Deer Foundation" limited editions of the Model 7400™ and Model 7600™. Chambered for the .30-06 Springfield, these rifles have receiver panels extensively decorated on both sides with a special edition of Remington's custom-quality fine-line engraving. In conjunction with Buckmasters®, part of the proceeds from the sales of these rifles will be donated to charity to help feed some of our less fortunate and hungry citizens. Suggested retail for Model 7600™ is \$567 and \$600 for Model 7400™.

Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
7600™	22"	42½"	7½	13¾"	1⅜"	2¼"
7400™	22"	42½"	7½	13¾"	1⅜"	2¼"
7600™ Carbine	18½"	39½"	7¼	13¾"	1⅜"	2¼"
7400™ Carbine	18½"	39½"	7¼	13¾"	1⅜"	2¼"
7600™ Buckmasters® ADF	22"	42½"	7½	13¾"	1⅜"	2¼" ★
7400™ Buckmasters® ADF	22"	42½"	7½	13¾"	1⅜"	2¼" ★

★ New For 1997

Detail of Buckmasters® ADF Engraving



No. 1 Rolling Block Creedmoor — Remington Continues to Make History.


At the request of many American shooters, Remington is proud to bring back the Remington No. 1 Rolling Block rifle in a mid-range Creedmoor style. And when we say we're continuing to make history, we mean it literally: this is not a replica, but a reintroduction of an original design. In fact, all barrel, receiver, and metalwork markings are reproduced exactly to original production specifications. It has a 30", half-octagon, half-round tapered barrel, with 1-in-18" twist six-groove rifling for exceptional accuracy. Of several rolling block Creedmoor-style rifles, this one is the most compatible with contemporary use. It's a great mid-range target rifle and a wonderful continuation of shooting history. Suggested retail is \$2,799.



A Great Design from 1875

Among the world's most notable rifle designs none is more distinctly American than the Remington Rolling Block. This famous version retains the historic look of case-colored receiver, integral trigger guard, and Schnabel fore-end tip. In complementing contrast are the niter-blued single set trigger, breechblock and hammer, and the standard-blued barrel.

NEW!



No. 1 Rolling Block Creedmoor

Chambered for the .45-70 Government, the Remington No. 1 Rolling Block Creedmoor features the original stock design in semi-fancy American walnut with extensive cut-checkering on both the fore-end and pistol grip. The stock is finished off by a smooth-surface, steel butt plate.




Each rifle comes in a key-locked hard case with interior fitted compartments of green billiard felt, and outside appointments of duck canvas with genuine leather end trim.

Gun Dimensions / Average Weight

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
No. 1 Rolling Block	30"	46½"	97½	14¾"	2½"	2" ★

★ New For 1997

Sights include a tang-mounted vernier rear sight, and a front globe sight with four interchangeable inserts and traditional spirit level.



One-of-a-Kind Craftsmanship for the Discerning Sportsman.

Because there will always be sportsmen who love personally hand-crafted, meticulously built rifles and shotguns, there will always be the Remington® Custom Shop. There, 180 years of experience and tradition are in the hands of modern-day masters with continually refined skills in metalwork, rifling, stockmaking, engraving, inlaying, and meticulous hand-fitting and assembly. Returning to the Remington Custom Shop today, Eliphalet Remington would be proud to see guns individually hand-crafted the way he made the first one in 1816. And though he might be amazed at today's advanced designs, he'd also be proud that Remingtons continue to be the best of their day, and ahead of their time.

Whether it's for a true one-of-a-kind investment, production guns that demand extra refinement, or an upgrade to existing guns, the Custom Shop is ready to build your dream gun — and at a price that's affordable. You can call the Remington Custom Shop directly at 1 (315) 895 3288, or reach them through the Remington Consumer Information Center at 1 (800) 243 9700.



MODEL 700™ CUSTOM KS MOUNTAIN RIFLE

Our Model 700™ Custom KS Mountain Rifles have the lightweight toughness for high-country hiking and hard hunting anywhere. They're available in either blued carbon steel (right- and left-hand versions) or stainless steel. The Kevlar®-reinforced stock and all metal surfaces have nonreflective finishes. Offered in a choice of 10 big-game calibers from .270 Win. to .375 H&H Magnum. Base price is \$1,110.



MODEL 700™ SAFARI KS STAINLESS

The state-of-the-art big-game rifle with the reliability and power for large and potentially dangerous game, and resistance to weather conditions from Alaska to Africa.

An all-stainless-steel barreled action is fitted in an exceptionally strong synthetic stock reinforced with Kevlar®. Chambered for the 8mm Remington Magnum, .375 H&H Mag., .416 Remington Magnum, and .458 Win. Mag. See specifications on pages 28 and 29 for blued steel, wood-stocked, and left-hand versions. Base price is \$1,433.



MODEL 700™ APR

(AFRICAN PLAINS RIFLE)

Beauty and performance are combined in this superbly crafted Custom Shop rifle. Its classic-style satin-finished brown laminated stock adds handsome elegance to great strength and stability. Fitted to a magnum receiver is a specially contoured carbon-steel 26"

Custom Shop barrel that delivers maximum ballistics from caliber options in 7mm Remington Mag., .300 Win. Mag., .300 Wby. Mag., .338 Win. Mag., and .375 H&H Mag. It's the perfect choice wherever the game is large and the ranges are long. Base price is \$1,466.




MODEL 700™ AWR

(ALASKAN WILDERNESS RIFLE)

This highly practical big-game rifle is custom-designed for the roughest weather and the toughest hunting conditions. The entire barreled action of 416 stainless steel is given a non-glare, black matte finish. All-weather stability and strength are provided by the rifle's black composite synthetic stock reinforced with DuPont Kevlar®. A wispy weight of just 6¾ lbs. is a joy for hunting the high country. Its 24" custom-contoured barrel wrings maximum performance out of five potent calibers in 7mm Remington Mag., .300 Win. Mag., .300 Wby. Mag., .338 Win. Mag., and .375 H&H Mag. Base price is \$1,345.

For those who want the ultimate in craftsmanship, quality, and aesthetics in a shotgun, there is no finer expression of the gunmaker's art than a custom shotgun from the Remington Custom Shop. Detailed information is available for all Custom Shop guns by calling 1(800) 243 9700.



MODEL SEVEN™ MS

(MANNLICHER STOCK)

Some shooters consider this compact beauty to be the prettiest rifle in the Remington line. It beds our Model Seven™ short action with 20" Custom Shop barrel in a full-length Mannlicher-style stock. Strength and stability are provided by pressure-laminated wood in handsome light and dark tones. Other features include a butt stock with straight comb, raised cheekpiece, black rubber recoil pad, and a fore-end cap/barrel band. In a wide choice of 11 calibers from .222 Remington to .350 Remington Magnum. Base price is \$1,114.



MODEL 40-XB™ KS

(STAINLESS STEEL, SYNTHETIC STOCK TARGET RIFLE)

The Remington 40-X" series of centerfire (40-XB™) and rimfire (40-XR™) meet the highest accuracy standards. They include free-floated button-rifled heavy barrels, hand-bedded actions, and match-grade triggers. Special-order options include single-shot or repeater versions, walnut or Kevlar®-reinforced synthetic stocks, stainless-steel barreled actions, left-hand actions, and 2-oz. triggers. The line also includes centerfire (40-XBBR™ KS) and rimfire (40-XRBR™ KS) benchrest rifles, a National Match Course version (40-XC™ KS), and the Model 40-XR™ KS rimfire sporter. Base price of Model 40-XB™ KS is \$1,534. Contact Custom Shop for pricing on other Model 40-X" series guns.



MODEL 700™ ML/MLS CUSTOM

In 1997, we're introducing both the Model 700™ ML and MLS (pictured) as unique Custom Shop offerings. The MLS Custom is finished with a striking two-toned gray laminated thumbhole stock with graceful rollover cheekpiece. The entire action is assembled in the Custom Shop, and the barrel, receiver, and bolt are all of 416 stainless steel with a glass-beaded finish. The ML Custom features a carbon-steel barrel and gray laminated thumbhole stock. Base price is \$799 for the ML Custom and \$896 for the MLS Custom.

Remington® — The Skeet and Sporting Clays Specialist.

In 1932, Remington developed the legendary Model 32, the first American-made over & under, and the first shotgun designed specifically for skeet. Over the years, as preferences for action types have changed, Remington has continued to develop and refine great skeet guns. As sporting clays has become ever more popular, so has Remington's commitment to providing the quick-pointing, smooth-mounting, target-finding shotguns that the sport requires.

MODEL 396™ SKEET

The Model 396™ Skeet has the cleanest, straightest silhouette around. The stock is formed from figured American walnut with a satin finish and generous cut checkering. Barrels and side ribs are a polished, deep blued color, while receiver, side plates, trigger guard, top lever and fore-end trim are set off in gray nitride coloring. Virtually all receiver surfaces are decorated with graceful scrollwork. Centered on left and right receiver panels are fine renderings of a pointer and a setter. Underneath the handsome appearance is all the strength and reliability of a superb shooting machine.

MODEL 396™ SKEET

(OVER & UNDER)

The most modern 12-gauge over & under skeet gun available. An exceptionally strong modified underlock design permits a non-bulky, shallow receiver for slim, straight-pointing lines. Offered in a choice of 28" or 30" Chrome-Moly barrels with a 10-mm-wide, non-stepped, parallel rib. Barrels have lengthened forcing cones and are fitted for the interchangeable Rem™ Choke system. Supplied with Skeet and Improved Skeet tubes. For comfortable control, the stock includes a wider target-style fore-end, larger-radius comb, and universal palm swell on the pistol grip. Stock dimensions are 1 1/2" at the comb, 2 1/4" drop at heel, and 14 3/16" length of pull. Average weight is 7 1/2 lbs. Suggested retail is \$1,859.

MODEL 11-87™ PREMIER® SKEET

The Model 11-87™ Premier® Skeet brings autoloading reliability to competitive shooting. Like all our target guns, it has a beautifully figured American walnut stock and crisp-cut checkering for good control. The 26" Chrome-Moly vent rib barrel includes our interchangeable Rem™ Choke system for optional use on sporting clays. Suggested retail is \$732. Note: The Model 11-87™ Premier® Skeet has a 2 3/4" chamber, is not pressure-compensated, and is set up to handle target and light field loads only.

MODEL 1100™ SKEET

20-GAUGE SKEET

The most popular 20-gauge autoloading skeet gun in history is back: the legendary Model 1100™ LT-20. Returned in its original tournament-grade form, it features a select satin-finished American walnut stock with extensive sharp-cut checkering. The one change is the addition of a versatile Rem™ Choke system to its 26" vent rib target barrel, extending its use to upland hunting and sporting clays as well. Suggested retail is \$732.


Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
396 [™] Skeet	30"	47"	7½	14½"	1½"	2¼"
	28"	45"	7½	14½"	1½"	2¼"
11-87 [™] Premier [®] Skeet	26"	46"	8½	14"	1½"	2½"
1100 [™] Skeet	26"	48"	6½	14"	1½"	2½"


Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
396 [™] Sporting	30"	47"	7½	14½"	1½"	2¼"
	28"	45"	7½	14½"	1½"	2¼"
11-87 [™] SC	28"	48½"	7½	14½"	1½"	2¼"
11-87 [™] SC NP	30"	50½"	7½	14½"	1½"	2¼"
1100 [™] Sporting 28	25"	45"	6½	14"	1½"	2½"


★ New For 1997

**MODEL 396[™] SPORTING****(OVER & UNDER)**

The Model 396[™] Sporting is specifically designed for sporting clays competition. Chrome-Moly barrels in a choice of 28" or 30" lengths are factory ported and topped with a 10-mm-wide parallel non-stepped rib. The barrels have lengthened forcing cones, and include the choke-changing versatility of our Rem[™] Choke system in Skeet, Improved Cylinder, Light Modified, and Modified constrictions. Gun handling is aided by a wider, hand-filling fore-end, larger-radius comb, and a universal palm swell in the pistol grip. Stock dimensions are the same as the new Model 396[™] Skeet, and average weight is 7½ lbs. Select satin-finished American walnut and extensive fine-line engraving add a bonus of truly good looks. Suggested retail is \$1,993.

**MODEL 11-87[™] PREMIER[®] SC****(SPORTING CLAYS)**

With the most reliable and durable autoloading action ever designed, the Model 11-87[™] Premier[®] Sporting Clays brings fatigue-reducing, low-recoil comfort to 12-gauge competition. Swift mounting is assured by a smooth-surface recoil pad with rounded toe and radiused heel. The fast-handling, light contour barrel includes a lengthened forcing cone and 8-mm-wide rib with twin beads. Four individual Rem[™] Chokes in Skeet, Improved Cylinder, Light Modified, and Modified have constrictions clearly marked on their no-wrench, fast-change knurled extensions. Dimensions of the tournament-grade American walnut stock are specially adapted to sporting clays. Suggested retail is \$745. *Note: The Model 11-87[™] Premier[®] Sporting Clays has 2¾" chamber, is not pressure-compensated, and is set up to handle target and light field loads only.*

**MODEL 11-87[™] PREMIER[®] SC NP****(SPORTING CLAYS NICKEL PLATED)**

The new Model 11-87[™] Premier[®] Sporting Clays NP features a beautiful nickel-plated receiver in a soft low-luster tone and is extensively decorated with Remington's custom-quality, fine-line engraving. The ported, 30" barrel further reduces recoil sensation as well as barrel jump on repeat shots. With a satin-finished tournament-grade American walnut stock, the Model 11-87[™] Premier[®] Sporting NP also includes four newly designed sporting clays choke tubes in Skeet, Improved Cylinder, Light Modified, and Modified, with knurled extensions for fast and easy interchangeability. Suggested retail is \$793. *Note: The Model 11-87[™] Premier[®] Sporting Clays Nickel Plated has 2¾" chamber, is not pressure-compensated, and is set up to handle target and light field loads only.*

**MODEL 1100[™] SPORTING 28**

For 28-gauge Sporting Clays competition, Remington has returned to what many competitors believe to be the finest 28-gauge clay target gun ever made — the Model 1100[™]. Its original American walnut tournament-grade stock has a gloss finish and sporting recoil pad. One significant change is that the 25" vent rib barrel now comes with four interchangeable Rem[™] Choke tubes in Skeet, Improved Cylinder, Light Modified and Modified constrictions. The resulting versatility also permits its use for both skeet and upland bird hunting. Suggested retail is \$748.

Remington® Trap Guns — Smashing Targets for Almost 100 Years.

Within two years of the first national trapshoot in 1900, Remington had its first trap gun, a Model 1900 side-by-side double modified specifically for the sport. As in Skeet and Sporting Clays, Remington has played a major role in trapshooting from the very beginning, developing shotguns with great reliability, pointability, and patterning. Our 1997 trap gun offering continues the tradition.


Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs)	Length of Pull	Drop (Comb)	Drop (Heel)
Model 90-T™	34"	51"	8½	14½"	1½"	2½"
Model 90-T™ HPAR	34"	51"	8½	14½"	1½"	2½"
Model 11-87™ Trap	30"	51"	8½	14½"	1½"	1½"
870™ TC	30"	51"	8	14½"	1½"	1½"




MODEL 90-T™

Every element of the Model 90-T™ single-barrel trap gun was designed for tournament competition. Stocklines and dimensions virtually lock shooter and gun into a single unit. Its unique distribution of mass creates the correct balance for trap targets and the lowest perceived recoil of any break-action single currently made. A 34" overbored barrel with lengthened forcing cone and fixed full choke delivers target-smoking pattern uniformity and density. The crisp, no-creep trigger with under three milliseconds of lock time provides instant, finger-touching response. It has the strength and durability for a lifetime of high-volume shooting and easy maintenance with removable side plates and a drop-out trigger mechanism. Suggested retail from \$3,199.




MODEL 90-T™ HPAR (HIGH POST ADJUSTABLE RIB)

All the performance and durability features of our standard Model 90-T™ are included in this high rib version that combines an adjustable high post rib with an adjustable comb stock. Four different rib elevations permit point-of-impact variations from a standard 60/40 pattern height to a plus 10" high setting at 40 yards. Comb height can be simultaneously adjusted to retain desired point of impact. Suggested retail is \$3,992.



MODEL 11-87™ PREMIER® TRAP

The Model 11-87™ action brings the light-recoil comfort of a gas-operated autoloader to tournament trapshooting. Along with that comes the versatility of one gun for 16-yard singles, handicap, and doubles targets. Supplied with satin-finished American walnut Monte Carlo stock, 30" vent rib overbored barrel, and three Rem™ Choke Trap Tubes. In addition, both receiver panels are decorated with Remington's new fine-line engraving process. Suggested retail is \$754. *Note: All Model 11-87™ Premier® target guns have 2¾" chambers, are not pressure-compensated, and are set up to handle target and light field loads only.*




MODEL 870™ TC

Because trapshooting and pump guns are virtually synonymous, nothing could be more appropriate than the return of one of the most popular, record-setting trap guns of all time — the famous Model 870™ TC. Back with it are all its features — tournament-grade satin-finished American walnut stock in Monte Carlo style; the strong, reliable, smooth-shucking Model 870™ action; overbored 30" vent rib barrel with 2¾" chamber; and overbore-matched, interchangeable Trap Rem™ Chokes. In addition, both receiver panels are decorated with Remington's new fine-line engraving process. Suggested retail is \$647.

Model 11-87™ Premier® — The Lines and Looks of a Champion.


All that a wingshooter could want in an autoloader is here: strength, versatility, durability, reliable performance, and superb handling. It gives nothing away in looks either: slim, graceful stock lines and the elegance of nicely figured American walnut in a satin or high-gloss finish. A special Remington engraving process adds smooth fine-line scrollwork to both sides of the receiver. For those who want to own just one great shotgun, the Model 11-87™ Premier® is the choice.



Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs)	Length of Pull	Drop (Comb)	Drop (Heel)
11-87™ Premier® LC	30"	50½"	7½	14"	1½"	2½"
	28"	48¼"	7¼	14"	1½"	2½"
	26"	46"	7½	14"	1½"	2½"
11-87™ Premier® Deer	21"	41½"	8	14½"	1¾"	1¾"
11-96™ Euro Lightweight	28"	48¼"	7	14"	1½"	2½" ★
	26"	46"	6¾	14"	1½"	2½" ★

★ New For 1997



MODEL 11-87™ PREMIER® LIGHT CONTOUR

The standard field version of the Model 11-87™ Premier® is available in a choice of 26", 28", or 30" vent rib barrels, all with our interchangeable Rem™ Choke system. For southpaws, there's also a complete mirror-image version that comes with a 28" barrel. And Remington's exclusive light contour barrels keep the balance between your hands, right where it should be. Weight is in the very comfortable mid-7 lb. range. Suggested retail from \$684.



MODEL 11-87™ PREMIER® CANTILEVER SCOPE MOUNT DEER GUN

With its 21" fully rifled barrel and rigid scope mount, this is the deer gun system that brings rifle-like accuracy to slug shooting, particularly with Remington's exclusive Copper Solid™ sabot slugs. And it won't change zero even after the effects of repeated recoil. The satin-finished American walnut stock comes with integral sling swivel studs. In addition, both receiver panels are decorated with Remington's new fine-line engraving process. Suggested retail is \$749. Note: Scope and rings not included.



MODEL 11-96™ EURO LIGHTWEIGHT

The ultra-light Model 11-96™ has a 26" or 28" light-contour chrome-moly steel barrel with a 6mm ventilated rib, chrome-plated bore, and flush-fitting Imp. Cyl., Mod. and Full Rem™ Chokes. Sporting a slim, classic profile, weight has been trimmed from the all-steel receiver, making the 26" version just 6¾ lbs, with surprisingly low recoil. In addition, both receiver panels are decorated with Remington's new fine-line engraving process. Suggested retail is \$862.


The Remington® Model 1100™ — The All-Time Autoloading Champion.

The Model 1100™ has set the standard for what an autoloader should be in terms of looks, weight, handling qualities, and reliability. It combines the slim, trim lines of classic doubles, the repeat-shot reliability of the best pump guns, and the light-recoiling performance of a modern gas-operated action. Millions of hunters have made it the best-selling autoloader of all time.



MODEL 1100™ SPECIAL FIELD

Its sleek shape, light weight, and fast-handling characteristics make it as good an upland gun as there is today, particularly in a small-frame, 20-gauge form. Its quick-mounting, English-style, straight-gripped stock is beautifully balanced by a fast-tracking 23" barrel with three interchangeable Rem® Chokes — perfect for quail, woodcock and grouse. For heavier loads on farther-ranging birds like pheasant and open country chukars, the 12-gauge version is equally fast. A satin-finished amply-checked American walnut stock further complements the gun's trim lines. Suggested retail is \$651.




MODEL 1100™ LT-20

A true 20-gauge built on a small-frame receiver, the Model 1100™ LT-20 provides small-bore speed and soft recoil in a highly reliable autoloading action. Handsome appearance comes from deeply blued metal and a satin- or gloss-finished American walnut stock, with a handful of crisp-cut checkering. Optional 26" or 28" vent rib barrels include Improved Cylinder, Modified, and Full Rem® Choke tubes. Suggested retail is \$651.



MODEL 1100™ LT-20 MAGNUM

Lightweight, long-range power in a classic 20-gauge Model 1100™ with 3" chamber. Ideal for waterfowling with the added steel shot capacity of 3", 20-gauge shells. The 28" vent rib barrel includes our interchangeable Rem® Choke system with Improved Cylinder, Modified, and Full choke tubes for versatile use on all types of game. Top-of-the-line metal bluing and satin-finished American walnut stock are standard. Suggested retail is \$651.



MODEL 1100™ LT-20 YOUTH

A practical choice for youngsters and small-stature adults, with the easy-carrying light weight and soft recoil of a 20-gauge autoloading action. Comfortable fit and sure handling come from a stock shortened to a 13" length of pull that is nicely balanced with a 21" vent rib barrel. It has the same satin-finished American walnut stock and interchangeable Rem® Chokes as its full-sized brothers. Suggested retail is \$651.

APPLY TODAY!

Three Simple Steps to Greater Savings—

Please review the information below before completing the Balance Transfer Option.

1. Print, in order of importance, the names of the banks or department stores and the amounts you want to pay. Total amount cannot exceed your credit line.
2. Complete the **Balance Transfer** section on this application. Within two weeks after your account is opened, we'll mail balance transfer checks directly to you.
3. Please continue to make minimum monthly payments on the accounts you designate until the balance transfer payments appear as credits on those account statements.

* Official Sweepstakes Rules

— No purchase or application necessary.

- If you do not wish to apply for a credit card or use your credit card account, and you wish to enter the sweepstakes, you can enter by hand printing your name, address, zip code and telephone number along with the words "REMINGTON ARMS CREDIT CARD SWEEPSTAKES" on a plain 3" x 5" piece of paper.
- Mail your entry to: Remington Arms Credit Card Sweepstakes, P.O. Box 176000, Denver, CO 80217-6000.
- Enter as often as you wish, but each entry must be mailed separately in an envelope and be postmarked by the last day of each month and received no later than one week later, in order to be eligible for that monthly drawing.
- Mechanically reproduced entries will not be accepted.

Grand Prize (5): The winner may select one of the following three prize options: a Custom Remington 700 BDL Rifle (long action caliber), (est. Retail Value \$1000/each); or a Custom Remington 11-87 Premier LC Shotgun (12 ga. 28" barrel), (est. Retail Value \$1000/each); or a Free Trip for one adult to a NASCAR race (pre-selected events, includes race event tickets, round trip airfare from major gateway cities, and one night hotel accommodations), (est. Retail Value \$875).

— For complete Sweepstakes rules, send self addressed stamped envelope to:

Remington Arms Credit Card Sweepstakes
PO Box 176000
Denver, CO 80217-6000

** After you use your Remington Visa card the first time, you will receive a \$10 Remington Rebate certificate good for up to 50% off the purchase price of any Remington firearm, ammunition, knife, or Stren fishing line. You will also receive one \$10 Remington Rebate certificate for every \$1,000 in net retail purchases (retail purchases less returns, credits and adjustments) charged to the account by you or your authorized user(s), if any. All certificates will be sent directly to each customer. Please allow 4-6 weeks from your first statement date for delivery of the initial rebate certificate. You may redeem certificates for up to 50% of the retail price of any Remington product in a single transaction. Multiple certificates may be combined, subject to the 50% limit. To obtain your rebate, certificate(s) must be returned to Remington Arms along with the original register receipt and UPC code to: Remington Arms Co. Inc., Certificate Redemption, 870 Remington Road, PO Box 700, Madison, NC 27025-0700. Please allow 4-6 weeks for delivery of your rebate check. The terms of this reward program may be changed by its sponsor, Remington Arms Company, Inc. This credit card program is issued and administered by MBNA America Bank, N.A. The Remington Arms Rebate Certificate Program is the responsibility of Remington Arms Company, Inc. Full details about the program including all terms and conditions, will accompany your credit card. MBNA®, MBNA America® and GoldPlus® are federally registered service marks of MBNA America Bank, N.A. Visa® is a federally registered service mark of Visa U.S.A. Inc., used pursuant to license. Remington, Remington Country, Remington Country Logo, Stren, Nitro Steel and Remington Racing are trademarks of Remington Arms Company, Inc.

© 1996 Remington Arms Company, Inc.


NO POSTAGE
NECESSARY
IF MAILED IN THE
UNITED STATES




BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 317
Wilmington, DE

POSTAGE WILL BE PAID BY ADDRESSEE

MBNA AMERICA
PO BOX 15464
WILMINGTON, DE 19885-5464



THE ONLY
CREDIT CARD
GOOD
ENOUGH
TO BE A
REMINGTON




Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
1100 [™] Special Field (12-ga.)	23"	43½"	7¼	14"	1½"	2½"
(20-ga.)	23"	43½"	6½	14"	1½"	2½"
1100 [™] LT-20	28"	48"	7	14"	1½"	2½"
	26"	48"	6¾	14"	1½"	2½"
1100 [™] LT-20 Magnum	28"	48"	7	14"	1½"	2½"

Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
1100 [™] LT-20 Youth	21"	40½"	6½	13"	1½"	2½"
1100 [™] Synthetic (12-ga.)	28"	48"	7½	14"	1½"	2½"
(20-ga.)	26"	48"	7	14"	1½"	2½"
1100 [™] Synthetic FR RS (20-ga.)	21"	41"	7	14"	1½"	2½" ★
1100 [™] Synthetic FR CL (12-ga.)	21"	41½"	7½	14"	1½"	2½" ★

★ New For 1997


MODEL 1100[™] SYNTHETIC
 (12- AND 20-GAUGE)


All the features of the world-famous Model 1100[™] autoloader in 12- or 20-gauge are now available with the workhorse strength and lifetime durability of a synthetic stock. This is the "go anywhere, go anytime" Model 1100[™], completely at home in your cabin, canoe, or pick-up. Vent rib barrels are 28" in 12-gauge, 26" in 20-gauge, and are fitted with a Modified Rem[™] Choke. Suggested retail is \$492.

NEW!


MODEL 1100[™] LT-20 SYNTHETIC FR RS
 (20-GAUGE FULLY RIFLED, RIFLE-SIGHTED DEER GUN)

This Model 1100[™] 20-gauge synthetic comes with a 21" fully rifled barrel with rifle sights and 2¾" chamber. As an added benefit, owners of these Model 1100[™] deer guns can easily increase their versatility by adding extra barrels for clay target shooting or bird hunting. Suggested retail is \$475.

NEW!


MODEL 1100[™] SYNTHETIC FR CL
 (12-GAUGE FULLY RIFLED, CANTILEVER DEER GUN)

Our new Model 1100[™] deer gun is fitted with a 21" fully rifled barrel with Remington's cantilever scope mount system. With its fiberglass-reinforced synthetic stock, the gun has standard 2¾" chambers. For the Model 1100[™] enthusiast, this is the perfect opportunity to take advantage of exceptional slug accuracy with the combination of fully rifled barrels and modern slugs such as Remington's Copper Solid[™]. Suggested retail is \$585. *Note: Scope and rings not included.*

The Model 870™ Wingmaster® — A Veteran That's Still Ahead of Its Time.

If the Model 870™ Wingmaster® were introduced today, it would be hailed as a major advancement in pump-action shotgun design — the ultimate in strength, durability, silky-smooth action, and sleek classical lines. Yet this remarkable shotgun has been around for almost half a century and has become the best-selling shotgun of any action type in history, with over six million made. Most of these owners are first-time users, still shooting their original 870™. That should tell you something.

Just ask Rudy Etchen, one of this century's greatest competitive shotgunners. In 1950, Rudy took a brand new Model 870™ and broke the first registered 100 straight ever at trap doubles with a pump gun — at the Grand American Trap Championships. In 1982 — 32 years later — he repeated the feat with the same gun. He's still shooting it. Rudy's not sure how many hundreds of thousands of shells he's shucked through his Wingmaster®. But, as Bob Brister recently wrote, "About the only thing 'Mr. Pumpgun' Rudy Etchen hasn't been able to do with his 46-year-old Remington 870™ is wear it out."* The same thing can be said about every Model 870™ — the proof is that many of them are now in the hands of a third generation.



Rudy Etchen

* "Pumping Steel," by Bob Brister, *Field & Stream*, August, 1995.



MODEL 870™ WINGMASTER® CANTILEVER SCOPE MOUNT DEER GUN

Rifle-like slug-shooting accuracy is now possible with this combination of scope sights and 20" fully rifled barrel for optimum slug stabilization. The solid rigidity of our scope mount cantilever arm preserves constant, unchanging zero, even after the punishing effects of repeated recoil. Yet a quick barrel change converts it to a standard field gun. The receiver is attractively engraved with scrollwork on the right face and whitetail deer on the left face. Sling swivel studs and camo sling are included. Suggested retail is \$599. Note: Scope and rings not included.



MODEL 870™ WINGMASTER® LC — A HANDSOME WORKHORSE

Despite its reputation for ruggedness, we can dress up "Old Reliable" into an absolute beauty, like the LC (Light Contour) version above. Clean, slim lines; fine American walnut with a satin or gloss finish; richly blued metal luster; a receiver generously engraved with refined, artistic scrollwork. Yet total versatility results from its interchangeable Rem™ Choke system and ability to handle all 2¾" and 3" Magnum shells. Light contour barrels make it move like a magic wand. Choose from 12-ga. barrel-length options of 26", 28", and 30". Also in 20-ga. with 26" or 28" barrels. Suggested retail is \$519.

Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
12-ga. Wingmaster® LC	30"	50½"	7¼	14"	1½"	2½"
	28"	48½"	7	14"	1½"	2½"
	26"	46½"	6¾	14"	1½"	2½"
12-ga. Fully Rifled Cantilever Deer	20"	40½"	8	14½"	1¾"	1¾"
20-ga. Wingmaster®	28"	48½"	6½	14"	1½"	2½"
	26"	46½"	6½	14"	1½"	2½"



Fine-Line Engraving Detail

The Peerless® — Everything a Great Over & Under Should Be.


The Peerless® is everything a great over & under should be — a “Best Buy” that’s beautiful in appearance, and loaded with design features you won’t find in over & under field guns costing twice as much. These include superb handling qualities based on modest weight and perfect, between-the-hands balance. Add to that the aesthetics of attractive design with clean, classic lines and a shallow receiver. Barrels are topped with an 8mm-wide vent rib with target-style twin bead sights, have elongated forcing cones, and are furnished with Improved Cylinder, Modified, and Full Rem® Chokes.



PEERLESS® - AN AMERICAN BEAUTY

Its lines are lean and clean, instantly pleasing to the eye, and giving a hint of its excellent balance. A richly toned American walnut stock is protected by Remington's tough, high-gloss finish, with sharp, positive checkering on both pistol grip and fore-end. All exposed metal carries our highly polished, deep-lustre bluing. In barrel-length options of 26" and 28", weight varies from 7¼ to 7¾ lbs. Comfortable finger grooves on a fore-end tapering slightly towards the front provides enhanced appearance and fast handling. A gold-plated single selective mechanical trigger guarantees fast follow-up shots. Suggested retail is \$1,225.

Remington® Peerless® Design Features



Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
Peerless®	30"	47"	7½	14¾"	1½"	2¼"
	28"	45"	7¾	14¾"	1½"	2¼"
	26"	43"	7¼	14¾"	1½"	2¼"

Special Purpose Shotguns — The Toughest Shotguns We Make, for the Toughest Challenges You Face.

You might call Remington® Special Purpose shotguns the workhorses of our line. They are — with Remington's traditional toughness and dependable performance. There are individual versions with features matched for deer, waterfowling, and turkey hunting. They include such practical options as rugged synthetic stocks, nonreflective surfaces, cantilever deer barrels, and a variety of background-blending camo finishes over the entire gun. Sling swivel studs and a padded Cordura® sling are standard on all Special Purpose guns.



MODEL 870™ SPS WITH FULLY RIFLED

CANTILEVER SCOPE MOUNT DEER BARREL

Get the trophy-proven strength and reliability of a Model 870™ pump-action with every current design advancement for successful all-range deer hunting: a sturdy cantilever scope mount with over-the-receiver eye relief and non-changing zero; weather-beating, non-glare synthetic stock with Monte Carlo comb for fast scope alignment; and the superb slug accuracy of a fully rifled barrel. Includes sling swivel studs and padded Cordura® sling. Suggested retail is \$496. *Note: Scope and rings not included.*



MODEL 870™ SPS FULLY RIFLED DEER GUN

This Model 870™ SPS deer gun combines quick-pointing open sights with the modern advantages of a synthetic stock and the accuracy potential of fully rifled barrels. Its short barrel length is maneuverable in close quarters, while its ever-reliable pump action makes fast follow-up shots a breeze. Includes sling swivel studs and padded Cordura® sling. Suggested retail is \$436.



Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
870" SPS Cant. Deer	20"	40½"	8	14½"	1¾"	1¾"
870" SPS Deer	20"	40"	7	14"	1½"	2½"
11-87" SP Deer	21"	41"	8	14"	1½"	2½"
11-87" SPS Deer	21"	41"	8	14"	1½"	2½"
11-87" SPS Cant. Deer	21"	41½"	8½	14½"	1¾"	1¾"



MODEL 11-87™ SPS WITH FULLY RIFLED CANTILEVER SCOPE MOUNT DEER BARREL

This is the shotgun system that has revolutionized slug shooting, providing rifle-like repeat shot accuracy previously unattainable with slugs. A sturdy, nonreflective synthetic stock has ax-handle toughness. The rigid cantilever scope mount is attached to the barrel, guaranteeing permanent zero, and extends back over the receiver for natural, quick-sighting eye relief. And a Monte Carlo stock further speeds scope alignment. Finally, the fully rifled barrel delivers all the accuracy potential of Remington's highly concentric, ballistically balanced Copper Solid™ slugs. And a simple barrel change can convert this gun to use for upland game or waterfowling. Suggested retail is \$752. *Note: Scope and rings not included.*



MODEL 11-87™ SP DEER GUN (WALNUT STOCK)

This is a truly versatile big-game gun with traditional walnut stock. The 21" barrel is supplied with adjustable iron sights and both Rifled and Improved Cylinder Rem™ Chokes to accommodate either slugs or buckshot. Use of an optional Turkey Extra Full Rem™ Choke creates an easy-carrying, precision-sighting turkey gun. And an optional extra barrel can convert it to an upland or waterfowl gun. Both wood and metal have nonreflective finishes. Includes sling swivel studs and padded Cordura® sling. Suggested retail is \$651. *Note: 21" Model 11-87" deer barrels are not pressure-compensated. Not for use with target or light field loads.*




MODEL 11-87™ SPS FULLY RIFLED DEER GUN

Here's an autoloading deer gun that comes up fast for quick shots in close quarters. Featuring a synthetic stock, this Model 11-87™ has a fully rifled barrel with open sights. Matched with our Copper Solid™ slugs, it delivers pinpoint accuracy on demand. Padded Cordura® sling and swivel studs are standard. Suggested retail is \$892. *Note: 21" Model 11-87" deer barrels are not pressure-compensated. Not for use with target or light field loads.*

FIREARMS

SPECIAL PURPOSE SHOTGUNS



MODEL 11-87™ SPS

There's no more rugged, reliable workhorse for the toughest hunting conditions than a Model 11-87™ SPS. This is the light-recoiling autoloader with a dirt-defying gas system that will run through shells all day long without a hitch. Like all our SPS guns, it is fitted with a weather-proof synthetic stock with black matte finish, while all metal surfaces have been bead-blasted and blued to eliminate glare. Available in a choice of 26" or 28" vent rib barrels with three interchangeable Rem™ Chokes. Includes sling swivel studs and padded Cordura® sling. Suggested retail is \$670.



MODEL 11-87™ SP (WALNUT STOCK)

The Special Purpose shotgun of traditional American walnut with positive cut checkering, while retaining the concealment advantages of our SP line. There's not a hint of reflection from the satin wood finish or the black matte surface of exposed metal. Supplied with either 26" or 28" vent rib barrels, each with twin beads and interchangeable Improved Cylinder, Modified, and Full Rem™ Choke tubes. Add an extra rifle-sighted deer barrel or rifled Rem™ Choke tube to convert it to a slug deer gun. Includes sling swivel studs and padded Cordura® sling. Suggested retail is \$670.



MODEL 870™ MARINE MAGNUM™

A highly durable and versatile utility gun that resists corrosion on land or water. Electroless nickel plating covers all metal of the Model 870™ Marine Magnum including the inside of the barrel and receiver. The synthetic stock has generous checkering for positive control and is impervious to moisture. Supplied with 18" Cylinder barrel with single-bead front sight, six-round magazine, padded Cordura® sling, and swivel studs. Suggested retail is \$500.

Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
SP-10" Magnum	26"	47½"	10¾	14"	1½"	2½"
	30"	51½"	11	14"	1½"	2½"
SP-10" Magnum Camo	23"	44½"	10½	14"	1½"	2½" ★
11-87" SPS-T	21"	41"	8	14"	1½"	2½"
11-87" SPS-T Camo	21"	41"	8	14"	1½"	2½" ★
870" SPS-T	21"	41½"	7	14"	1½"	2½"
870" SPS-T CAMO	21"	41½"	7	14"	1½"	2½" ★

Gun Dimensions / Average Weights

	Barrel Length	Overall Length	Avg. Wt.(lbs.)	Length of Pull	Drop (Comb)	Drop (Heel)
11-87" SPS	26"	46"	8¾	14"	1½"	2½"
	28"	48¼"	8¾	14"	1½"	2½"
11-87" SPS Camo	26"	46"	8¾	14"	1½"	2½" ★
870" SPS Camo	26"	46½"	7¼	14"	1½"	2½" ★
870" Marine Magnum	18"	38½"	7½	14"	1½"	2½"
11-87" SP	26"	46"	8¾	14"	1½"	2½"
	28"	48¼"	8¾	14"	1½"	2½"

★ New For 1997



MODEL 11-87™ / 870™ SPS-T CAMO

This year, our Model 11-87" and Model 870" (pictured) Special Purpose Synthetic Turkey guns will be disguised with new RealTree® X-tra Brown, one of the most versatile three-dimensional camo patterns made. This new camouflage will completely cover the receivers, barrels, stocks, and magazine caps of both guns, including the exposed magazine tubes of the Model 870". The 21" vent rib barrel minimizes gun movement, points quickly, and slips easily beneath low branches when carried vertically. Twin bead sights, tight constriction Turkey Super Full Rem™ Chokes, and matching padded Cordura® sling are standard. Suggested retail for the 11-87" is \$770 and \$511 for the 870".

NEW
Camo
Pattern



MODEL 11-87™ / 870™ SPS CAMO

Our synthetic-stocked SPS camo shotguns now come fully wrapped in the new Mossy Oak® Break-Up pattern in 1997. Receiver, barrel, butt-stock, fore-end, and magazine cap are all completely camouflaged, as is the exposed magazine tube on the Model 870™ (pictured). Both guns have 26" vent rib barrels with Improved Cylinder, Modified, and Full Rem™ Choke tubes, and come with sling swivel studs and padded Cordura® sling. Suggested retail for the 11-87™ is \$557, and \$496 for the 870™.

Model 11-87™ / Model 870™ Special Purpose Synthetic — All Black Matte Finish

	Gauge	Barrel Type/Length	Rem™ Choke(s) Supplied	Finish
11-87™ SPS	12	Vent Rib / 26" or 28"	I.C., Mod., & Full	All Black Matte
11-87™ / 870™ SPS Deer	12	Rifle Sighted / 21" 11-87™, 20" 870™	Fully Rifled barrel, no choke tube	All Black Matte
11-87™ / 870™ SPS-T	12	Vent Rib / 21"	I.C. & Turkey Super Full	All Black Matte
11-87™ / 870™ SPS	12	Cantilever Scope mount / 21" 11-87™, 20" 870™	Fully Rifled barrel, no choke tube	All Black Matte

Model 11-87™ / Model 870™ Special Purpose Synthetic — Camo Finishes

	Gauge	Barrel Type/Length	Rem™ Choke(s) Supplied	Camo Pattern
11-87™ SPS Camo	12	Vent Rib / 26"	I.C., Mod., & Full	Mossy Oak® Break-Up ★
11-87™ / 870™ SPS-T Camo	12	Vent Rib / 21"	I.C. & Turkey Super Full	RealTree® X-tra ★

Note: 21" Model 11-87™ turkey and deer barrels are not pressure-compensated. Not for use with target or light field loads.

★ New For 1997



MODEL SP-10™ MAGNUM

MODEL SP-10™ MAGNUM CAMO

America's only gas-operated 10-gauge shotgun. It's the perfect gun for high-flying honkers and the toughest turkey shots, delivering up to 34% more pellets in the target area than a standard 12-gauge, yet with less recoil than many 12-gauge Magnums. Available with 26" or 30" vent rib, Rem™ Choke barrels. The American walnut stock has a satin finish, and all exposed metal has a nonreflective matte finish. Also available is the SP-10™ Magnum Camo with a fast-pointing 23" vent rib turkey barrel, covered this year in new Mossy Oak® Break-Up camouflage. Interchangeable Rem™ Chokes include Turkey Extra Full, Full and Modified. Includes sling swivel studs and padded Cordura® sling. Suggested retail for SP-10™ Magnum is \$1,054, and \$1,145 for the SP-10™ Magnum Camo.

NEW
Camo
Pattern




MODEL 11-87™ / 870™ SPS-T

The totally nonreflective black matte finish on stocks and metal surfaces of our Model 11-87™ and Model 870™ (pictured) SPS-T turkey guns makes them look like just another tree branch. Twin beads on their fast-pointing 21" vent rib barrels will help you line up quickly on a long-bearded Tom. And our Turkey Super Full Rem™ Choke delivers the dense patterns that will ensure a Thanksgiving dinner. Add a Rifled Rem™ Choke tube, and you can turn these rugged, synthetic-stocked shotguns into sharp-shooting deer guns as well. Includes sling swivel studs and padded Cordura® sling. Suggested retail for the 11-87™ is \$684, and \$425 for the 870™.


The Model 870™ Express™ — The All-American Pump Gun That's All Business.

Our Model 870™ Express™ is America's pump gun. It brings performance-oriented hunters the best of both worlds — beneath its no-nonsense, ready-for-work exterior lie the same quality of materials, careful manufacture, and lifetime reliability as in our standard Model 870™ Wingmaster®, the pump gun without peer. But it also delivers this to shooters at a truly economical price. As a result, it is not only the "Best Buy" version of the best-selling shotgun ever designed, it's the "Best Buy" of shotguns, period. And it earns this position with a variety of choices that span the spectrum of shotgun applications.




MODEL 870™ EXPRESS™ TURKEY

A perfect turkey gun with the nonreflective, flat-finish concealment advantages on both stock and exposed metal of our Express™ line. Available in 12-gauge, with 21" vent rib turkey barrel that carries easily beneath overhanging branches and minimizes movement on a stand. A Turkey Extra-Full Rem™ Choke tube provides the exceptionally dense patterns needed for taking a wary Tom. Suggested retail is \$305.



MODEL 870™ EXPRESS™ 20-GAUGE YOUTH GUN

Sized for smaller shooters with a 13" length of pull. Offered in a choice of a well-balanced 21" vent rib barrel with a Modified Rem™ Choke for birds, or a 20" fully rifled, rifle-sighted deer barrel (pictured) to match up with the accuracy of our 20-gauge Copper Solid™ sabot slugs. It features a handsome hardwood stock with positive checkering and low-luster finish. Suggested retail is \$292 with 21" vent rib barrel, and \$325 for 20" fully rifled barrel.



MODEL 870™ EXPRESS™ HD

An ideal utility and home defense gun. With 18" Cylinder choke barrel and single front bead sight. An excellent choice as a permanent camp shotgun or as a foundation for adding the versatility of additional extra barrels. Suggested retail is \$292. *Note: the Model 870™ Express™ HD is intended for personal use and will not accept law enforcement accessories.*

MODEL 870™ EXPRESS™ DESIGN FEATURES

Receiver machined from solid block of hardened steel

Satin metal finish eliminates reflections

Proven Wingmaster® fire control

Twin action bars for smooth, fluid cycling



PROVEN DEPENDABILITY AT AN AFFORDABLE PRICE


You can pay more for a pump gun, but for functional reliability and lifetime durability, you can't buy a better one than a Model 870™ Express™. The reason is simple. It's built on the basic action of the best-selling, most tested shotgun ever made, the legendary Model 870™ Wingmaster®. It's the same gun, but a bit less fancy. Just as strong, just as reliable, and just as durable — with an action that cycles just as smoothly. Nor are your choices limited. It's offered with a wide selection of barrel configurations, a Rem™ Choke system, and in 12-, 20-, 28-ga. and .410 bore. All wood and metal surfaces have a nonreflective, non-revealing finish. The 12-gauge vent rib field gun is offered in both wood and synthetic stocked versions. You can count on it — today, tomorrow, and someday, in your grandson's hands.

NEW
Combo
Versions



MODEL 870™ EXPRESS™ COMBOS

In 1997, we're offering two new Model 870™ Express™ Combo cross-over packages for both birds and deer: available in both 12- and 20-gauge, they include a 26" vent rib barrel with Modified Rem™ Choke tube and a 20" fully rifled, rifle-sighted deer barrel. These complement our existing 12- and 20-ga. combos that feature a 28" vent rib Rem™ Choke field barrel and 20" rifle-sighted Improved Cylinder deer barrel. Suggested retail from \$383.



MODEL 870™ EXPRESS™ DEER GUN

The affordable pump-action deer gun for hunters who prefer adjustable open sights. Monte Carlo stock promotes fast sight alignment. Available with choice of either 20" fully rifled barrel for sabot or standard slugs, or 20" Improved Cylinder barrel for rifled slugs or buckshot. Suggested retail is \$287.



MODEL 870™ EXPRESS™ SMALL GAUGE

There's no better buy in a lightweight, fast-handling field gun than these small-gauge versions of our Model 870™ Express™. Fully checkered wood stock with recoil pad (20-gauge only). .410 bore and 28-gauge have 25" vent rib barrels and Modified Fixed choke on the 28-gauge and Full on the .410. The 20-gauge version is offered with your choice of either 26" or 28" vent rib barrel with Modified Rem™ Choke. Suggested retail from \$292.

Note: See page 29 for Express™ shotgun specifications.

Shotgun Specifications

Remington Peerless® O/U

Gauge	Barrel Length and Choke	Order No./Price*
12 Peerless® O/U	30" Rem® Choke	4813 / \$1,092.
	28" Rem® Choke	4814 / \$1,092.
	26" Rem® Choke	4815 / \$1,092.

*Manufacturer's Suggested Retail Price. Supplied with one Imp. Cyl., one Mod., and one Full Rem® Choke tube. 3" chambers.

Model 396™ O/U Target Shotguns

Gauge	Barrel Length and Choke	Order No./Price*
12 396™ Skeet O/U	30" Rem® Choke	4816 / \$1,859.
	28" Rem® Choke	4817 / \$1,859.
12 396™ Sporting O/U	30" Rem® Choke	4818 / \$1,993.
	28" Rem® Choke	4819 / \$1,993.

Model 396™ Skeet supplied with two Skeet Rem® Choke tubes. Model 396™ Sporting supplied with Skeet, Improved Cylinder, Light Modified, and Modified Rem® Choke tubes. *Manufacturer's Suggested Retail Price.

Model 90-T™ Single Barrel Trap

Gauge	Barrel Length and Choke	Order No./Price*
12	34" Full	4830 / \$3,199. 4834 / \$3,992.

See your local Remington dealer for full specifications and option choices. *Manufacturer's Suggested Retail Price. **High Post - Adjustable Rib

Model 11-87™, 1100™, & 870™ Target Shotguns

Gauge/Description	Barrel Length and Choke	Order No./Price*
12 11-87™ Premier® Sporting Clays®	28" Rem® Choke LC	5277 / \$745.
11-87™ Premier® Sporting Clays NP	30" Rem® Choke LC	5263 / \$793.★
11-87™ Premier® Trap® (Monte Carlo)	30" Rem® Choke ²	9888 / \$754.
11-87™ Premier® Skeet ¹	26" Rem® Choke	5 9882 / \$732.
870™ TC Trap (Monte Carlo)	30" Rem® Choke ²	5 6979 / \$647.
20 1100™ Skeet	26" Rem® Choke	5 9605 / \$732.
28 1100™ Sporting	26" Rem® Choke	5407 / \$748.

* Model 11-87™ Target barrels are not equipped with a pressure-compensating gas system and are intended for use with target ammunition only (3½ dr. powder, 1¼ oz. lead shot — max.). Use of heavier field loads will damage the gun, unless a Model 11-87™ Premier® Field Grade extra barrel is installed. ²All Remington Rem® Choke Trap Barrels are overbored. These guns are supplied with special Rem® Chokes that will not perform satisfactorily in standard bore barrels. Model 11-87™ barrels are not interchangeable with Model 1100™ barrels. See page 30-31 for information on extra barrels. LC = Light Contour. *Manufacturer's Suggested Retail Price. 5 Subject to stock on hand.

Model SP-10™ Magnum

Gauge	Barrel Length and Choke	Order No./Price*
10	30" Rem® Choke	4808 / \$1,054.
	26" Rem® Choke	4812 / \$1,054.
	23" Rem® Choke Mossy Oak® Break-Up Camo	4811 / \$1,145.★

Model SP-10™ supplied with Full, Mod., and Turkey Extra Full (lead shot only) Choke tubes. Important Note: Critical components — including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns — are not interchangeable. *Manufacturer's Suggested Retail Price.

Model 11-87™ Premier®

Gauge	Barrel Length and Choke	Order No./Price*
		Satin Wood Gloss Wood
12	30" Rem® Choke LC (Light Contour)	— 5287 / \$684.
	28" Rem® Choke LC	9873 / \$684. 5289 / \$684.
	28" Rem® Choke Left-Hand, LC	9911 / \$734. —
	26" Rem® Choke LC	— 5291 / \$684.
	21" Fully Rifled Cantilever Deer Barrel	9831 / \$749. —

Model 11-87™ rifle barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. LC = Light Contour. *Manufacturer's Suggested Retail Price.

Model 11-87™ Special Purpose

Gauge	Barrel Length and Choke	Order No./Price*
		Wood Synthetic
12	28" Rem® Choke	9905 / \$670. 5289 / \$670.
	26" Rem® Choke	9906 / \$670. 5271 / \$670.
	26" Rem® Choke Mossy Oak® Break-Up Camo	— 9662 / \$757.★
	21" Rem® Choke Turkey gun (all black) ¹	— 9674 / \$684.
	21" Rem® Choke Turkey gun Realtree® X-tra Camo ¹	— 9660 / \$770.★
	21" Fully Rifled Cantilever Deer Barrel (all black) ¹	— 9819 / \$752.
	21" Fully Rifled Deer Barrel w/ rifle sights (all black) ¹	— 9678 / \$692.
	21" Rem® Choke Deer Barrel w/ rifle sights ¹	9837 / \$651. —

¹Rifle sighted Rem® Choke deer shotguns supplied with a Rifled Choke tube and Improved Cylinder tube. *Model 11-87™ turkey and deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. Note: SPS turkey guns supplied with Turkey Super Full and Improved Cylinder Choke tubes. *Manufacturer's Suggested Retail Price.

Model 11-96™ Euro Lightweight

Gauge	Barrel Length and Choke	Order No./Price*
12	28" Rem® Choke	9863 / \$862.★
	26" Rem® Choke	9869 / \$862.★

Supplied with Imp. Cyl., Mod., and Full Rem® Chokes. *Manufacturer's Suggested Retail Price.

Custom Shop Production Centerfire Rifles

	Mag. Cap.	Barrel Length	Overall Length	Average Weight (lbs.)	Twist — R-H, 1 Turn In:	Classic Wood Stock Right-Hand	Monte Carlo Wood Stock Left-Hand	Monte Carlo Wood Stock Right-Hand only	Kevlar®-Reinforced Stock (22" BBL) Right-Hand	Kevlar®-Reinforced Stock (22" BBL) Left-Hand
Model 700® Safari										
8mm Remington Mag.	3	24"	44½"	9	10"	✓	✓	✓	✓	✓
.375 H & H Mag.	3	24"	44½"	9	12"	✓	✓	✓	✓	✓
.416 Remington Mag.	3	24"	44½"	9	14"	✓	✓	✓	✓	✓
.458 Win. Mag.	3	24"	44½"	9	14"	✓	✓	✓	✓	✓
						Laminated Classic Wood Stock, Custom Magnum Barrel Contour				
Model 700® APR (African Plains Rifle)										
7mm Remington Mag.	3	26"	46½"	7¼	9¼"	5945 / \$1,466.				
.300 Win. Mag.	3	26"	46½"	7¼	10"	5947 / \$1,466.				
.300 Wby. Mag.	3	26"	46½"	7¼	12"	5949 / \$1,466.				
.338 Win. Mag.	3	26"	46½"	7¼	10"	5951 / \$1,466.				
.375 H & H Mag.	3	26"	46½"	7¼	12"	5953 / \$1,466.				
						Kevlar® Reinforced Composite Stock, Custom Magnum Barrel Contour				
Model 700® AWR (Alaskan Wilderness Rifle)										
7mm Remington Mag.	3	24"	44½"	6¼	9¼"	5915 / \$1,345.				
.300 Win. Mag.	3	24"	44½"	6¼	10"	5917 / \$1,345.				
.300 Wby. Mag.	3	24"	44½"	6¼	12"	5919 / \$1,345.				
.338 Win. Mag.	3	24"	44½"	6¼	10"	5921 / \$1,345.				
.375 H & H Mag.	3	24"	44½"	6¼	12"	5923 / \$1,345.				
No. 1 Rolling Block						Fancy American Walnut Stock, Mid-Range Creedmoor Style.				
Model 700® ML Custom — .50 Cal.						Gray Laminated Thumbhole Stock with Rollover Cheekpiece.				
Model 700® MLS Custom — .50 Cal.						Gray Laminated Thumbhole Stock with Rollover Cheekpiece.				

★ New For 1997

Model 1100™

Gauge	Barrel Length and Choke	Order No./Price*		
		Satin Wood	Gloss Wood	Synthetic
12	23" Rem" Choke (Special Field)	5335 / \$651.	—	—
	28" Rem" Choke (Mod. Only)	—	—	5369 / \$492.
	21" Fully Rifled Cantilever Deer Barrel	—	—	5363 / \$585. ★
20	28" Rem" Choke	5403 / \$651.	—	5371 / \$492.
	28" Rem" Choke	—	5313 / \$651.	—
	28" Rem" Choke	9597 / \$651.	—	—
	3" Magnum	—	—	—
	23" Rem" Choke (Special Field)	5381 / \$651.	—	—
	21" Rem" Choke (Youth Gun)	5372 / \$651.	—	—
	21" Fully Rifled Deer Barrel w/ rifle sights	—	—	5365 / \$475. ★

*Manufacturer's Suggested Retail Price.

Model 870™ Wingmaster®

Gauge	Barrel Length and Choke	Order No./Price*	
		Satin Wood	Gloss Wood
12	30" Rem" Choke LC (Light Contour)	—	5053 / \$519.
	28" Rem" Choke LC	5053 / \$519.	5055 / \$519.
	28" Rem" Choke LC	—	5057 / \$519.
	20" Fully Rifled Cantilever Deer Barrel	5515 / \$599.	—
20	28" Rem" Choke	5068 / \$519.	—
	28" Rem" Choke	—	5074 / \$519.

NOTE: All Model 870™ shotguns have 5-shot capacity and come furnished with a 3-shot plug. All 3" chambers handle 2 3/4" shells. LC = Light Contour. *Manufacturer's Suggested Retail Price.

Model 870™ Special Purpose

Gauge	Barrel Length and Choke	Order No./Price*	
		Satin Wood	Synthetic
12	28" Rem" Choke Mossy Oak® Break-Up Camo	5096 / \$496. ★	—
	21" Rem" Choke Turkey gun (all black)	4984 / \$425.	—
	21" Rem" Choke Turkey gun Realtree® X-tra Camo	5094 / \$511. ★	—
	20" Fully Rifled Cantilever Deer Barrel (all black)	5002 / \$496.	—
	20" Fully Rifled Deer Barrel w/ rifle sights (all black)	4988 / \$436.	—
	18" Marine Magnum™ (nickel)	5012 / \$500.	—

Note: Model 870™ shotguns with 3" chambers handle 2 3/4" shells. *Will not accept law enforcement accessories. Note: SPS turkey guns supplied with Turkey Super Full and Improved Cylinder Choke tubes. *Manufacturer's Suggested Retail Price.

Model 870™ Express™

Gauge	Barrel Length and Choke	Overall Length	Avg. Wt. (lbs.)	Order No./Price*
12	28" Rem" Choke	48 1/2"	7 1/2	5568 / \$292.
	28" Rem" Choke	48 1/2"	7 1/4	5569 / \$292.
	28" Rem" Choke w/ black synthetic stock and fore-end	48 1/2"	7 1/4	5587 / \$299.
	28" Rem" Choke w/ black synthetic stock and fore-end	48 1/2"	7 1/4	5589 / \$299.
	Express™ Combo (12-ga.)	—	—	—
	28" Rem" Choke vent rib, and	48 1/2"	7 1/2	5571 / \$383.
	20" I.C. Deer Barrel w/ rifle sights	40 1/2"	—	—
	Express™ Combo (12-ga.)	—	—	—
	28" Rem" Choke vent rib, and	48 1/2"	7 1/2	5578 / \$421. ★
	20" Fully Rifled Deer Barrel w/ rifle sights	40 1/2"	—	—
20	21" Rem" Choke Turkey	41 1/2"	7 1/2	5573 / \$305.
	20" Fully Rifled Deer Barrel w/ rifle sights	40 1/2"	7 1/4	5576 / \$325.
	20" Imp. Cyl. Deer Barrel w/ rifle sights	40 1/2"	7 1/4	5565 / \$287.
	Express™ HD 18" plain barrel w/ black synthetic stock and fore-end	38 1/2"	7 1/4	5549 / \$292.
	Express™ Combo (20-ga.)	—	—	—
	28" Rem" Choke vent rib, and	48 1/2"	6 1/2	5585 / \$383.
	20" I.C. Deer Barrel w/ rifle sights	40 1/2"	—	—
	Express™ Combo (20-ga.)	—	—	—
	28" Rem" Choke vent rib, and	48 1/2"	6 1/2	5597 / \$421. ★
	20" Fully Rifled Deer Barrel w/ rifle sights	40 1/2"	—	—
28	28" Rem" Choke	48 1/2"	6 1/2	5583 / \$292.
	28" Rem" Choke	48 1/2"	6 1/2	5582 / \$292.
	21" Rem" Choke (Youth gun)	39"	6	5561 / \$292.
	20" Fully Rifled Deer Barrel w/ rifle sights (Youth gun)	40 1/2"	6	5565 / \$325.
	25" Vent Rib (Mod.)	45 1/2"	6	5599 / \$319.
	25" Vent Rib (Full)	45 1/2"	6	5601 / \$319.

Nominal stock dimensions: 14" length of pull (youth gun = 13" length of pull), 1 1/2" drop at comb, 2 1/2" drop at heel. *Will not accept law enforcement accessories. *Manufacturer's Suggested Retail Price.

Muzzleloading Rifles

Model 700™ ML/MLS In-Line Muzzleloading Rifles (With Black Synthetic Stock)

Calibers	Description	Barrel Length	Twist — R-H, 1 Turn In:	Order No./Price*
.50	Carbon Steel	24"	28"	7572/\$372.
.50	Stainless	24"	28"	7580/\$469.
.54	Stainless	24"	28"	7582/\$469.

(With Mossy Oak® Break-Up Camo Stock)

.50	Carbon Steel	24"	28"	7586/\$405. ★
.50	Stainless	24"	28"	7588/\$503. ★

Model 700™ ML Muzzleloaders supplied with cleaning tube, combo breech plug and nipple wrench, ramrod handle, ramrod extension, weather shroud, allen wrench and patch jag. *Manufacturer's Suggested Retail Price.

Limited Edition Classic

1997 Model 700™ Classic

(Straight Comb, Long Action, Clean Barrel, No Sights)

Caliber	Mag. Cap.	Barrel Length	Overall Length	Avg. Wt. (lbs.)	Twist — R-H, 1 Turn In:	Order No./Price*
.280 Remington	4	22"	42 1/2"	7 1/8	9 1/4"	5873 / \$583. ★

*Manufacturer's Suggested Retail Price.

★ New For 1997

Stainless-Steel Barreled Action
with Kevlar® Reinforced Stock
(22" BBL) Right-Hand only

(Not available in 8mm Rem. Mag.)

Stock Dimensions

L.O.P. = 13 1/2"

Drop at Comb = Classic 9/16", Monte Carlo 1 1/16"

Drop at Heel = Classic 1", Monte Carlo 1 1/16"

Stock Dimensions

L.O.P. = 13 1/2"

Drop at Comb = 1/2"

Drop at Heel = 1/2"

Stock Dimensions

L.O.P. = 13 1/2"

Drop at Comb = 1/2"

Drop at Heel = 1/2"

L.O.P. = 14 1/8" Drop at Comb = 2 3/16" Drop at Heel = 2" 7568 / \$2,799. ★

L.O.P. = 13 1/8" Drop at Comb = 7/16" Drop at Heel = 1/4" 7576 / \$896. ★

L.O.P. = 13 1/8" Drop at Comb = 7/16" Drop at Heel = 1/4" 7578 / \$799. ★

Rifle Specifications

Model 700™ Centerfire Rifles

Order No./Price*												
Calibers	Magazine Capacity	Barrel Length	Twist — R-H, 1 Turn In:	Mtn Rifle (DM)	Sendero™	Sendero™ SF ¹	BDL Stainless Synthetic DM	BDL Stainless Synthetic DM-B	BDL Stainless Synthetic	LSS	ADL	ADL Synthetic BDL
.17 Rem.	5	24"	8"	—	—	—	—	—	—	—	—	8037/\$609. ★
.220 Swift	4	26"	14"	—	—	—	—	—	—	—	—	8023/\$583. ★
.222 Rem.	5	24"	14"	—	—	—	—	—	—	—	—	8025/\$603. ★
.22-250 Rem.	4	24"	14"	—	—	—	—	—	—	—	—	8027/\$583. ★
.223 Rem.	5	24"	12"	—	—	—	—	—	—	—	—	8029/\$583. ★
.243 Win.	4	22"	9 1/8"	5847/\$636.	—	—	—	—	—	—	5767/\$465.	7474/\$425. 8029/\$583. ★
	4	24"	9 1/8"	—	—	—	6249/\$702. ★	—	—	—	—	—
.25-06 Rem.	4	24"	10"	—	9675/\$705.	6199/\$852.	6251/\$702. ★	—	—	—	—	6031/\$583. ★
	4	22"	10"	5849/\$636.	—	—	—	—	—	—	—	—
.260 Rem.	4	24"	9"	—	—	—	6271/\$702. ★	—	—	—	—	—
.270 Win.	4	22"	10"	5851/\$636.	—	—	—	—	—	—	5771/\$485.	7476/\$425. 8033/\$583. ★
	4	22"	10"	—	—	—	—	—	—	—	—	5811 ^{1/2} /\$609.
	4	24"	10"	—	9677/\$705.	—	6253/\$702. ★	—	9709/\$641.	—	—	—
.280 Rem.	4	22"	9 1/4"	5857/\$636.	—	—	—	—	—	—	—	—
	4	24"	9 1/4"	—	—	—	6255/\$702. ★	—	—	—	—	—
7mm-08 Rem.	4	22"	9 1/4"	5855/\$636.	—	—	—	—	—	—	—	—
	4	24"	9 1/4"	—	—	—	6257/\$702. ★	—	—	—	—	—
7mm Rem. Mag.	3	24"	9 1/4"	—	9679/\$732.	7506/\$879.	6263/\$729. ★	7537/\$789. ★	9692/\$668.	5933/\$714.	5777/\$612.	7480/\$452. 6039/\$609. ★
	3	24"	9 1/4"	—	—	—	—	—	—	—	—	5815 ^{1/2} /\$636.
7mm STW	3	24"	9 1/2"	—	—	7502/\$879. ★	—	7544/\$789. ★	—	—	—	—
.30-06	4	22"	10"	5859/\$636.	—	—	—	—	9717/\$641.	—	5773/\$486.	7478/\$425. 6035/\$583. ★
	4	22"	10"	—	—	—	6259/\$702. ★	—	—	—	—	5813 ^{1/2} /\$609.
.308 Win.	4	22"	10"	—	—	—	—	—	—	—	5775/\$486.	7516/\$425. —
	4	24"	12"	—	—	—	6261/\$702. ★ ^{1/2}	—	—	—	—	—
.300 Win. Mag.	3	24"	10"	—	9681/\$732.	7508/\$879.	6265/\$729. ★	—	9694/\$668.	5935/\$714.	—	6041/\$609. ★
	3	24"	10"	—	—	—	—	7539/\$789. ★	—	—	—	—
.300 Wby. Mag.	3	24"	12"	—	—	7504/\$879. ★	6267/\$729. ★	7541/\$789. ★	—	—	—	—
.338 Win. Mag.	3	24"	10"	—	—	—	—	7543/\$789. ★	9696/\$668. ★	—	—	6043/\$609. ★
.375 H&H Mag.	3	24"	12"	—	—	—	—	—	9728/\$668. ★	—	—	—

*Sendero™, Sendero™ SF, Varmint Laminated Stock, Varmint Synthetic Stainless Fluted, and Varmint Synthetic equipped with a 26" barrel only. LH = Left Hand. All Model 700™ and Model Seven™ rifles come with sling swivel studs. The BDL, ADL, and Seven™ are furnished with sights. The BDL Stainless Synthetic, LSS, Mountain Rifle, Classic, Sendero and Varmint guns have clean barrels. All Remington centerfire rifles are drilled and tapped for scope mounts. *Manufacturer's Suggested Retail Price. **Twist for BDL SS DM in .308 is 10".

Genuine Remington® Factory Extra Shotgun Barrels

Model 11-87™ Extra Barrels - 3" Chambers

Length & Choke	Order No./Price* 12-ga.
Deer Barrel ¹ , Cantilever Scope Mount	
21" Fully Rifled	9615/\$261.
Deer Barrel ¹ , Rifle Sights	
21" Fully Rifled	9606/\$212.
21" Rem™ Choke ²	9623/\$172.
21" Rem™ Choke (L-H) ²	9625/\$192.
SP Deer Barrels, Cantilever Scope Mount	
21" Fully Rifled	4645/\$261.
21" Rem™ Choke ²	4647/\$220.
SP Deer Barrels, Rifle Sights	
21" Rem™ Choke ²	9627/\$172.
21" Fully Rifled	9609/\$212.
SP Magnum, Vent Rib	
30" Rem™ Choke	4638/\$199.
28" Rem™ Choke	9611/\$199.
26" Rem™ Choke	4640/\$199.
Premier ³ , Vent Rib	
30" Rem™ Choke, Light Contour	9600/\$217.
30" Rem™ Choke	4642/\$199.
28" Rem™ Choke, Light Contour	9602/\$217.
28" Rem™ Choke	4644/\$199.
26" Rem™ Choke, Light Contour	9604/\$217.
26" Rem™ Choke	4646/\$199.
Premier ³ Skeet Barrel (2 1/4" chamber only)	
26" Rem™ Choke	4624/\$216.
Premier ³ Trap Barrel (2 1/4" chamber only)	
30" Rem™ Choke	4626/\$225.

¹ Cantilever Rem™ Choke Deer Barrels supplied with Imp. Cyl. and new Extended Rifled Choke tubes.

² Rifle sighted Rem™ Choke Deer Barrels supplied with Rifled and Imp. Cyl. Choke tubes.

*Manufacturer's Suggested Retail Price.

Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our new Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmed-profiled LC barrel, which means that a standard vent rib or deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., 14 Høefer Ave., Ilion, NY 13357

★ New For 1997

Model 1100™ Extra Barrels - 2 1/4" Chambers

Length & Choke	Order No./Price* 12-ga.	Order No./Price* 20-ga. LT-20
Field Grade, Cantilever Scope Mount		
21" Fully Rifled	9695/\$259.	—
Field Grade, Deer, Rifle Sights		
21" Fully Rifled	9570/\$212.	—
21" Rem™ Choke ²	9685/\$172.	—
21" Rem™ Choke (L-H) ²	9667/\$188.	—
21" Imp. Cyl.	—	4438/\$141.
SP Deer, Rifle Sights		
21" Rem™ Choke ²	9571/\$172.	—
Steel Shot Barrel, 12-gauge (See Note Below.)		
30" Rem™ Choke	9505/\$204.	—
26" Rem™ Choke	9509/\$204.	—
Field Grade, Vent Rib		
30" Rem™ Choke	4488/\$199.	—
28" Rem™ Choke	4464/\$199.	4484/\$199.
26" Rem™ Choke	4468/\$199.	4486/\$199.
Trap, Vent Rib		
30" Rem™ Choke	4492/\$225.	—
Skeet, Vent Rib		
26" Rem™ Choke	4490/\$216.	—
D & F Grades (engraved):	Special Order	—

NOTE: LT-20, 20-gauge Lightweight barrels (4400 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100™ shotguns. (Refer to parts list for pre-1977 barrels.) *Manufacturer's Suggested Retail Price.

PLEASE NOTE THE FOLLOWING AMMUNITION RECOMMENDATIONS FOR USE WITH THE MODEL 1100™ STEEL SHOT BARREL.

When used with Model 1100™ Magnum shotguns:

- Use 2 1/4" Magnum or 3" Magnum steel shotshells.
- Use 2 1/4" Magnum or 3" Magnum lead shotshells.

When used with Model 1100™ non-Magnum shotguns:

- Use 2 1/4" Magnum or 3" Magnum steel shotshells.
- Use 2 1/4" Magnum lead shotshells. Do not use 3" Magnum lead shotshells in non-Magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

Model 7400™ and Model 7600™

Calibers	VLS (Varmint Laminated Stock) ¹		VS (Varmint Synthetic) ¹	
	(26" Heavy BBL)	(26" Heavy BBL)	(26" Stainless Fluted BBL)	
BDL (DM)	—	—	—	—
—	—	—	—	9741/\$852.
—	—	—	—	—
—	—	—	—	—
—	7488/\$625.	9701/\$705.	9743/\$852.	—
—	7490/\$625.	9703/\$705.	9746/\$852.	—
6119/\$636. ★	—	9688/\$705. ★	—	—
—	7494/\$625.	—	—	—
6121/\$636. ★	—	—	—	—
—	—	—	—	—
—	—	—	—	—
6123/\$636. ★	—	—	—	—
6985 ¹⁰ /\$663.	—	—	—	—
—	—	—	—	—
6125/\$636. ★	—	—	—	—
—	—	—	—	—
6127/\$636. ★	—	—	—	—
—	7496/\$625. ★	—	—	—
6133/\$663. ★	—	—	—	—
6991 ¹⁰ /\$689.	—	—	—	—
—	—	—	—	—
6129/\$636. ★	—	—	—	—
6989 ¹⁰ /\$663.	—	—	—	—
—	—	—	—	—
—	7498/\$625.	9705/\$705.	9747/\$852.	—
6137/\$663. ★	—	—	—	—
6993 ¹⁰ /\$689.	—	—	—	—
—	—	—	—	—
—	—	—	—	—

★ New For 1997

NOTE: Model Seven™ Männlicher and Model Seven™ KS versions are available from the Remington Custom Shop through your local dealer. A brochure can also be obtained by writing to: Custom Gun Shop, Remington Arms Company, P.O. Box 700, 870 Remington Drive, Madison, NC 27025-0700. *Manufacturer's Suggested Retail Price.

Calibers	Barrel Length	Twist — R-H, 1 Turn In:	Average Weight (lbs.)	Order No./ Price*			
				7400™ Satin	7400™ Gloss	7600™ Satin	7600™ Gloss
243 Winchester	22"	9 1/8"	7 1/2	9755/\$573.	—	4653/\$540.	—
270 Winchester	22"	10"	7 1/2	9757/\$573.	9759/\$573.	4655/\$540.	4657/\$540.
280 Remington	22"	9 1/8"	7 1/2	9761/\$573.	—	4663/\$540.	—
.30-06 Carbine	18 1/2"	10"	7 1/2	9769/\$573.	—	4661/\$540.	—
.30-06	22"	10"	7 1/2	9763/\$573.	9765/\$573.	4657/\$540.	4671/\$540.
.30-06 "Buckmasters" ADF	22"	10"	7 1/2	4695/\$600. ★	—	4669/\$567. ★	—
.308 Winchester	22"	10"	7 1/2	9767/\$573.	—	4659/\$540.	—

Model 7600™ also accepts .30-06 and 308 Accelerator™ cartridges. *Manufacturer's Suggested Retail Price.

Rimfire Rifles

Model	Action	Barrel Length	Overall Length	Average Weight (lbs.)	Mag. Clip	Order No./ Price*
597™	Autoloading	20"	40"	5 1/2	10-shot clip	6550/\$159. ★
597™ LSS	Autoloading	20"	40"	5 1/2	10-shot clip	6558/\$265. ★
597™ MAGNUM	Autoloading	20"	40"	5 1/2	8-shot clip	6560/\$292. ★
522™ Viper	Autoloading	20"	40"	4 1/8	10-shot clip	9792/\$152.
552™ BDL Deluxe Speedmaster™	Autoloading	21"	40"	5 1/4	15 Long Rifle	5594/\$340.
572™ BDL Deluxe Fieldmaster™	Pump	21"	40"	6 1/2	15 Long Rifle	5624/\$353.
541-T™	Bolt	24"	42 1/2"	5 1/8	5-shot clip	9824/\$455.
541-T™ HB (Heavy Barrel)	Bolt	24"	42 1/2"	6 1/2	5-shot clip	9822/\$481.
581-S™	Bolt	24"	42 1/2"	5 1/8	5-shot clip	9848/\$239.

Nominal stock dimensions: (581-S™): 13 1/8" length of pull, 1 1/4" drop at comb, 2 1/4" drop at heel; (541-T™): 13 1/2" length of pull, 1 1/8" drop at comb, 1 1/8" drop at heel; (552™/572™): 13 1/4" length of pull, 1 1/4" drop at comb, 2 1/4" drop at heel; (522™): 13 1/8" length of pull, 1 1/8" drop at comb, 2 1/8" drop at heel. *Extra 5-shot or 10-shot available at extra cost from your Remington dealer. *Manufacturer's Suggested Retail Price.

Model Seven™

Calibers	Mag. Capacity	Barrel Length	Twist — R-H, 1 Turn In:	Order No./ Price*
.223 Remington	5	18 1/2"	12"	4720/\$583.
—	5	20"	12"	4745 (Stainless)/\$641. ★
.243 Win.	4	18 1/2"	9 1/8"	4782/\$583.
—	4	18 1/2"	9 1/8"	4774 (Youth)/\$479.
—	4	20"	9 1/8"	4739 (Stainless)/\$641.
.260 Remington	4	18 1/2"	9"	4726/\$583. ★
—	4	20"	9"	4751 (Stainless)/\$641. ★
7mm-08 Remington	4	18 1/2"	9 1/4"	4786/\$683.
—	4	18 1/2"	9 1/4"	4778 (Youth)/\$479.
—	4	20"	9 1/4"	4741 (Stainless)/\$641.
.308 Winchester	4	18 1/2"	10"	4788/\$583.
—	4	20"	10"	4743 (Stainless)/\$641.

Model 870™ Extra Barrels — 3" Chambers

Length & Choke	Order No./Price* 12-ga.	Order No./Price* 20-ga.**
Field Grade, Vent Rib, Wingmaster™		
30" Rem™ Choke, Light Contour	6216/\$215.	—
30" Rem™ Choke	4576/\$196.	—
28" Rem™ Choke, Light Contour	6217/\$215.	—
28" Rem™ Choke	4580/\$196.	4606/\$196.
26" Rem™ Choke, Light Contour	6219/\$215.	—
26" Rem™ Choke	4582/\$196.	4608/\$196.
Deer Barrel, Cantilever Scope Mount, Wingmaster™		
20" Fully Rifled	4557/\$256.	—
Deer Barrel, Rifle Sights		
20" Rem™ Choke ¹	4545/\$169.	—
20" Rem™ Choke (L-H) ²	4547/\$185.	—
20" Fully Rifled	4558/\$209.	—
20" Imp. Cyl.	—	4578/\$132.
SP Deer Barrel, Cantilever Scope Mount		
20" Fully Rifled	6229/\$256.	—
20" Rem™ Choke ¹	6227/\$215.	—
SP Deer, Rifle Sights		
20" Rem™ Choke ¹	4549/\$169.	—
Express™ Deer, Rifle Sights (20")	4622/\$120.	—
Express™ Deer, Fully Rifled, Rifle Sights (20")	4611/\$159. ★	—
SP, Vent Rib		
30" Rem™ Choke	4590/\$188.	—
28" Rem™ Choke	6225/\$188.	—
26" Rem™ Choke	4592/\$188.	—
D&F Grades (engraved):	Special Order	

Model 870™ extra barrels with 3" chambers used on Magnum receivers will handle both 2 1/4" and 3" shells. Use only 2 1/4" shells when these barrels are used on non-Magnum receivers. *Manufacturer's Suggested Retail Price. **20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.

Model 870™ Extra Barrels — 2 1/4" Chambers

Type	Length & Choke	Order No./ Price* 12-ga.
Trap	30" Rem™ Choke	4614/\$217.
Skeet	26" Rem™ Choke	4612/\$207.
D & F Grades (engraved):	Special Order in all gauges	

Model 870™ extra barrels with 2 1/4" chambers will fit both 2 1/4" Magnum and 2 1/4" receivers. Use only 2 1/4" shells in these barrels. Rem™ Choke target barrels have Trap Full, Extra Full and Super Full, or Skeet and Improved Skeet, plus wrench. *Manufacturer's Suggested Retail Price.

Genuine Factory Rem™ Choke Tubes

(Available at Remington Dealers Only)	Order No. 12-ga.	Order No. 20-ga.
Turkey Super Full (lead shot only)	26450	—
Turkey Extra Full (lead shot only)	26452	—
Full (12-ga. steel or lead)	26451	—
Full (lead shot only)	26391	26481
Modified	26393	26463
Improved Cylinder	26395	26465
Skeet	26397	26467
Improved Skeet	26399	—
Trap Extra Full ¹ (lead shot only)	26403	—
Trap Full ¹ (lead shot only)	26401	—
Extended Rifled	18590	—
Rifled	26453	—
Choke Wrench	18631	18832

¹ Specially designed for use in Remington overbored trap barrels only. Will not produce satisfactory patterns in standard-bore barrels.

★ New For 1997

AMMUNITION

CENTERFIRE RIFLE


Safari Grade Ammunition — When the First Shot You Take May Be the Only Shot You Get.



Whether you hunt whitetails with a .270, or cape buffalo with a .458, you want your first shot to be the only one you need. That's why we start with Swift A-Frame™ dual-core bullets, for their virtually 100% weight retention. All components receive multiple individual inspections. Every primer is pre-inspected for ignition reliability. Each round is receiver-gauged, and cases are nickel-plated for reliable feeding and extraction. High ballistic coefficients and bullet concentricity deliver excellent first-shot accuracy, while outstanding on-game performance keeps you from needing a second.

SAFARI GRADE BULLET DESIGN

Progressively thickening jacket controls mushrooming in a uniform and predictable manner for totally dependable results



Pure lead core is hot-soldered to jacket

Swift A-Frame™ cross-member stops expansion at optimum diameter of 2x caliber

Protected rear core provides driving energy for deep penetration on tough game



TOTALLY DEPENDABLE EXPANSION

Produced by recovery from ballistic gelatin, the above progression of a .30-06 Spgld. Swift A-Frame™ bullet shows typical controlled expansion to 2x caliber with virtually no weight loss.



MEDIUM- TO BIG-BORE CHOICES

Remington Safari Grade ammunition is now produced in a wide selection of medium- to big-bore calibers, including .270 Win., 7mm Remington Magnum, .30-06 Spgld., .300 Win. Mag., .300 Wby. Mag., .338 Win. Mag., .375 H&H Mag., .416 Remington Magnum, and .458 Win. Mag.

Premier® Varmint Ammunition — Superior Performance and Explosive Power.

NEW!

Premier® Varmint centerfire ammo provides an unsurpassed combination of accuracy, retained high velocity, flat trajectory, and explosive break-up from our new 50-gr. polymer-tipped secant ogive profile boat tail bullet.



.220 Swift



.222 Remington



.223 Remington




.22-250 Remington

Unique hollow core design keeps center of gravity at rear

PREMIER® VARMINT BULLET DESIGN


Boat tail base



Lightweight polymer tip delivers high ballistic coefficient

Premier® Varmint design features long bullet length for stability

50 gr. Premier® Varmint, .22-250 Remington, .6", 100 yds.



High-quality brass case feeds and extracts reliably

Secant ogive nose profile



PREMIER® VARMINT

Remington Premier® Varmint cartridges are loaded with the finest small-caliber boat tail bullet you can shoot. It incorporates a polymer insert tip for very high ballistic coefficient and sub minute-of-angle accuracy. Hollow core design allows tip to build momentum before smashing into core for explosive fragmentation — even at reduced long-range velocities.

Remington® Centerfire Rifle Ammunition — A History of Better Bullets Lives On.

Core-Lokt®. Bronze Point™. Power-Lokt®, Legendary names in bullet design, all from Remington. From the beginning, Remington has been the leading innovator, from bullets to primers, cartridge brass to powder blends. This year the history continues with the introduction of the brand-new .260 Remington, highly effective for medium game; the 7mm STW, which outperforms any other 7mm Magnum produced; and a new .223 Remington Match loading with a heavyweight 62-gr. hollow point bullet.



7MM STW (SHOOTING TIMES WESTERNER)

Designed by gunwriter Layne Simpson in 1988, the 7mm STW is based on the original 8mm Remington Magnum necked down to 7mm (28 caliber). With its large case capacity and our new 140-gr. Pointed Soft Point Core-Lokt® bullet, it delivers greater velocity, energy and bullet momentum at flatter trajectories out to 500 yards than any other 7mm Magnum.

NEW!



7mm STW, 140-gr.
PSP, .9", 100 yds.



.260 Remington,
140-gr. PSP,
.8", 100 yds.

CORE-LOKT® SOFT POINT BULLET

The original standard that stays together on impact, expands in a controlled way, and mushrooms uniformly to nearly 2X original diameter.



BRONZE POINT™ EXPANDING BULLET

Superb choice for long-range hunting with high energy and velocities at long distances. Rapid expansion is controlled to optimum limits.



Developed by Jim Carmichel as the 6.5mm "Panther," this cartridge combines moderate recoil with exceptional accuracy in short action rifles. We neck down a 7mm-08 Remington case to 26 caliber and top it with our new 140-gr. Pointed Soft Point Core-Lokt® bullet. In terms of game-stopping bullet momentum, the .260 Remington actually surpasses the .270 Win. with a 130-gr. bullet at 200 yards.

NEW!




CORE-LOKT® POINTED SOFT POINT BULLET

Flatter trajectory, higher down-range velocity and energy, 2X expansion of caliber diameter. Best all-around choice for big game hunting.



POWER-LOKT® HOLLOW POINT BULLET

Varmint and small-game bullet with sub minute-of-angle accuracy. The near-perfect concentricity and balance of custom-made match bullets.



.223 Remington,
62-gr. Hollow Point
Match, .8" 100 yds.

NEW!



.223 REMINGTON MATCH

When accuracy is the prime consideration, shoot our new .223 Remington Match loading with a heavyweight 62-gr. hollow-point bullet. A proprietary step in bullet swaging provides unsurpassed bullet concentricity that delivers groups of .8" at 100 yards.

Extended Range Ammunition — Reaching Out with Match-Grade Accuracy.

For match-grade accuracy in big-game hunting, Extended Range bullets are constructed with a proprietary manufacturing process that delivers near-perfect bullet concentricity and uniform jacket wall thickness. Their higher ballistic coefficient helps retain greater down-range velocity. For superior performance on game, the jacket design is precision-tailored to the velocity range of each caliber, creating the right balance of bullet toughness and mushroomability.



EXTENDED RANGE FLAT BASE BULLET

Sub minute-of-angle accuracy comes from extremely high bullet concentricity and secant ogive nose profile, producing match-grade accuracy you can depend on from every extended range cartridge.



EXTENDED RANGE BOAT TAIL BULLET

The boat tail heel of these bullets minimizes drag, and their aerodynamic nose profile creates an extremely high ballistic coefficient that preserves velocity and flattens trajectory. Precise concentricity makes them one of the most accurate factory-loaded game bullets available.



These tables were calculated by computer. A standard scientific technique was used to predict trajectories from the best available data for each round. Trajectories shown typify the ammunition's performance at sea level, but note that they may vary due to atmospheric conditions and the equipment.

All velocity and energy figures in these charts have been derived by using test barrels of indicated lengths.

Ballistics shown are for 24" barrels, except those for 30 carbine, .350 Remington Magnum and .44 Remington Magnum, which are for 20" barrels. These barrel lengths were chosen as representative, as it's impractical to show performance figures for all barrel lengths.

The muzzle velocities, muzzle energies and trajectory data in these tables represent the approximate performance expected of each specified loading. Differences in barrel lengths, internal firearm dimensions, temperature, and test procedure can produce actual velocities that vary from those given here.

Centerfire Rifle Velocity vs. Barrel Length

Muzzle Velocity Approx. Change in Muzzle Velocity
Range (ft./sec.) per 1" Change in Barrel Length (ft./sec.)

2000-2500	10
2500-3000	20
3000-3500	30
3500-4000	40

1. Determine how much shorter, or longer, your barrel is than the test barrel.
2. In the left column of the above table, select the muzzle-velocity class of your cartridge.
3. To the right of that class, read the approximate change in velocity per inch of barrel length.
4. Multiply this number by the difference in the length of your barrel from that of the test barrel.
5. If your barrel is shorter than the test barrel, subtract this figure from the muzzle velocity shown for your cartridge.
6. If your barrel is longer, add this figure to the muzzle velocity shown.

The trajectory figures shown in these ballistic tables are the rise or drop, in inches, of the bullet from a direct line of sight at selected yardage. Sighting-in distances have been set at 100 to 250 yards.

The line of sight used is 0.9" above the axis of the bore. This height is common to iron sights and low-mounted scopes.

The trajectory tables can also be used for rifles with high-mounted scopes, that is, 1 1/2" above the axis of the bore. The difference in drops at even the extreme 500-yard range is not significant enough to negate the figures shown.

Since the rise or drop figures shown at the stated yardage are points of impact, you must hold low for positive figures, high for negative figures.

Many shooters who use the same cartridge often find it helpful to commit the rise and drop figures for that cartridge to memory, or tape them to their rifle stock. That way, they know instantly the right "hold" as soon as they estimate the target's range.

Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test-barrel specifications.

* Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.

† 280 Rem. and 7mm Express® Rem. are interchangeable.

‡ Interchangeable in 244 Rem.

§ Subject to stock on hand.

† Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.


‡ Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.


NOTE: 0.0 indicates yardage at which rifle was sighted in.

Centerfire Rifle Ballistics Tables

Caliber	Order No.	Wt. (grs.)	Bullet Style	Primer No.	Muzzle	Velocity (ft./sec.)				
						100 yds.	200 yds.	300 yds.	400 yds.	500 yds.
.17 Remington	R17REM	25	Hollow Point Power-Lokt®	7½	4040	3284	2644	2086	1606	1235
.22 Hornet	R22HN1	45	Pointed Soft Point	6½	2690	2042	1502	1128	948	840
	R22HN2	45	Hollow Point	6½	2690	2042	1502	1128	948	840
.220 Swift	R220S1	50	Pointed Soft Point	9½	3780	3158	2617	2135	1710	1357
	PRV220SA ★	50	Polymer Tip Boat Tail	9½	3780	3321	2908	2532	2185	1866
.222 Remington	R222R1	50	Pointed Soft Point	7½	3140	2602	2123	1700	1350	1107
	R222R3	50	Hollow Point Power-Lokt®	7½	3140	2635	2182	1777	1432	1172
	PRV222RA ★	50	Polymer Tip Boat Tail	7½	3140	2744	2380	2045	1740	1471
.222 Remington Mag.	R222M1	55	Pointed Soft Point	7½	3240	2748	2305	1906	1556	1272
.223 Remington	PRV223RA ★	50	Polymer Tip Boat Tail	7½	3300	2889	2514	2168	1851	1568
	R223R1	55	Pointed Soft Point	7½	3240	2747	2304	1905	1554	1270
	R223R2	55	Hollow Point Power-Lokt®	7½	3240	2773	2352	1969	1627	1341
	R223R3	55	Metal Case	7½	3240	2759	2326	1933	1587	1301
	R223R6 ★	62	Hollow Point Match	7½	3025	2572	2162	1792	1471	1217
.22-250 Remington	R22501	55	Pointed Soft Point	9½	3680	3137	2656	2222	1832	1493
	R22502	55	Hollow Point Power-Lokt®	9½	3680	3209	2785	2400	2046	1725
	PRV2250A ★	50	Polymer Tip Boat Tail	9½	3725	3272	2864	2491	2147	1832
.243 Win.	R243W1	80	Pointed Soft Point	9½	3350	2955	2593	2259	1951	1670
	R243W2	80	Hollow Point Power-Lokt®	9½	3350	2955	2593	2259	1951	1670
	R243W3	100	Pointed Soft Point Core-Lokt®	9½	2960	2697	2449	2215	1993	1786
	ER243WA	105	Extended Range	9½	2920	2689	2470	2261	2062	1874
6mm Remington	R6MM1 ‡	80	Pointed Soft Point	9½	3470	3064	2694	2352	2036	1747
	R6MM4	100	Pointed Soft Point Core-Lokt®	9½	3160	2829	2573	2332	2104	1889
.25-20 Win.	R25202	86	Soft Point	6½	1460	1194	1030	931	858	797
.250 Savage	R250SV	100	Pointed Soft Point	9½	2820	2504	2210	1936	1684	1461
.257 Roberts	R257	117	Soft Point Core-Lokt®	9½	2650	2291	1961	1663	1404	1189
.25-06 Remington	R25062	100	Pointed Soft Point Core-Lokt®	9½	3230	2893	2580	2287	2014	1762
	R25063	120	Pointed Soft Point Core-Lokt®	9½	2990	2730	2484	2252	2032	1825
	ER2506A	122	Extended Range	9½	2930	2706	2482	2289	2095	1911
5.5x55 Swedish	R65SWE1	140	Pointed Soft Point Core-Lokt®	9½	2550	2353	2164	1984	1814	1654
.260 Remington	R260R1 ★	140	Pointed Soft Point Core-Lokt®	9½	2750	2544	2347	2158	1979	1812
.264 Win. Mag.	R264W2	140	Pointed Soft Point Core-Lokt®	9½ M	3030	2782	2548	2326	2114	1914
.270 Win.	R270W1	100	Pointed Soft Point	9½	3320	2924	2561	2225	1916	1636
	R270W2	130	Pointed Soft Point Core-Lokt®	9½	3060	2776	2510	2259	2022	1801
	R270W3	130	Bronze Point™	9½	3060	2802	2559	2329	2110	1904
	R270W4	150	Soft Point Core-Lokt®	9½	2850	2504	2183	1886	1618	1385
	RS270WA	140	Swift A-Frame™ PSP	9½	2925	2652	2394	2152	1923	1711
	ER270WA	140	Extended Range Boat Tail	9½	2960	2749	2548	2350	2171	1995
7mm Mauser (7 x 57)	R7MMR1	140	Pointed Soft Point Core-Lokt®	9½	2660	2435	2221	2018	1827	1648
7 x 64	R7X642	175	Pointed Soft Point Core-Lokt®	9½	2650	2445	2248	2061	1883	1716
7mm-08 Remington	R7M081	140	Pointed Soft Point Core-Lokt®	9½	2860	2625	2402	2189	1988	1788
	R7M083	120	Hollow Point	9½	3000	2725	2467	2223	1992	1778
	ER7M08A	154	Extended Range	9½	2715	2510	2315	2128	1950	1781
.280 Remington	R280R3 †	140	Pointed Soft Point Core-Lokt®	9½	3000	2758	2528	2309	2102	1905
	R280R1 †	150	Pointed Soft Point Core-Lokt®	9½	2890	2624	2373	2135	1912	1705
	R280R2 †	165	Soft Point Core-Lokt®	9½	2820	2510	2220	1950	1701	1479
	ER280RA †	165	Extended Range	9½	2820	2623	2434	2253	2080	1915
7mm Remington Mag.	R7MM2	150	Pointed Soft Point Core-Lokt®	9½ M	3110	2830	2568	2320	2085	1866
	R7MM3	175	Pointed Soft Point Core-Lokt®	9½ M	2860	2645	2440	2244	2057	1879
	R7MM4	140	Pointed Soft Point Core-Lokt®	9½ M	3175	2923	2684	2458	2243	2039
	RS7MMA	160	Swift A-Frame™ PSP	9½ M	2900	2659	2430	2212	2006	1812
	ER7MMA	165	Extended Range	9½ M	2900	2699	2507	2324	2147	1979
7mm Wby. Mag.	R7MWB2	175	Pointed Soft Point Core-Lokt®	9½ M	2910	2693	2486	2288	2098	1918
7mm STW	R7MSTW1 ★	140	Pointed Soft Point Core-Lokt®	9½ M	3325	3064	2818	2585	2364	2153
.30 Carbine	R30CAR	110	Soft Point	6½	1990	1567	1236	1035	923	842
.30 Remington	R30REM §	170	Soft Point Core-Lokt®	9½	2120	1822	1555	1328	1153	1036
.30-30 Win. Accelerator†	R3030A	55	Soft Point	9½	3400	2693	2085	1570	1187	986
.30-30 Win.	R30301	150	Soft Point Core-Lokt®	9½	2390	1973	1605	1303	1095	974
	R30302	170	Soft Point Core-Lokt®	9½	2200	1895	1619	1381	1191	1061
	R30303	170	Hollow Point Core-Lokt®	9½	2200	1895	1619	1381	1191	1061
	ER3030A	160	Extended Range	9½	2300	1997	1719	1473	1268	1116
.300 Savage	R30SV3	180	Soft Point Core-Lokt®	9½	2350	2025	1728	1467	1252	1098
	R30SV2	150	Pointed Soft Point Core-Lokt®	9½	2630	2354	2096	1853	1631	1432

★ NEW FOR 1997

 = Extended Range

 = Safari Grade

Muzzle	Energy (ft.-lbs.)					Short-range Trajectory*						Long-range Trajectory*					Barrel Length		
	100 yds.	200 yds.	300 yds.	400 yds.	500 yds.	50 yds.	100 yds.	150 yds.	200 yds.	250 yds.	300 yds.	100 yds.	150 yds.	200 yds.	250 yds.	300 yds.		400 yds.	500 yds.
906	599	388	242	143	85	0.1	0.5	0.0	-1.5	-4.2	-8.5	2.1	2.5	1.9	0.0	-3.4	-17.0	-44.3	24"
723	417	225	127	90	70	0.3	0.0	-2.4	-7.7	-16.9	-31.3	1.6	0.0	-4.5	-12.8	-26.4	-75.6	-163.4	24"
723	417	225	127	90	70	0.3	0.0	-2.4	-7.7	-16.9	-31.3	1.6	0.0	-4.5	-12.8	-26.4	-75.6	-163.4	24"
1586	1107	760	505	325	204	0.2	0.5	0.0	-1.6	-4.4	-8.8	1.3	1.2	0.0	-2.5	-6.5	-20.7	-47.0	24"
1586	1224	939	711	530	387	0.1	0.5	0.0	-1.4	-3.7	-7.3	1.1	1.0	0.0	-2.0	-5.3	-16.0	-34.1	24"
1094	752	500	321	202	136	0.5	0.9	0.0	-2.5	-6.9	-13.7	2.2	1.9	0.0	-3.8	-10.0	-32.3	-73.8	24"
1094	771	529	351	228	152	0.5	0.9	0.0	-2.4	-6.6	-13.1	2.1	1.8	0.0	-3.6	-9.5	-30.2	-68.1	24"
1094	836	629	464	336	240	0.5	0.8	0.0	-2.1	-5.8	-11.3	1.9	1.6	0.0	-3.1	-8.1	-24.5	-52.6	24"
1282	922	649	444	296	198	0.4	0.8	0.0	-2.2	-6.0	-11.8	1.9	1.6	0.0	-3.3	-8.5	-26.7	-59.5	24"
1209	927	701	522	380	273	0.4	0.7	0.0	-1.9	-5.2	-10.0	1.6	1.4	0.0	-2.8	-7.2	-21.8	-46.7	24"
1282	921	648	443	295	197	0.4	0.8	0.0	-2.2	-6.0	-11.8	1.9	1.6	0.0	-3.3	-8.5	-26.7	-59.6	24"
1282	939	675	473	323	220	0.4	0.8	0.0	-2.1	-5.8	-11.4	1.8	1.6	0.0	-3.2	-8.2	-25.5	-56.0	24"
1282	929	660	456	307	207	0.4	0.8	0.0	-2.1	-5.9	-11.6	1.9	1.6	0.0	-3.2	-8.4	-26.2	-57.9	24"
1260	911	643	442	298	204	0.6	1.0	0.0	-2.5	-6.9	-13.5	2.2	1.9	0.0	-3.7	-9.7	-30.5	-67.4	24"
1654	1201	861	603	410	272	0.2	0.5	0.0	-1.6	-4.4	-8.7	2.3	2.6	1.9	0.0	-3.4	-15.9	-38.9	24"
1654	1257	947	703	511	363	0.2	0.5	0.0	-1.5	-4.1	-8.0	2.1	2.5	1.8	0.0	-3.1	-14.1	-33.4	24"
1540	1188	910	689	512	372	0.1	0.5	0.0	-1.4	-3.9	-7.6	2.0	2.3	1.7	0.0	-2.9	-13.2	-31.0	24"
1993	1551	1194	906	676	495	0.3	0.7	0.0	-1.8	-4.9	-9.4	2.6	2.9	2.1	0.0	-3.6	-16.2	-37.9	24"
1993	1551	1194	906	676	495	0.3	0.7	0.0	-1.8	-4.9	-9.4	2.6	2.9	2.1	0.0	-3.6	-16.2	-37.9	24"
1945	1615	1332	1089	882	708	0.5	0.9	0.0	-2.2	-5.8	-11.0	1.9	1.6	0.0	-3.1	-7.8	-22.6	-46.3	24"
1988	1686	1422	1192	992	819	0.5	0.9	0.0	-2.2	-5.8	-11.0	2.0	1.6	0.0	-3.1	-7.7	-22.2	-44.8	24"
2139	1667	1289	982	736	542	0.3	0.6	0.0	-1.6	-4.5	-8.7	2.4	2.7	1.9	0.0	-3.3	-14.9	-35.0	24"
2133	1777	1470	1207	983	792	0.4	0.8	0.0	-1.9	-5.2	-9.9	1.7	1.5	0.0	-2.8	-7.0	-20.4	-41.7	24"
407	272	203	165	141	121	0.0	-4.1	-14.4	-31.8	-57.3	-92.0	0.0	-8.2	-23.5	-47.0	-79.6	-175.9	-319.4	24"
1765	1392	1084	832	630	474	0.2	0.0	-1.6	-4.7	-9.6	-16.5	2.3	2.0	0.0	-3.7	-9.5	-28.3	-59.5	24"
1824	1363	999	718	512	373	0.3	0.0	-1.9	-5.8	-11.9	-20.7	2.9	2.4	0.0	-4.7	-12.0	-36.7	-79.2	24"
2316	1858	1478	1161	901	689	0.4	0.7	0.0	-1.9	-5.0	-9.7	1.6	1.4	0.0	-2.7	-6.9	-20.5	-42.7	24"
2382	1985	1644	1351	1100	887	0.5	0.8	0.0	-2.1	-5.6	-10.7	1.9	1.6	0.0	-3.0	-7.5	-22.0	-44.8	24"
2325	1983	1683	1419	1189	989	0.5	0.9	0.0	-2.2	-5.7	-10.8	1.9	1.6	0.0	-3.0	-7.5	-21.7	-43.9	24"
2021	1720	1456	1224	1023	850	0.3	0.0	-1.8	-5.4	-10.8	-18.2	2.7	2.2	0.0	-4.1	-10.1	-29.1	-58.7	24"
2351	2011	1712	1448	1217	1021	0.7	1.0	0.0	-2.5	-6.5	-12.3	2.2	1.8	0.0	-3.4	-8.6	-24.6	-48.1	24"
2854	2406	2018	1682	1389	1139	0.5	0.8	0.0	-2.0	-5.4	-10.2	1.8	1.5	0.0	-2.9	-7.2	-20.8	-42.2	24"
2448	1898	1456	1099	815	594	0.3	0.7	0.0	-1.8	-5.0	-9.7	2.7	3.0	2.2	0.0	-3.7	-16.6	-39.1	24"
2702	2225	1818	1472	1180	936	0.5	0.8	0.0	-2.0	-5.5	-10.4	1.8	1.5	0.0	-2.9	-7.4	-21.6	-44.3	24"
2702	2267	1890	1565	1285	1046	0.4	0.8	0.0	-2.0	-5.3	-10.1	1.8	1.5	0.0	-2.8	-7.1	-20.6	-42.0	24"
2705	2087	1587	1185	872	639	0.7	1.0	0.0	-2.6	-7.1	-13.6	2.3	2.0	0.0	-3.8	-9.7	-29.2	-62.2	24"
2659	2186	1782	1439	1150	910	0.6	0.9	0.0	-2.3	-6.0	-11.5	2.0	1.7	0.0	-3.2	-8.1	-23.8	-48.9	24"
2723	2349	2018	1724	1465	1237	0.5	0.8	0.0	-2.1	-5.5	-10.3	1.9	1.5	0.0	-2.9	-7.2	-20.7	-41.6	24"
2199	1843	1533	1266	1037	844	0.2	0.0	-1.7	-5.0	-10.0	-17.0	2.5	2.0	0.0	-3.8	-9.6	-27.7	-56.3	24"
2728	2322	1964	1650	1378	1144	0.2	0.0	-1.7	-4.9	-9.9	-16.8	2.5	2.0	0.0	-3.9	-9.4	-26.9	-54.3	24"
2542	2142	1793	1490	1228	1005	0.6	0.9	0.0	-2.3	-6.1	-11.6	2.1	1.7	0.0	-3.2	-8.1	-23.5	-47.7	24"
2398	1979	1621	1316	1058	842	0.5	0.8	0.0	-2.1	-5.7	-10.8	1.9	1.6	0.0	-3.0	-7.6	-22.3	-45.8	24"
2520	2155	1832	1548	1300	1085	0.7	1.0	0.0	-2.5	-6.7	-12.6	2.3	1.9	0.0	-3.5	-8.8	-25.3	-51.0	24"
2797	2363	1986	1657	1373	1128	0.5	0.8	0.0	-2.1	-5.5	-10.4	1.8	1.5	0.0	-2.9	-7.3	-21.1	-42.9	24"
2781	2293	1875	1518	1217	968	0.6	0.9	0.0	-2.3	-6.2	-11.8	2.1	1.7	0.0	-3.3	-8.3	-24.2	-49.7	24"
2913	2308	1805	1393	1060	801	0.2	0.0	-1.5	-4.6	-9.5	-16.4	2.3	1.9	0.0	-3.7	-9.4	-28.1	-58.8	24"
2913	2520	2171	1860	1585	1343	0.6	0.9	0.0	-2.3	-6.1	-11.4	2.1	1.7	0.0	-3.2	-8.0	-22.8	-45.6	24"
3221	2667	2196	1792	1448	1160	0.4	0.8	0.0	-1.9	-5.2	-9.9	1.7	1.5	0.0	-2.8	-7.0	-20.5	-42.1	24"
3178	2718	2313	1956	1644	1372	0.6	0.9	0.0	-2.3	-6.0	-11.3	2.0	1.7	0.0	-3.2	-7.9	-22.7	-45.8	24"
3133	2655	2240	1878	1564	1292	0.4	0.7	0.0	-1.8	-4.8	-9.1	2.6	2.9	2.0	0.0	-3.4	-14.5	-32.6	24"
2987	2511	2097	1739	1430	1166	0.6	0.9	0.0	-2.2	-5.9	-11.3	2.0	1.7	0.0	-3.2	-7.9	-23.0	-46.7	24"
3081	2669	2303	1978	1689	1434	0.5	0.9	0.0	-2.1	-5.7	-10.7	1.9	1.6	0.0	-3.0	-7.5	-21.4	-42.9	24"
3293	2818	2401	2033	1711	1430	0.5	0.9	0.0	-2.2	-5.7	-10.8	1.9	1.6	0.0	-3.0	-7.6	-21.8	-44.0	24"
3436	2918	2468	2077	1737	1441	0.8	0.6	0.0	-1.6	-4.3	-8.2	2.3	2.6	1.8	0.0	-3.0	-13.1	-29.5	24"
967	690	373	262	208	173	0.9	0.0	-4.5	-13.5	-28.3	-49.9	0.0	-4.5	-13.5	-28.3	-49.9	-118.6	-228.2	20"
1696	1253	913	666	502	405	0.7	0.0	-3.3	-9.7	-19.6	-33.8	2.2	0.0	-5.3	-14.1	-27.2	-69.0	-136.9	24"
1412	886	521	301	172	119	0.4	0.8	0.0	-2.4	-6.7	-13.8	2.0	1.8	0.0	-3.8	-10.2	-35.0	-84.4	24"
1902	1296	858	565	399	316	0.5	0.0	-2.7	-8.2	-17.0	-30.0	1.8	0.0	-4.6	-12.5	-24.6	-65.3	-134.9	24"
1827	1355	989	720	535	425	0.6	0.0	-3.0	-8.9	-18.0	-31.1	2.0	0.0	-4.8	-13.0	-25.1	-63.6	-126.7	24"
1827	1355	989	720	535	425	0.6	0.0	-3.0	-8.9	-18.0	-31.1	2.0	0.0	-4.8	-13.0	-25.1	-63.6	-126.7	24"
1879	1416	1050	771	571	442	0.5	0.0	-2.7	-7.9	-16.1	-27.6	1.8	0.0	-4.3	-11.6	-22.3	-56.3	-111.9	24"
2207	1639	1193	860	626	482	0.5	0.0	-2.6	-7.7	-15.6	-27.1	1.7	0.0	-4.2	-11.3	-21.9	-55.8	-112.0	24"
2303	1845	1462	1143	806	685	0.3	0.0	-1.8	-5.4>-										

AMMUNITION

VENTED TEST-BARREL BALLISTICS

This Remington® patented, industry-accepted method provides data that more precisely reflect actual use of revolver ammunition. It considers cylinder gap, barrel length, powder position, and production tolerances. Although our final values differ from conventional figures, the ammunition is unchanged. Key elements of our patented procedure include: (a) horizontal powder orientation; (b) cylinder gap: .008"; (c) barrel length: 4".

INTERCHANGEABILITY CHART

Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

RIMFIRE

22 W.R.F.
22 Remington Special
22 Win. Model 1890 in a 22 Win. Mag. Rimfire but not conversely

CENTERFIRE

25-20 Remington
25-20 W.C.F.
25-20 Win.
25-20 Win. High Speed
25-20 Marlin
25 W.C.F.
6mm Rem. (80 & 90 grain)
244 Remington
25 Automatic
25 Auto. Colt Pistol (ACP)
25 (6.35mm) Automatic Pistol
6.35mm Browning
7mm Express® Remington
280 Remington
30-30 Sav.
30-30 Win.
30-30 Win. Accelerator®
30-30 Marlin
30-30 Win. High Speed
30 W.C.F.
32 Colt Automatic
32 Auto. Colt Pistol (ACP)
32 (7.65mm) Automatic Pistol
7.65mm Automatic Pistol
7.65mm Browning (not interchangeable with 7.65mm Luger)
32 Short Colt in 32 Long Colt but not conversely
SEE NOTE C
32 S&W in 32 S. & W. Long but not conversely
32 S&W Long
32 Colt New Police
32 Colt Police Positive
32 W.C.F.*
32 Win.*
32-20 Win. High Speed*
32-20 Colt L.M.R.
32-20 W.C.F.
32-20 Win. and Marlin
38 S.&W.
38 Colt New Police
380 Webley
38 Colt Special
38 S&W Special
38 Targetmaster®
38 S&W Special Mid-Range
38 Special (+P)
38-44 Special (+P)
38 Special
38 Special Flat Point
38 Short Colt in 38 Long Colt but not conversely.
Both can be used in 38 Special
38 Marlin
38 Win.*
38 Remington®
38-40 Win.
38 W.C.F.*
38 Automatic in 38 Super (+P)
but not conversely
380 Automatic
9mm Browning Short (Corto Kurz)
9mm Luger
9mm Parabellum
44 S&W Special
44 Marlin
44 Win.
44 Remington
44-40 Win.
44 W.C.F.
45-70 Government
45-70 Marlin, Win.
45-70-405

Centerfire Rifle Ballistics Tables

Caliber	Order No.	Wt. (grs.)	Bullet Style	Primer No.	Muzzle	Velocity (ft.-sec.)				
						100 yds.	200 yds.	300 yds.	400 yds.	500 yds.
30-40 Krag	R30402	180*	Pointed Soft Point Core-Lokt®	9½	2430	2213	2007	1813	1632	1468
308 Win.	R308W1	150	Pointed Soft Point Core-Lokt®	9½	2820	2533	2263	2009	1774	1560
	R308W2	180	Soft Point Core-Lokt®	9½	2620	2274	1955	1666	1414	1212
	R308W3	180	Pointed Soft Point Core-Lokt®	9½	2620	2393	2178	1974	1782	1604
	R308W7	168	Boat Tail HP Match	9½	2680	2493	2314	2143	1979	1823
	ER308WA	165	Extended Range Boat Tail	9½	2700	2497	2303	2117	1941	1773
30-06 Springfield	R30061	125	Pointed Soft Point	9½	3140	2780	2447	2138	1853	1595
	R30062	150	Pointed Soft Point Core-Lokt®	9½	2910	2617	2342	2083	1843	1622
	R30063	150	Bronze Point™	9½	2910	2656	2416	2189	1974	1773
	R3006B	165	Pointed Soft Point Core-Lokt®	9½	2800	2534	2283	2047	1825	1621
	R30064	180	Soft Point Core-Lokt®	9½	2700	2348	2023	1727	1466	1251
	R30065	180	Pointed Soft Point Core-Lokt®	9½	2700	2469	2250	2042	1846	1663
	R30066	180	Bronze Point™	9½	2700	2485	2280	2084	1899	1725
	R30067	220	Soft Point Core-Lokt®	9½	2410	2130	1870	1632	1422	1246
	RS3006A	180	Swift A-Frame™ PSP	9½	2700	2465	2243	2032	1833	1648
	ER3006B	165	Extended Range Boat Tail	9½	2800	2592	2394	2204	2023	1852
300 H&H Mag.	R300HH	180	Pointed Soft Point Core-Lokt®	9½ M	2880	2640	2412	2196	1990	1798
300 Win. Mag.	R300W1	150	Pointed Soft Point Core-Lokt®	9½ M	3290	2951	2636	2342	2068	1813
	R300W2	180	Pointed Soft Point Core-Lokt®	9½ M	2960	2745	2540	2344	2157	1979
	RS300WA	200	Swift A-Frame™ PSP	9½ M	2825	2596	2376	2167	1970	1783
	ER300WB	190	Extended Range Boat Tail	9½ M	2885	2691	2506	2327	2156	1993
300 Wby. Mag.	R300WB1	180	Pointed Soft Point Core-Lokt®	9½ M	3120	2866	2627	2400	2184	1979
	ER300WB	190	Extended Range Boat Tail	9½ M	3030	2830	2638	2455	2279	2110
	RS300WB	200	Swift A-Frame™ PSP	9½ M	2925	2690	2467	2254	2062	1861
303 British	R303B1	180	Soft Point Core-Lokt®	9½	2460	2124	1817	1542	1311	1137
7.62 x 39mm	R762391	125	Pointed Soft Point	7½	2365	2062	1783	1533	1320	1154
32-20 Win.	R32201	100	Lead	6½	1210	1021	913	834	769	712
	R32202	100	Soft Point	6½	1210	1021	913	834	769	712
32 Win. Special	R32WS2	170	Soft Point Core-Lokt®	9½	2250	1921	1626	1372	1175	1044
8mm Mauser	R8MSR	170	Soft Point Core-Lokt®	9½	2360	1969	1622	1333	1123	997
338 Win. Mag.	R338W1	225	Pointed Soft Point Core-Lokt®	9½ M	2780	2572	2374	2184	2003	1832
	R338W2	250	Pointed Soft Point Core-Lokt®	9½ M	2660	2456	2261	2075	1888	1731
	RS338WA	225	Swift A-Frame™ PSP	9½ M	2785	2517	2266	2029	1808	1605
35 Remington	R35R1	150	Pointed Soft Point Core-Lokt®	9½	2300	1874	1506	1218	1039	934
	R35R2	200	Soft Point Core-Lokt®	9½	2080	1688	1376	1140	1001	911
350 Remington Mag.	R350M1	200	Pointed Soft Point Core-Lokt®	9½ M	2710	2410	2130	1870	1631	1421
35 Whelen	R35WH1	200	Pointed Soft Point	9½ M	2675	2378	2100	1842	1606	1399
	R35WH3	250	Pointed Soft Point	9½ M	2400	2197	2005	1823	1652	1496
375 H&H Mag.	R375M1	270	Soft Point	9½ M	2690	2420	2166	1928	1707	1507
	RS375MA	300	Swift A-Frame™ PSP	9½ M	2530	2245	1979	1733	1512	1321
416 Remington Mag.	R416R2	400	Swift A-Frame™ PSP	9½ M	2400	2175	1962	1763	1579	1414
44-40 Win.	R4440W	200	Soft Point	2½	1190	1006	900	822	756	699
44 Remington Mag.	R44MG2	240	Soft Point	2½	1760	1380	1114	970	878	806
	R44MG3	240	Semi-Jacketed Hollow Point	2½	1760	1380	1114	970	878	806
	R44MG6	210	Semi-Jacketed Hollow Point	2½	1920	1477	1155	982	880	802
	RH44MGA	275	JHP Core-Lokt®	2½	1580	1293	1093	976	896	832
444 Mar.	R444M	240	Soft Point	9½	2350	1815	1377	1087	941	846
45-70 Government	R4570G	405	Soft Point	9½	1330	1168	1055	977	918	869
	R4570L	300	Jacketed Hollow Point	9½	1810	1497	1244	1073	969	895
458 Win. Mag.	RS458WA	450	Swift A-Frame™ PSP	9½ M	2150	1901	1671	1465	1289	1150

NOTE A: *High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.
NOTE B: Ammunition with (+P) on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.
NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long.
NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.
NOTE E: 9mm sub-machine gun cartridges should not be used in handguns.
NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.
NOTE G: Not to be used in Win. M-66 and M-73.

(continued)

= Extended Range

= Safari Grade

Muzzle	100 yds.	Energy (ft.-lbs.)		400 yds.	500 yds.	Short-range ¹ Trajectory*						Long-range ² Trajectory*						400 yds.	500 yds.	Barrel Length
		200 yds.	300 yds.			50 yds.	100 yds.	150 yds.	200 yds.	250 yds.	300 yds.	100 yds.	150 yds.	200 yds.	250 yds.	300 yds.				
2360	1957	1610	1314	1064	861	0.4	0.0	-2.1	-6.2	-12.5	-21.1	1.4	0.0	-3.4	-8.9	-16.8	-40.9	-78.1	24"	
2648	2137	1705	1344	1048	810	0.2	0.0	-1.5	-4.5	-9.3	-15.9	2.3	1.9	0.0	-3.6	-9.1	-26.9	-55.7		
2743	2066	1527	1109	799	587	0.3	0.0	-2.0	-5.9	-12.1	-20.9	2.9	2.4	0.0	-4.7	-12.1	-36.9	-79.1		
2743	2288	1896	1557	1269	1028	0.2	0.0	-1.8	-5.2	-10.4	-17.7	2.6	2.1	0.0	-4.0	-9.9	-28.9	-58.8	24"	
2878	2318	1998	1713	1460	1239	0.2	0.0	-1.6	-4.7	-9.4	-15.9	2.4	1.9	0.0	-3.5	-8.9	-25.3	-50.6		
2670	2284	1942	1642	1379	1152	0.2	0.0	-1.6	-4.7	-9.4	-16.0	2.3	1.9	0.0	-3.5	-8.9	-25.6	-51.5		
2736	2145	1662	1269	953	706	0.4	0.8	0.0	-2.1	-5.6	-10.7	1.8	1.5	0.0	-3.0	-7.7	-23.0	-48.5		
2820	2281	1827	1445	1131	876	0.6	0.9	0.0	-2.3	-6.3	-12.0	2.1	1.8	0.0	-3.3	-8.5	-25.0	-51.8		
2820	2349	1944	1596	1298	1047	0.6	0.9	0.0	-2.2	-6.0	-11.4	2.0	1.7	0.0	-3.2	-8.0	-23.3	-47.5		
2872	2352	1909	1534	1220	963	0.7	1.0	0.0	-2.5	-6.7	-12.7	2.3	1.9	0.0	-3.6	-9.0	-26.3	-54.1		
2913	2203	1635	1192	859	625	0.2	0.0	-1.8	-5.5	-11.2	-19.5	2.7	2.3	0.0	-4.4	-11.3	-34.4	-73.7		
2913	2436	2023	1666	1362	1105	0.2	0.0	-1.6	-4.8	-9.7	-16.5	2.4	2.0	0.0	-3.7	-9.3	-27.0	-54.9	24"	
2913	2468	2077	1736	1441	1189	0.2	0.0	-1.6	-4.7	-9.6	-16.2	2.4	2.0	0.0	-3.6	-9.1	-26.2	-53.0		
2837	2216	1708	1301	988	758	0.4	0.0	-2.3	-6.8	-13.8	-23.6	1.5	0.0	-3.7	-9.9	-19.0	-47.4	-93.1		
2913	2429	2010	1650	1343	1085	0.2	0.0	-1.6	-4.8	-9.8	-16.6	2.4	2.0	0.0	-3.7	-9.4	-27.2	-55.3		
2872	2462	2100	1780	1500	1256	0.6	1.0	0.0	-2.4	-6.2	-11.8	2.1	1.8	0.0	-3.3	-8.2	-23.6	-47.5		
3315	2785	2325	1927	1583	1292	0.6	0.9	0.0	-2.3	-6.0	-11.5	2.1	1.7	0.0	-3.2	-8.0	-23.3	-47.4	24"	
3605	2900	2314	1827	1424	1095	0.3	0.7	0.0	-1.8	-4.8	-9.3	2.6	2.9	2.1	0.0	-3.5	-15.4	-35.5		
3501	3011	2578	2196	1859	1565	0.5	0.8	0.0	-2.1	-5.5	-10.4	1.9	1.6	0.0	-2.9	-7.3	-20.9	-41.9	24"	
3544	2989	2506	2086	1722	1412	0.6	1.0	0.0	-2.4	-6.3	-11.9	2.1	1.8	0.0	-3.3	-8.3	-24.0	-48.8		
3511	3055	2648	2285	1961	1675	0.5	0.9	0.0	-2.2	-5.7	-10.7	1.9	1.6	0.0	-3.0	-7.5	-21.4	-42.9		
3890	3284	2708	2301	1905	1565	0.4	0.7	0.0	-1.9	-5.0	-9.5	2.7	3.0	2.1	0.0	-3.5	-15.2	-34.2		
3873	3378	2936	2542	2190	1878	0.4	0.8	0.0	-1.9	-5.1	-9.6	1.7	1.4	0.0	-2.7	-6.7	-19.2	-38.4	24"	
3799	3213	2701	2256	1870	1538	0.5	0.9	0.0	-2.2	-5.8	-11.0	3.2	3.5	2.4	0.0	-4.0	-17.4	-39.0		
2418	1803	1319	950	687	517	0.4	0.0	-2.3	-6.9	-14.1	-24.4	1.5	0.0	-3.8	-10.2	-19.8	-50.5	-101.5	24"	
1552	1180	882	652	483	370	0.4	0.0	-2.5	-7.3	-14.3	-25.7	1.7	0.0	-4.8	-10.8	-20.7	-52.3	-104.0	24"	
325	231	185	154	131	113	0.0	-6.3	-20.9	-44.9	-79.3	-125.1	0.0	-11.5	-32.3	-63.8	-106.3	-230.3	-413.3	24"	
325	231	185	154	131	113	0.0	-6.3	-20.9	-44.9	-79.3	-125.1	0.0	-11.5	-32.3	-63.6	-106.3	-230.3	-413.3		
1911	1393	998	710	521	411	0.6	0.0	-2.9	-8.6	-17.6	-30.5	1.9	0.0	-4.7	-12.7	-24.7	-63.2	-126.9	24"	
2102	1463	993	671	476	375	0.5	0.0	-2.7	-8.2	-17.0	-29.8	1.8	0.0	-4.5	-12.4	-24.3	-63.8	-130.7	24"	
3860	3305	2815	2383	2004	1676	0.6	1.0	0.0	-2.4	-6.3	-12.0	2.2	1.8	0.0	-3.3	-8.4	-24.0	-48.4		
3927	3348	2837	2389	1999	1663	0.2	0.0	-1.7	-4.9	-9.8	-16.6	2.4	2.0	0.0	-3.7	-9.3	-26.6	-53.6	24"	
3871	3165	2565	2067	1633	1286	0.2	0.0	-1.5	-4.6	-9.4	-16.0	2.3	1.9	0.0	-3.6	-9.1	-25.7	-54.9		
1762	1169	755	494	359	291	0.6	0.0	-3.0	-9.2	-19.1	-33.9	2.0	0.0	-5.1	-14.1	-27.8	-74.0	-152.3	24"	
1921	1280	841	577	445	369	0.8	0.0	-3.8	-11.3	-23.5	-41.2	2.5	0.0	-6.3	-17.1	-33.6	-87.7	-176.4		
3261	2579	2014	1553	1181	897	0.2	0.0	-1.7	-5.1	-10.4	-17.9	2.6	2.1	0.0	-4.0	-10.3	-30.5	-64.0	20"	
3177	2510	1958	1506	1145	869	0.2	0.0	-1.8	-5.3	-10.8	-18.5	2.6	2.2	0.0	-4.2	-10.6	-31.5	-65.9		
3197	2680	2230	1844	1515	1242	0.4	0.0	-2.2	-6.3	-12.6	-21.3	1.4	0.0	-3.4	-9.0	-17.0	-41.0	-77.8		
4337	3510	2812	2228	1747	1361	0.2	0.0	-1.7	-5.1	-10.3	-17.6	2.5	2.1	0.0	-3.9	-10.0	-29.4	-60.7	24"	
4262	3357	2608	2001	1523	1163	0.3	0.0	-2.0	-6.0	-12.3	-21.0	3.0	2.5	0.0	-4.7	-12.0	-35.6	-74.5		
5115	4201	3419	2760	2214	1775	0.4	0.0	-2.2	-6.5	-13.0	-22.0	1.5	0.0	-3.5	-9.3	-17.6	-42.9	-82.2	24"	
629	449	360	300	254	217	0.0	-6.5	-21.6	-46.3	-81.8	-129.1	0.0	-11.8	-33.3	-65.5	-109.5	-237.4	-426.2	24"	
1650	1015	661	501	411	346	0.0	-2.7	-10.0	-23.0	-43.0	-71.2	0.0	-5.9	-17.6	-36.3	-63.1	-145.5	-273.0		
1650	1015	661	501	411	346	0.0	-2.7	-10.0	-23.0	-43.0	-71.2	0.0	-5.9	-17.6	-36.3	-63.1	-145.5	-273.0	20"	
1719	1017	822	450	361	300	0.0	-2.2	-8.3	-19.7	-37.6	-63.2	0.0	-5.1	-15.4	-32.1	-56.7	-134.0	-256.2		
1524	1020	730	582	490	422	1.7	0.0	-6.9	-20.0	-40.1	-68.7	0.0	-6.9	-20.0	-40.1	-68.7	-153.8	-283.0		
2942	1755	1010	630	472	381	0.6	0.0	-3.2	-9.9	-21.3	-38.5	2.1	0.0	-5.6	-15.9	-32.1	-87.8	-182.7	24"	
1590	1227	1001	858	758	679	0.0	-4.7	-15.8	-34.0	-60.0	-94.5	0.0	-8.7	-24.6	-48.2	-80.3	-172.4	-305.9	24"	
2182	1492	1031	767	625	533	0.0	-2.3	-8.5	-19.4	-35.9	-59.0	0.0	-5.0	-14.8	-30.1	-52.1	-119.5	—		
4618	3609	2789	2144	1669	1321	0.6	0.0	-3.0	-8.8	-17.6	-30.1	2.0	0.0	-4.8	-12.6	-24.0	-59.5	-115.7	24"	

Specifications are nominal. Ballistics figures established in test barrels.

Individual rifles may vary from test-barrel specifications.

Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.

1 Subject to stock on hand.

Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.

Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

NOTE: 0.0 indicates yardage at which rifle was sighted in.


AMMUNITION

PISTOL & REVOLVER

Remington® Pistol & Revolver Ammunition — Tailored for Your Specific Needs.



Remington's exceptionally broad line of handgun ammunition covers a comprehensive range of calibers, bullet weights, and bullet styles. Why? Because there are more end-use applications than in any other category, and each loading is designed for a very specific purpose. Combine the quality of Remington components with Remington's superior performance, and it's easy to see why Remington is the first choice for so many handgunners.



.40 S&W, 180-gr. JHP, .3", 25 yds.

PROVEN ACCURACY FROM ALL OF OUR HANDGUN CARTRIDGES

Every cartridge we produce carries everything we've learned about making handgun ammunition that shoots straight, hits hard, and feeds reliably. From performance-engineered copper jackets and nose cuts to precision-swaged lead bullets, everything we do is aimed at delivering the highest level of accuracy available in factory-loaded ammunition.

Clean-shooting, dependable
Kleanbore® primer

Nose profiles designed to function smoothly in semi-autos

70-30 cartridge
brass case

Powder blended for best
velocity uniformity

Nose cuts designed for controlled mushrooming at wide range of velocities

Jacketed Hollow Point

The full-length jacket and hollow-point construction provide controlled expansion with good penetration while assuring dependable function in autoloading pistols.

Semi-Jacketed Hollow Point

Features a unique scalloped jacket design engineered to combine optimum expansion with controlled penetration for maximum energy transfer.

Lead Hollow Point

A fast-expanding lead bullet that's ideal for situations where barrier penetration isn't a necessity.

A Remington Bullet for Every Handgunning Need

Soft Point

Exposed lead soft point provides deeper penetration with less expansion than semi-jacketed hollow points.

Wadcutter Match

For precise target shooting and easier scoring, our Targetmaster® wadcutter delivers superior accuracy and clean, sharp paper-cutting performance.

Semi-Wadcutter Lead Bullet

A hard-hitting lead bullet with clean wadcutter definition on paper targets.

Full Metal Case


A general-purpose bullet for all autoloading pistols — assures reliable feeding and function.

Lead Round Nose

Our versatile, general-purpose bullet for all revolvers.

Remington® Leadless™ P&R Ammunition — Reduced Lead, Great Performance.

With Remington Leadless™, airborne lead-based residue at the shooter's position is reduced over 99%, while the lead-free primer and totally encapsulated Lead-Lokt™ bullet combine to duplicate the ballistic performance of comparable standard ammunition.



Lead-Lokt™ bullet with thick, full metal case jacket

Closure disk seals off bullet heel, preventing lead vaporization during firing




Leadless™ Totally Encapsulated Handgun Ammunition

Caliber	Order No.	Primer Weight		Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory	
		No.	(grs.)		Muzzle	50 yds.	100 yds.	Muzzle	50 yds.	100 yds.	50 yds.	100 yds.
.357 Magnum	LL357MB	5%	130	TEMC, Lead-Lokt™	1400	1239	1116	566	443	360	0.6"	2.8"
.357 Magnum	LL357MD	5%	158	TEMC, Lead-Lokt™	1200	1081	999	505	410	350	0.9"	4.0"
9mm Luger	LL9MMA	1%	115	TEMC, Lead-Lokt™	1135	1041	973	329	277	242	0.9"	4.0"
9mm Luger	LL9MMB	1%	124	TEMC, Lead-Lokt™	1110	1030	971	339	292	259	1.0"	4.1"
9mm Luger	LL9MMC	1%	147	TEMC, Lead-Lokt™	990	941	900	320	289	264	1.1"	4.9"
.380 Auto	LL380B	1%	95	TEMC, Lead-Lokt™	955	865	785	190	160	130	1.4"	5.9"
.38 Special	LL38SB	1%	130	TEMC, Lead-Lokt™	950	901	859	261	235	213	1.4"	5.0"
.38 Special	LL38SD	1%	158	TEMC, Lead-Lokt™	755	723	692	200	183	168	2.0"	8.3"
.40 S&W	LL40SWB	5%	180	TEMC, Lead-Lokt™	985	936	893	388	350	319	1.4"	5.0"
.45 Auto	LL45APB	2%	230	TEMC, Lead-Lokt™	835	800	767	356	326	300	1.6"	6.8"

Remington® Golden Saber™ HPJ — The Most Effective Handgun Ammo Ever.

Golden Saber™ High Performance Jacket (HPJ) handgun ammo showcases Remington's continuing advances in bullet technology. No other handgun cartridge offers so many high-performance features for home security and law enforcement applications.



.45 ACP BJHP (+P) 185-Gr.




MATCH ACCURACY,
DEEP PENETRATION,
AND MAXIMUM
EXPANSION WITH
VIRTUALLY 100%
WEIGHT RETENTION.



Fired Golden Saber™ bullet showing Driving Band contact area

THE DRIVING BAND™ MAKES THE DIFFERENCE

The bullet diameter directly ahead of the Driving Band™ is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band™ engages the rifling. The result: match-grade accuracy and reduced barrel friction that conserves velocity.



AMMUNITION

PISTOL & REVOLVER

Core-Lokt® Handgun Hunting Ammunition — A Higher Level of Handgun Hunting Performance.




With a revolutionary advance in bullet design, Remington gives the handgun hunter the same game-stopping performance found in our legendary Core-Lokt® centerfire rifle ammunition. This handgun ammo has it all: exceptional accuracy, rapid but controlled expansion, and deep penetration with near-total weight retention.

Core-Lokt® .44 Remington Magnum Bullet



Core-Lokt® .357 Magnum Bullet




CORE-LOKT® HIGH-PERFORMANCE P&R HUNTING AMMUNITION

Caliber	Order No.	Primer No.	Weight (grs.)	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory	
				Muzzle	50 yds.	100 yds.	Muzzle	50 yds.	100 yds.	50 yds.	100 yds.
357 Magnum	RH357MA	5½	165	1290	1189	1108	610	518	450	0.7"	3.1"
44 Rem. Mag.	RH44MGA	2½	275	1235	1142	1070	931	797	699	0.8"	3.3"
	(Rifle Ballistics, 20" BBL)			1580	1427	1293	1524	1243	1020	0.5"	2.2"

CENTERFIRE COMPONENTS

Load Your Own with the Best — Remington® Factory Components.

When you reload with Remington factory components, you get the same high quality we use to make our factory rounds. Our cartridge cases are drawn from specially alloyed brass for exact internal volume and resistance to stretching and brittleness. Primer pocket tolerances at .001". Closely monitored case neck annealing assures easier re-sizing and greater reloading life. Primers feature the finest subcomponents assembled to exceptionally precise tolerances, with each lot 100% visually inspected and sub-



Primer cup dimensions controlled to 4 decimal places

Priming mix reliability from -20°F to 150°F

Unique, tripod-shaped anvil creates larger "sweet spot" — even with off-center firing pin strikes

jected to critical ballistic tests. In short, we make the finest factory loads with the finest components — why not include the same quality in your reloads?

CF Kleanbore® Primers

Primer #6½
Primer #7½ Small Rifle
Primer #9½ Large Rifle
Primer #9½M Large Rifle Magnum

Remington Unprimed Brass Rifle Cases

.22 Hornet; .30 Carbine
.17 Rem.; .222 Rem.; .223 Rem.; 7mm BR Rem. §; UBR: 7.62x39mm
.220 Swift; .22-250 Rem.; 6mm Rem.; .243 Win.; .250 Sav. §; .25-06 Rem.; .270 Win.
.280 Rem.; 7mm-08 Rem.; .30-30 Win.; .308 Win.; .30-06 Spfld.; .45-70 Government
7mm Rem. Mag.; .300 Win. Mag.; .300 Wby. Mag.; 8mm Rem. Mag.; .338 Win. Mag.; .416 Rem. Mag.

Percussion Caps

#10	Black Powder
#11	Black Powder

P&R Kleanbore® Primers

Primer #1½ Small Pistol
Primer #2½ Large Pistol
Primer #5½
Primer #7½ Small Rifle




Remington Unprimed Brass P&R Cases

9mm Luger; .380 Auto Pistol; .38 Super Auto; .38 Special
10mm; .41 Rem. Mag.; .44 Rem. Mag.; .44 S&W Special; .45 Colt; .45 Auto; .45 Auto Rim
.357 Mag.; .40 S&W
.221 Rem.; .357 Rem. Max.; 6mm BR Rem.; 7mm BR Rem.

NOTE: Careless or incorrect handloading is dangerous. Improperly made handloads may cause the barrel or breech of any firearm to burst, which can result in serious personal injury. Safety Note: ALWAYS follow published reloading specifications.

§Subject to stock on hand.

Pistol and Revolver Ammunition Ballistics

 = Golden Saber™  = Core-Lokt® Hunting  = LeadLess™

Caliber	Order No.	Primer No.	Weight (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory			B.L.
					Muzzle	50 yds.	100 yds.	Muzzle	50 yds.	100 yds.	50 yds.	100 yds.		
221 Rem. Fireball	R221F	7/16	50	Pointed Soft Point	2650	2380	2130	780	630	505	0.2"	0.8"	10"	
25 (6.35mm) Auto. Pistol	R25AP	1/16	50	Metal Case	760	707	659	64	56	48	2.0"	8.7"	2"	
6mm BR Rem.	R6MMBR	7/16	100	Pointed Soft Point	Refer to Remington CF Ballistics Charts									
7mm BR Rem.	R7MMBR	7/16	140	Pointed Soft Point	Refer to Remington CF Ballistics Charts									
32 S&W	R32SW	1/16	88	Lead	680	645	610	90	81	73	2.5"	0.5"	3"	
32 S&W Long	R32SWL	1/16	98	Lead	705	670	635	115	98	88	2.3"	10.5"	4"	
32 (7.65mm) Auto. Pistol	R32AP	1/16	71	Metal Case	905	855	810	129	115	97	1.4"	5.8"	4"	
357 MAG. Vented Barrel Ballistics	R357M7	5/16	110	Semi-Jacketed Hollow Point	1295	1094	975	410	292	232	0.8"	3.5"	4"	
	R357M1	5/16	125	Semi-Jacketed Hollow Point	1450	1240	1090	583	427	330	0.6"	2.8"	4"	
	GS357MA	5/16	125	Brass-Jacketed Hollow Point	1220	1095	1009	413	333	283	0.8"	3.5"	4"	
	RH357MA	5/16	105	JHP Core-Lokt®	1290	1189	1108	610	518	450	0.7"	3.1"	8 1/2"	
	LL357MB	5/16	130	TEMC, Lead-Lokt™	1400	1239	1116	566	443	360	0.6"	2.8"	4"	
	LL357MD	5/16	158	TEMC, Lead-Lokt™	1200	1081	999	505	410	350	0.9"	4.0"	4"	
	R357M2	5/16	158	Semi-Jacketed Hollow Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"	
	R357M3	5/16	158	Soft Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"	
	R357M5	5/16	158	Semi-Wadcutter	1235	1104	1015	535	428	361	0.8"	3.5"	4"	
	R357M10	5/16	180	Semi-Jacketed Hollow Point	1145	1053	985	524	443	388	0.9"	3.9"	8 1/2"	
357 Rem. Maximum*	R357MX1	5/16	158	Semi-Jacketed Hollow Point	1825	1588	1381	1168	885	669	0.4"	1.7"	10"	
9mm Luger Auto. Pistol	R9MM1	1/16	115	Jacketed Hollow Point	1155	1047	971	341	280	241	0.9"	3.9"	4"	
	R9MM10	1/16	124	Jacketed Hollow Point	1120	1028	960	346	291	254	1.0"	4.1"	4"	
	R9MM2	1/16	124	Metal Case	1110	1030	971	339	292	259	1.0"	4.1"	4"	
	R9MM3	1/16	115	Metal Case	1135	1041	973	329	277	242	0.9"	4.0"	4"	
	R9MM6	1/16	115	Jacketed Hollow Point (+P)‡	1250	1113	1019	399	316	265	0.8"	3.5"	4"	
	R9MM8	1/16	147	Jacketed Hollow Point (Subsonic)	990	941	900	320	289	264	1.1"	4.9"	4"	
	R9MM9	1/16	147	Metal Case (Match)	990	941	900	320	289	264	1.1"	4.9"	4"	
	LL9MMA	1/16	115	TEMC, Lead-Lokt™	1135	1041	973	329	277	242	0.9"	4.0"	4"	
	LL9MMB	1/16	124	TEMC, Lead-Lokt™	1110	1030	971	339	292	259	1.0"	4.1"	4"	
	LL9MC	1/16	147	TEMC, Lead-Lokt™	990	941	900	320	289	264	1.1"	4.9"	4"	
380 Auto. Pistol	GS38MMB	1/16	124	Brass-Jacketed Hollow Point	1125	1031	963	349	293	255	1.0"	4.0"	4"	
	GS38MMC	1/16	147	Brass-Jacketed Hollow Point	990	941	900	320	289	264	1.1"	4.9"	4"	
	GS38MMD	1/16	124	Brass-Jacketed Hollow Point (+P)‡	1180	1089	1021	384	327	287	0.8"	3.8"	4"	
	R380AP	1/16	95	Metal Case	955	865	785	190	160	130	1.4"	5.9"	4"	
	R380A1	1/16	88	Jacketed Hollow Point	990	920	868	191	165	146	1.2"	5.1"	4"	
	GS380B	1/16	102	Brass-Jacketed Hollow Point	940	901	866	200	184	170	1.2"	5.1"	4"	
	LL380B	1/16	95	TEMC, Lead-Lokt™	955	865	785	190	160	130	1.4"	5.9"	4"	
	R38SU1	1/16	115	Jacketed Hollow Point (+P)‡	1300	1147	1041	431	336	277	0.7"	3.3"	5"	
	R38SW	1/16	146	Lead	685	650	620	150	135	125	2.4"	10.0"	4"	
	R38S10	1/16	110	Semi-Jacketed Hollow Point (+P)‡	990	926	871	242	210	185	1.2"	5.1"	4"	
38 Special Vented Barrel Ballistics	R38S16	1/16	110	Semi-Jacketed Hollow Point	950	890	840	220	194	172	1.4"	5.4"	4"	
	R38S2	1/16	125	Semi-Jacketed Hollow Point (+P)‡	945	898	858	248	224	204	1.3"	5.4"	4"	
	LL38SB	1/16	130	TEMC, Lead-Lokt™	950	901	859	261	235	213	1.4"	5.0"	4"	
	LL38SD	1/16	158	TEMC, Lead-Lokt™	755	723	692	200	183	168	2.0"	8.3"	4"	
	GS38SB	1/16	125	Brass-Jacketed Hollow Point (+P)‡	975	929	885	264	238	218	1.0"	5.2"	4"	
	R38S3	1/16	148	Targetmaster® Lead WC Match	710	634	566	166	132	105	2.4"	10.8"	4"	
	R38S5	1/16	158	Lead (Round Nose)	755	723	692	200	183	168	2.0"	8.3"	4"	
	R38S14	1/16	158	Semi-Wadcutter (+P)‡	890	855	823	278	257	238	1.4"	6.0"	4"	
	R38S6	1/16	158	Semi-Wadcutter	755	723	692	200	183	168	2.0"	8.3"	4"	
	R38S12	1/16	158	Lead Hollow Point (+P)‡	890	855	823	278	257	238	1.4"	6.0"	4"	
38 Short Colt	R38SC	1/16	125	Lead	730	685	645	150	130	115	2.2"	9.4"	6"	
10mm Auto.	R10MM3	2/16	180	Jacketed Hollow Point (Subsonic)	1055	997	951	445	397	361	1.0"	4.6"	5"	
	R10MM4	2/16	180	Jacketed Hollow Point (High-Vel.)	1160	1079	1017	538	465	413	0.9"	3.8"	5"	
357 Sig.	R357S1	5/16	125	Jacketed Hollow Point	1350	1157	1032	506	372	295	0.7"	3.2"	4"	
40 S&W	R40SW1	5/16	155	Jacketed Hollow Point	1205	1095	1017	499	413	356	0.8"	3.6"	4"	
	R40SW2	5/16	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"	
	LL40SWB	5/16	180	TEMC, Lead-Lokt™	985	936	893	388	350	319	1.4"	5.0"	4"	
	GS40SWA	5/16	165	Brass-Jacketed Hollow Point	1150	1040	964	485	396	340	1.0"	4.0"	4"	
	GS40SWB	5/16	180	Brass-Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"	
	R41MG1	2/16	210	Soft Point	1300	1162	1062	788	630	526	0.7"	3.2"	4"	
41 Rem. Mag. Vented Barrel Ballistics	R41MG3	2/16	170	Semi-Jacketed Hollow Point	1420	1166	1014	761	513	388	0.7"	3.2"	4"	
	R44MG5	2/16	180	Semi-Jacketed Hollow Point	1610	1355	1175	1036	745	551	0.5"	2.3"	4"	
44 Rem. Mag. Vented Barrel Ballistics	R44MG2	2/16	240	Soft Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"	
	R44MG3	2/16	240	Semi-Jacketed Hollow Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"	
	R44MG6	2/16	210	Semi-Jacketed Hollow Point	1495	1312	1167	1042	803	634	0.6"	2.5"	6 1/2"	
	RH44MGA	2/16	275	JHP Core-Lokt®	1235	1142	1070	931	797	699	0.8"	3.3"	6 1/2"	
44 S&W Special	R44SW	2/16	246	Lead	755	725	695	310	285	265	2.0"	8.3"	6"	
	R44SW1	2/16	200	Semi-Wadcutter	1035	938	866	476	391	333	1.1"	4.9"	6"	
45 Colt	R45C	2/16	250	Lead	860	820	780	410	375	340	1.6"	6.6"	5"	
	R45C1	2/16	225	Semi-Wadcutter (Keith)	960	890	832	460	395	346	1.3"	5.5"	5"	
45 Auto.	R45AP1	2/16	185	Targetmaster® MC WC Match	770	707	650	244	205	174	2.0"	8.7"	5"	
	R45AP2	2/16	185	Jacketed Hollow Point	1000	939	889	411	362	324	1.1"	4.9"	5"	
	R45AP4	2/16	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"	
	R45AP6	2/16	185	Jacketed Hollow Point (+P)‡	1140	1040	971	534	445	387	0.9"	4.0"	5"	
	R45AP7	2/16	230	Jacketed Hollow Point (Subsonic)	835	800	767	356	326	300	1.6"	6.8"	5"	
	LL45APB	2/16	230	TEMC, Lead-Lokt™	835	800	767	356	326	300	1.6"	6.8"	5"	
	GS45APA	2/16	185	Brass-Jacketed Hollow Point	1015	951	899	423	372	332	1.1"	4.5"	5"	
	GS45APB	2/16	230	Brass-Jacketed Hollow Point	875	833	795	391	355	323	1.5"	6.1"	5"	
	GS45APC	2/16	185	Brass-Jacketed Hollow Point (+P)‡	1140	1042	971	534	446	388	1.0"	4.0"	5"	

*Will not chamber in .357 Mag. or .38 Special handguns. †Ammunition with (+P) on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. ‡Subject to stock on hand. (A) Adopted only for .38 Colt Super and Colt Commander automatic pistols. Not for use in sporting, military, and pocket models.

AMMUNITION

DEER SLUGS


Premier® Copper Solid™ Sabot Slugs — The Ultimate in Accuracy and Power.



The slugs that deliver 2 1/2" groups at 100 yards through our fully rifled barrels. In the slug nose, precise cuts around a hollow cavity create four separate petals. On impact, they expand to over 2X slug diameter, then break off to form additional wound channels. The slug base continues to penetrate with devastating effects. The result: game that's anchored quickly and cleanly.



Copper Solid™ Mush Progression



Premier® Copper Solid™ Sabot Slugs

Order No.	Gauge	Shell Length	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lbs.)			Drop (in.)	
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
PR12MAGRS	12	3"	1 1/4	1500	1307	1155	2498	1896	1481	0.0*	-4.2
PR12RS	12	2 1/2"	1	1450	1316	1203	1984	1634	1364	0.0*	-4.2
PR20RS	20	2 1/2"	3/4	1450	1262	1120	1489	1121	883	0.0*	-4.6


* 0.0 indicates yardage at which shotgun was sighted in.

Slugg® & Reduced Recoil Rifled Slugs — Field Proven to Fill Your Freezer.



SLUGGER® RIFLED SLUGS

Always in the forefront of deer slug technology, we recently redesigned our 12-gauge Slugg® Rifled Slug for a 25% improvement in accuracy. Also, at 1760 fps muzzle velocity, our 12-ga. Magnum slugs shoot 25% flatter than regular 12-ga. slugs.



Slugg® Rifled Slugs

Order No.	Gauge	Shell Length	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lbs.)	Drop (in.)
				Muz.	50 yds.	100 yds.		
SP12RS-5PK	12	2 1/4"	1	1560	1175	977	2384	-10.7
SP12 Mag RS-5PK	12	3"	1	1780	1345	1075	3009	-8.3
SP12S Mag RS-5PK	12	2 1/4"	1	1680	1285	1045	2741	-9.0
SP16RS-5PK	16	2 1/4"	3/4	1600	1175	965	1989	-10.6
SP20RS-5PK	20	2 1/4"	3/4	1580	1240	1034	1615	-9.8
SP410RS-5PK	410	2 1/4"	3/4	1830	1335	1040	651	-8.2

Reduced Recoil Rifled Slug

Reduced Recoil Rifle Slug								
RR12RS ★	12	2 1/4"	1	1200	989	873	1396	-8.0

★ New For 1997

REDUCED RECOIL RIFLED SLUGS

In 1997, we're introducing a 12-gauge, 2 1/4" loading that delivers a 1-oz. rifled slug at a muzzle velocity of 1200 feet per second with a 43% recoil reduction from a comparable standard load. At 50 yds., it has the same energy as a standard 20-ga. rifled slug, and 14% more at 100 yds.

BUCKSHOT

Remington® Premier® Buckshot — The Best Just Got Better.

We've upgraded our 12-ga. Premier® Buckshot line with Power Piston® wads, providing protection against pellet deformation upon firing once available only with smaller pellet loads. All Premier® Buckshot is hardened with 3% antimony, then nickel-plated for additional hardness — the only buckshot to get this dual hardening process. You get patterns 25% tighter than normal buckshot loads. And all Premier® Buckshot shells are mouth-waterproofed. They're packed in 5-round boxes.



NEW!

Power Piston® wad for protection against pellet deformation on firing, resulting in 25% tighter patterns

PREMIER® BUCKSHOT

Pellets formed and graded for extremely uniform roundness and smooth surface

Polymer buffering cushions pellets from deformation

Nickel-plating improves roundness, adds hardening, and allows truer flight

Premier® Buckshot

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Buckshot Size	Pellet Count
PR12HNBK ★	12	3"	4	1210	00	15
PR12SNBK ★	12	2 1/4"	4	1290	00	12
PR12NBK ★	12	2 1/4"	3 1/4	1325	00	9
PR20NBK ★	20	2 1/4"	2 1/4	1200	3	20

Remington® Express® Buckshot — Game-Stopping Power.

Express® Buckshot is a great field-proven buckshot value. All loads contain granulated polymer buffering to cushion pellets and help produce dense, even patterns. Our 12-ga., 3 1/2" loading with 2.2 ounces (18 pellets) of 00 buck is the heaviest 12-ga. buck loading available.



Express® Buckshot

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Buckshot Size	Pellet Count
SP1225Mag BK-5PK	12	3 1/2"	Max.	1125	00	18
SP12H Mag BK-5PK	12	3"	4	1225	000, 00, 4	10, 15, 41
SP12S Mag BK-5PK	12	2 1/4"	4	1290	00	12
SP12BK-5PK	12	2 1/4"	3 1/4	1325	000, 00, 0, 4	6, 9, 12, 27
SP20BK-5PK	20	2 1/4"	2 1/4	1200	3	20

Granulated polymer buffering protects and cushions shot at acceleration

★ New For 1997

AMMUNITION

STEEL SHOTSHELLS

Nitro-Steel™ — The Power and the Reach When the Going Gets Tough.



Unprotected steel shot

Rustless™ steel, zinc-galvanized to prevent corrosion and "clumping"



Make the most of the best waterfowl hunting in decades by shooting Remington steel with state-of-the-art design that returns waterfowling effectiveness to pre-steel days. For tough goose hunting or when you need to reach out, Nitro-Steel™ Magnum is

the shell of choice. Our hulls permit high load capacity without sacrificing space for sufficient powder to deliver the payload at game-dropping velocities. Our powders are specifically selected to deliver the most effective velocities and to reduce unburned powder residue.

REMINGTON® WETPROOF™ PRIMER AND CRIMP SEAL



Totally protects powder, pellets, and ignition system from exposure to the elements

REMINGTON® STEEL SHOT CUP/WAD



Specially designed high-density polyethylene shot container seals powder gases for maximum velocities and protects barrel from abrasion and scoring

Nitro-Steel™ Magnum Shotshells

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces Of Shot	Shot Sizes
NSTL10 MAG	10	3 1/4"	Magnum	1260	1 1/4	TT, T, BBB, BB, 2
NSTL1235 MAG	12	3 1/4"	Magnum	1300	1 1/4	T, BBB, BB, 2
NSTL12H MAG	12	3"	Magnum	1265	1 1/4	TT, T, BBB, BB, 1, 2, 3, 4
NSTL12 MAG	12	3"	Magnum	1375	1 1/4	T, BBB, BB, 1, 2, 3, 4
NSTL12S MAG	12	2 1/4"	Magnum	1275	1 1/4	T, BBB, BB, 1, 2, 3, 4
NSTL20H MAG	20	3"	Magnum	1330	1	2, 3, 4

Note: In "TT", "T", and "BBB" loads, shot charge is determined by pellet count rather than weight. Actual pellet counts are listed on the ammunition box.



Wetproof™ crimp seal provides moisture barrier

High-capacity plastic hull for maximum payload

Clean, dependable Kleanbore™ primer with Wetproof™ seal

Express-Steel™ — When They're Closer In.

For medium to short range waterfowl or upland hunting in "Steel Only" zones, our Express-Steel™ shells are the perfect answer. Like Nitro-Steel™, every component is specifically designed for waterfowling environments and performance.

Express-Steel™ Extra Long Range Shotshells

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces Of Shot	Shot Sizes
aSTLSP12	12	2 1/4"	Max.	1365	1 1/4	BB, 1, 2, 3, 4, 6
STLSP12L	12	2 1/4"	Max.	1375	1	2, 3, 4, 6
STLSP16	16	2 1/4"	Max.	1300	1 1/4	2, 4
STLSP20	20	2 1/4"	Max.	1425	3/4	2, 4, 6



Remington® Magnum Shotshells — The Muscle and Payloads to Fill Your Patterns and Your Limits.



SP DUPLEX® MAGNUM SHOTSHELLS

Duplex® is our exclusive shell with two different shot sizes carefully layered one on top of the other. When ranges vary, they combine retained energy and penetration from the larger pellets with pattern density from the smaller ones. Duplex® patterns are also superbly balanced. And to keep them hidden from wary eyes, they have black heads and low-visibility olive drab hulls. If gobblers are your game, stock up on these copper-plated, buffered magnum shells early, because turkey hunters clean 'em off the shelves fast!




SP Duplex® Magnum Shotshells

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
MRP12XH MAG	12	3"	Max.	1175	2	4X6
MRP12H MAG	12	3"	Max.	1210	1½	4X6
MRP12S MAG	12	2½"	Max.	1260	1½	4X6



PREMIER® MAGNUM TURKEY LOADS

Remington Premier® Magnum Turkey Loads are the most powerful turkey loads you can buy, providing that extra edge to reach out with penetrating power and dense, concentrated patterns. Our magnum-grade, Copper-Lokt® shot is protected by our Power Piston® wad and cushioned with special polymer buffering. Available with some of the heaviest payload of 4s, 5s, and 6s on the market, in "super magnum" 3½" 12-ga. and 10-ga. shells and regular 12-ga. 3" and 2½" magnums. Also available in 20-ga. with 1½ ozs. of No. 6s.



Premier® Magnum Turkey Loads

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
PR10HMAG	10	3½"	Max.	1210	2¼	4, 6
PR123SMAG	12	3½"	Max.	1150	2¼	4, 6
PR12XHMAG	12	3"	Max.	1175	2	4, 5, 6
PR12SMAG	12	2½"	Max.	1260	1½	4, 6
PR20HMAG	20	3"	Max.	1185	1½	6



NITRO MAG® BUFFERED MAGNUM SHOTSHELLS

The original buffered magnum shotshells from Remington. The shot charge is packed with a generous amount of shock-absorbing polymer buffering and surrounded by our patented Power Piston® wad to protect the specially hardened shot all the way down the barrel for dense, even patterns and uniform shot strings. The heavier payload in all Nitro Mag® general-purpose shotshells provides the pattern power for everything from turkeys to late-season pheasants.



Nitro Mag® Buffered Magnums

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
SP10HNM	10	3½"	4½	1210	2¼	4
SP12HNM	12	3"	Max.	1210	1½	2, 4, 6
SP12NM	12	3"	4	1280	1½	4, 6
SP12SNM	12	2½"	Max.	1260	1½	2, 4, 6
SP20HNM	20	3"	Max.	1185	1½	4, 6
SP20NM	20	2½"	Max.	1175	1½	4, 6



EXPRESS® EXTRA LONG RANGE SHOTSHELLS

Our Express® shells are the traditional, high-base, hunter's choice for a wide variety of game-bird applications. They are available in an exceptionally broad selection of loadings, from 12-gauge to .410 bore, with shot size options ranging from BBs all the way down to 9s — suitable for everything from quail to large, flushing pheasants. All have our exclusive Power Piston® wad to cushion and protect the shot and seal the gas behind the shot column to deliver maximum energy and tight, even patterns.



Express® Extra Long Range Shotshells



Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
SP12	12	2½"	3¼	1330	1½	BB, 2, 4, 5, 6, 7½, 9
SP16	16	2½"	3¼	1295	1½	4, 5, 7½
SP20	20	2½"	2¼	1220	1	4, 5, 6, 7½, 9
SP28	28	2½"	2¼	1295	¾	6, 7½
SP410†	.410	2½"	Max.	1200	½	4, 6, 7½
SP4103†	.410	3"	Max.	1135	½	4, 5½, 6, 7½

†Uses a special shot container. ‡Subject to stock on hand.

AMMUNITION

LOW-BASE FIELD LOADS/PROMO SHELLS

Remington® Upland Shotshells — First in the Field.



PREMIER® FIELD LOADS

There are times and challenges that call for the finest field loads available. Remington Premier® Field Loads were designed for them. Every component is the best we make, without compromise — a mid-height brass cap for strength, extra-hard lead shot with Copper-Lok® plating for pattern perfection, and additional shot protection and tight gas sealing from our Power Piston® one-piece wad. Each load is assembled with a well-balanced powder-to-shot-charge ratio. In both 12- and 20-gauge.

Premier® Field Loads

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
PR12HF	12	2 3/4"	3 3/4	1220	1 1/4	6, 7 1/2, 8
PR12F	12	2 3/4"	3 1/4	1265	1 1/4	6, 7 1/2, 8
PR20F	20	2 3/4"	2 1/2	1165	1	6, 7 1/2, 8



NEW Steel

LEAD AND STEEL GAME LOADS

For a wide range of field gunning, these budget-stretching loads combine sufficient power and patterns to do the job well. That's because they include the same quality components as other Remington shotshells: all-plastic hulls and base wad, specially blended powders, Power Piston® one-piece wads, Kleanbore® priming, and top-quality shot, including new steel for "Steel Only" zones. In regular and heavy loadings, a variety of gauges, and shot sizes from 4s to 8s.

Lead Game Loads

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
GL12	12	2 3/4"	3 3/4	1290	1	6, 7 1/2, 8
GL16	16	2 3/4"	2 1/2	1200	1	6, 7 1/2, 8
GL20	20	2 3/4"	2 1/2	1225	3/4	6, 7 1/2, 8
GL410*	.410	2 3/4"	Max.	1200	1/2	6
HGL12	12	2 3/4"	3 3/4	1330	1 1/4	4, 6, 7 1/2
HGL16	16	2 3/4"	3 3/4	1295	1 1/4	6
HGL20	20	2 3/4"	2 3/4	1220	1	4, 6, 7 1/2

*GL410 packed 20 rounds per box

Steel Game Loads

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
GSTL12 ★	12	2 3/4"	3 3/4	1325	1	7
GSTL20 ★	20	2 3/4"	2 1/2	1200	3/4	7



SHURSHOT® HEAVY FIELD AND HEAVY DOVE LOADS

Our 12-gauge ShurShot® Heavy Field Loads combine a 3 1/4-dram powder equivalent with a 1 1/4-oz. shot charge — long considered to be the best-balanced, best-patterning upland field load by savvy hunters. ShurShot® Heavy Dove Loads are designed to combine sufficiently dense patterns with light recoil for effective, high-volume, small-bird hunting. Made in 12- and 20-ga. in choice of No. 6, 7 1/2, and 8 shot.

ShurShot® Heavy Field and Heavy Dove Loads

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
RP12H	12	2 3/4"	3 3/4	1220	1 1/4	6, 7 1/2, 8
R12HD	12	2 3/4"	3 1/4	1255	1 1/4	6, 7 1/2, 8
R20HD	20	2 3/4"	2 1/2	1165	1	6, 7 1/2, 8



REMINGTON SPORT LOADS

In 12- and 20-gauge, these economical shells are versatile, multi-purpose utility loads for a variety of shotgunning applications. Supplied with No. 8 shot, they perform effectively at any time for skeet, trap and sporting clays, or quail, doves and woodcock. They're the loads that should always be handy for whatever turns up at the moment.

Sport Loads

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3ft.)	Ounces of Shot	Shot Sizes
R12SL	12	2 3/4"	3 3/4	1290	1	8
R20SL	20	2 3/4"	2 1/2	1225	3/4	8

★ New For 1997



Premier® STS™ Target Loads — The New Standard in Clay Target Shooting.

In 1996, Remington's new STS™ Target Loads took shot-to-shot consistency to a new performance level, setting the standard at all major clay target shoots across the country. This new shell provides unsurpassed factory-loaded quality, and for the reloader, unmatched reloading ease and hull longevity.

PERFECT CRIMPS

The crimp at right was made after 11 firings — proof of the enhanced STS™ hull crimp memory.



IMPROVED RELOADING

The deeper mouth-tapering process of Premier® STS™ hulls creates a stronger and longer-lasting crimp memory, permitting smoother wad insertion and easier, more responsive crimping.



Dependable 209 Premier® primer

Figure 8™ wad cushions and protects shot with correct height for even crimping

6% antimony shot stays round for balanced pattern density

All-brass head for easy resizing

Powders carefully blended for lot-to-lot consistency

Tapered mouth design produces original crimp quality

Premier® Nitro 27™ Handicap Trap Loads — 16-Yard Performance from 27 Yards.

This target ammunition is specially designed for handicap trap shooting and long-range sporting clays presentations. It is configured to provide maximum velocity and superbly dense patterns in a hull designed for easy reloading.

Trap Loads

Order No.	Gauge /Bore	Load Type	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
RTL121	12	Premier® STS™ Target	2 3/4"	2 1/4"	1185	1	8, 8 1/2
RTL12LR	12	Premier® STS™ Low Recoil	2 3/4"	2 1/2"	1100	1 1/2	7 1/2, 8
RTL12L	12	Premier® STS™ Light Target	2 3/4"	2 1/4"	1145	1 1/2	7 1/2, 8, 8 1/2
RTL12LH	12	Premier® STS™ Light Handicap	2 3/4"	3	1200	1 1/2	7 1/2, 8
RTL12NH	12	Premier® Nitro 27™ Handicap	2 3/4"	HNDGP	1200	1 1/2	7 1/2, 8
MRTL12L	12	Premier® STS™ Duplex™ Target	2 3/4"	2 1/4"	1145	1 1/2	7 1/2 x 8
MRTL12M	12	Premier® STS™ Duplex™ Target	2 3/4"	2 1/4"	1200	1 1/2	7 1/2 x 8
RTL12L	12	Premier® International	2 3/4"	—	1325	24 gm. (7/8 oz.)	7 1/2

Skeet Loads

Order No.	Gauge /Bore	Load Type	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
RTL121	12	Premier® STS™ Target	2 3/4"	2 1/4"	1185	1	9
RTL12L	12	Premier® STS™ Light Target	2 3/4"	2 1/4"	1145	1 1/2	9
RTL12H	12	Premier® STS™ Heavy Target	2 3/4"	3	1200	1 1/2	9
RTL12L	12	Premier® International	2 3/4"	—	1325	24 gm. (7/8 oz.)	9
RTL20	20	Premier® Target	2 3/4"	2 1/4"	1200	1	9
RTL20M	20	Premier® Target	2 3/4"	—	1175	1	9
RTL28	28	Premier® Target	2 3/4"	2	1200	3/4	9
SP410	.410	Tournament Skeet	2 3/4"	MAX	1200	1/2	9†

† Uses a special shot container.



AMMUNITION

TARGET LOADS

Premier® Sporting Clays and Steel Target Loads — Designed to Meet the Toughest Challenges.



Dependable 209 Premier® primer

All-brass head for easy re-sizing

Powders carefully blended for lot-to-lot consistency

Figure 8" wad cushions and protects shot with correct height for even crimping

6% antimony shot stays round for balanced pattern density

PREMIER® SPORTING CLAYS LOADS

For the infinite variety of speeds, ranges, angles, and directions of sporting clays targets, we've designed a wide selection of sporting clays loads to meet every changing challenge.

These include our unique 12-gauge STS™ Duplex® shells in 7½ x 8s that provide the unique combination of high-energy larger pellets with improved pattern density of smaller shot sizes. For the expanding smaller-bore competitions, we also produce specially tailored sporting clays loads in 20- and 28-gauges. Our .410 Sporting Clays load with #8½ shot provides the time-proven performance quality of our Remington tournament skeet load.

Tapered mouth design produces original crimp quality

Sporting Clays Loads

Order Number	Gauge /Bore	Load Type	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
SC12L	12	Premier® STS Sporting Clays	2¾"	2½	1145	1¼	7½ x 8
SC12M	12	Premier® STS Sporting Clays	2¾"	2½	1200	1¼	7½ x 8
SC20	20	Premier® Sporting Clays	2¾"	2½	1200	¾	8
SC28	28	Premier® Sporting Clays	2¾"	2	1200	¾	8
SP410SC	.410	Sporting Clays	2¾"	MAX	1200	½	8½

* Uses special shot container



All-brass head for easy re-sizing

One-piece Unibody™ target-grade hull

Thick, barrel-protecting polyethylene shot cup

PREMIER® STEEL TARGET LOADS

You can shoot our Premier® steel target loads interchangeably with comparable lead loads and never notice the difference — because they match them so closely in velocity, pellet count density, and target-breaking impact. Available in 12-gauge 6½s, 7s, and 8s, and 20-gauge 8s, all utilize a high-quality, highly reloadable, one-piece Unibody™ hull, with a barrel-protecting, high-density polyethylene shot cup.

Carefully selected steel pellet sizes match lead payload performance

Steel Target Loads

Order No.	Gauge /Bore	Load Type	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
RSTL12L	12	Premier® Target	2¾"	2½	1145	1¼	7, 8
RSTL12M	12	Premier® Target	2¾"	3	1200	1¼	6½, 7
RSTL20	20	Premier® Target	2¾"	2½	1200	¾	8

Pigeon Loads


Order No.	Gauge /Bore	Load Type	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
RTL12P	12	Premier® Pigeon	2¾"	3¼	1220	1¼	7½, 8

We'll Help You Make Superior Shotshells — By Giving You the Best Parts.

There are no secret ingredients in the world's finest shotshells — just the world's finest components. They're all Remington®, and they're yours for the asking. Simply save the highest-quality plastic hulls made — ours. Then add the key remaining parts, particularly our precision-made Premier® primers and exclusive Power Piston® shotcup/wads. We don't mind if your shells are as good as ours. With our components, they should be.

209 PREMIER® PRIMERS

We make our 209 Premier® primers to exacting quality control standards from specially selected materials. Our primer mix delivers reliable, consistent ignition over a broad range of velocities and pressures. Use of specialized machinery permits battery cup manufacturing tolerances to three decimal points. Each anvil receives inspection during assembly, and primer cup sensitivity assures ignition even from off-center firing pin strikes. And the foil-covered flash hole prevents intrusion from any type of powder. The result is a primer you can use with complete confidence, so you can concentrate on the target.



Shotshell Primers

209 Premier®	For 12-, 20-, 28-gauge target loads, selected 12-gauge field loads, and all 28-gauge field loads — specify 209 Primers; 100 per box.
410 Premier®	For .410 target and field loads; 100 per box.

Remington® Reloading Wads

Target Wads Order No.	Gauge	Payload Capacity
FIG 8"	12	1 1/4
RXP 12	12	1 1/4
TGT12	12	1
RXP 20	20	3/4
PT 28	28	1/4
SP 410	.410	1/2

Field Load Wads Order No.	Gauge	Payload Capacity
SP 10	10	1 1/4, 2, 2 1/4
R 12L	12	1
R 12H	12	1 1/4
RP 12	12	1 1/4
SP 12	12	1 1/4
SP 16	16	1 1/4
SP 20	20	1

SHOTSHELL COMPONENT WADS

Our one-piece shot cup/wad columns remain the unmatched choice for everything from heavy, 10-gauge magnums to the lightest small-bore target loads, even the .410. And for critical clay target loads in 12-gauge, our exclusive Power Piston® Figure 8" wad belongs on every reloading bench. For 1-oz. 12-gauge loads, use our volume-calibrated TGT-12 wad.


AMMUNITION

RIMFIRE

Remington® .22 Ammunition — The Smallest Caliber with the Highest Quality.

FROM TIN CAN PLINKING TO ONE-HOLE PERFECTION...

Whether it's plinking or small-game hunting, getting young shooters started, or keeping match shooters winning, Remington's rimfire quality stands tall. And in 1997, Remington is introducing a complete new line of .22 Win. Mag. ammo with three different bullet choices, and performance on game and on paper that will make centerfire shooters take notice.



.22 Win. Mag. JHP
40-gr. jacketed hollow point for quick expansion on small game at short range, and rapid energy transfer on metallic silhouette targets.



Premier® .22 Win. Mag.
33-gr. polymer tip bullet delivers minute-of-angle accuracy, plus flat trajectory and explosive expansion for small game hunting to 150 yds — performance similar to small-bore centerfire!



Premier® .22 Win. Mag.,
10 shots, .9", 100 yds.



.22 Win. Mag. PSP
With controlled expansion, exclusive 40-gr. pointed soft point works well for tougher small game out to 100 yds. Great for all-around target shooting and plinking.



Cartridge Type	Order No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Long-range Trajectory*		
				Muzzle	50 yds.	100 yds.	Muzzle	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
.22 Win. Mag. Cartridges												
.22 Win. Mag. Polymer Tip	PR22M1 ★	33	Polymer Tip	2000	1730	1495	293	219	164	0.6	0.0	-4.3
.22 Win. Mag. JHP	R22M1 ★	40	Jacketed Hollow Point	1910	1810	1350	324	230	162	0.9	0.0	-5.7
.22 Win. Mag. PSP	R22M2 ★	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
Cartridge Type	Order No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory (100 yds.)		
				Muzzle	50 yds.	100 yds.	Muzzle	50 yds.	100 yds.			
Low Velocity Cartridges												
CBEE® 22 Long	CB-22L	30	Lead	700	669†	640††	34	30†	27††	2.4"††		
CBEE® 22 Short	CB-22S	30	Lead	700	669†	640††	34	30†	27††	2.4"††		
Subsonic 22 Cartridges												
22 Subsonic	225SH	38	Hollow Point	1050	965	901	93	79	69	4.7"		
Target Standard Velocity 22 Cartridges												
Long Rifle	6122/6100+	40	Lead	1150	1048	976	117	98	85	4.0"		
High Velocity Golden® Bullet Cartridges												
Long Rifle	1522/1500+	40	Lead	1255	1113	1017	140	110	92	3.4"		
	1622/1600+	36	Hollow Point	1280	1117	1010	131	100	82	3.5"		
Short	1022	29	Lead	1095	982	903	77	62	52	4.5"		
Hyper Velocity 22 Cartridges												
Yellow Jacket® Long Rifle	1722	33	Truncated Cone H. Point	1500	1247	1075	165	114	85	2.8"		
Viper® Long Rifle	1922	36	Truncated Cone Solid	1410	1198	1056	159	115	89	3.0"		
Hi-Speed 22 Cartridges												
Thunderbolt®	TB 22A	40	Lead	1255	1113	1017	140	110	92	3.4"		
Cyclone®	CY 22HP	36	Hollow Point	1280	1117	1010	131	100	82	3.5"		

*These long rifle 22s available in slide-open plastic packs of 100.

† Values at 25 yards; †† Values at 50 yards; * Note: Figures derived with sights 1.5" above axis of bore.

★ New For 1997

UMC® Ammunition — All the Performance You Need, with the Value You Want.

UMC® Handgun Cartridges

Caliber	Order No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory	
					Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
25 Auto Pistol (6.35mm)	L25AP	1½	50	Metal Case	760	707	659	64	56	48	2.0"	8.7"
32 Auto	L32AP	1½	71	Metal Case	905	855	810	129	115	97	1.4"	5.8"
357 Magnum	L357M12	5½	129	JSP	1450	1240	1090	583	427	330	0.6"	2.8"
9mm Luger	L9MM3	1½	115	Metal Case	1135	1041	973	329	277	242	0.9"	4.0"
380 Auto	L380AP	1½	95	Metal Case	955	865	785	130	160	130	1.4"	5.9"
38 Super ACP	L38SUP	1½	130	Metal Case	1215	1099	1017	426	348	298	0.8"	3.6"
38 Special	L38S5	1½	158	Lead Rnd Nose	755	723	692	200	183	168	2.0"	8.3"
38 Special	L38S11	1½	130	Metal Case	950	913	879	261	240	223	1.2"	4.8"
40 S&W	L40SW3	5½	180	Metal Case	885	936	893	388	350	319	1.4"	5.0"
40 S&W	L40SW4★	5½	165	Metal Case	1150	1040	964	485	396	340	1.0"	4.0"
357 Sig.	L357S1	5½	125	Metal Case	1350	1146	1018	506	422	359	0.7"	3.3"
10mm Auto	L10MM6	2½	180	Metal Case	1150	1063	998	529	452	398	0.9"	3.7
44 Rem. Mag.	L44MG7	2½	180	JSP	1610	1365	1175	1036	745	551	0.5"	2.3"
45 Auto	L45AP4	2½	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"



UMC® Centerfire Rifle Cartridges

Caliber	Order No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Short-range Trajectory					
					Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.	200 yds.	250 yds.	300 yds.
223 Remington	L223R3	7½	55	MC	3240	2759	2326	1282	929	660	0.4	0.8	0.0	-2.1	-5.9	-11.6
7.62 X 39mm	L762391	7½	123	MC	2365	2060	1780	1527	1159	865	0.4	0.0	-2.5	-7.3	-15.0	-25.7
30 Carbine	L30CR1	6½	110	MC	1990	1567	1236	1412	600	373	0.9	0.0	-4.5	-13.5	-28.3	-49.9
308 Win.	L308W4	9½	190	MC	2820	2533	2263	2648	2137	1705	0.2	0.0	-1.5	-4.5	-9.3	-15.9
30-06 Spgld.	L30062	9½	150	MC	2910	2761	2617	2820	2539	2281	0.1	0.0	-1.4	-4.2	-8.6	-14.8
303 British	L303B1	9½	174	MC	2475	2340	2209	2366	2115	1885	1.1	1.4	0.0	-3.4	-9.1	-17.4



UMC® Rimfire Cartridges

Caliber	Order No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)		Energy (ft.-lbs.)	
				Muzzle	100 yds.	Muzzle	100 yds.
22 Long Rifle Hi-Speed	UMC 22	40	Lead	1255	1017	140	92



UMC® Shotshells

Order No.	Gauge	Shell Length	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
UMCP12H	12	2½"	3½	1330	1¼	6
UMCD12H	12	2½"	3½	1290	1	8
UMCP20H	20	2½"	2½	1220	1	6
UMCD20H	20	2½"	2½	1225	¾	8



AMMUNITION


BLACK POWDER

Remington® Black Powder Ammunition — Designed for Today's Black Powder Shooters.

Remington means great bullet design. In 1997, we're introducing Premier® Copper Solid™ bullets with sabots for black powder, providing an unmatched combination of accuracy and game-stopping effectiveness. And we've developed new No. 10 and 11 percussion caps with dramatically improved ignition capabilities.

PREMIER® COPPER SOLID™ BULLETS WITH SABOTS

Encased in a .50-caliber sabot, the deep hollow point cavity and spiral nose cuts of the .45-caliber Copper Solid™ bullet deliver optimum penetration, virtually 100% weight retention, and nearly 2x caliber expansion. You can't get a better combination of accuracy and on-game performance.



PREMIER® GOLDEN™ LEAD ROUND BALLS

Remington has taken extra steps to assure the spherical concentricity and consistent uniformity of these round balls in both size and weight. They are cold-swaged with no sprues or voids. Special alloy adds hardness for deep penetration and maximum expansion. And brass plating creates cleaner handling and reduced barrel leading. They're available in eight caliber choices from .32 to .58.



CORE-LOKT® BULLETS WITH SABOTS

We've combined two of our most notable ammunition developments to create a perfect bullet design for muzzleloading performance. We began with our Core-Lokt® jacketed hollow point handgun hunting bullet design, with deep-penetrating, controlled expansion characteristics that are exactly geared to muzzleloading velocities. Then we encased these bullets in our four-segment, one-piece sabot. The result is the most accurate and effective muzzleloading bullet ever developed.



CORE-LOKT® MUSH PERFORMANCE

At muzzleloader velocities, Core-Lokt® bullets mushroom dramatically but retain virtually 100% of their original weight.



PERCUSSION CAPS

Reliable in all weather conditions, these new No. 10 and 11 percussion caps generate up to 40% more flame volume. The #11 cap has been dimensionally shaped to fit more snugly on the nipple, and both sizes feed reliably through Remington Capmaster and other standard cappers.



GAMEMASTER™ BULLETS

Remington isn't a newcomer to muzzleloader bullet production, but an experienced old hand returning with the most advanced technology. The design and performance of these newly developed bullets show the results. Each one is uniformly pre-lubed for cleaner handling, easier loading and minimal barrel leading. They are sized for barrels of .45 to .58 caliber, in bullet weights from 285 to 535 grains.



GAMEMASTER™ MUSH PERFORMANCE

Thick-walled nose design and special alloy lead construction promotes complete mushrooming with high weight retention.

Remington® Black Powder Accessories — The Tools You Need to Stay on Top of the Game.

Remington has developed a broad selection of loading, shooting, cleaning, and maintenance items to meet every need of percussion and in-line muzzleloader shooters, including three types of camo-pattern bags for easy field transport. It's truly everything you need to make muzzleloading easier.



NEW!

"3-IN-1" TOOL

Convenience and versatility in one handy tool. We've developed a modified brass wedge pin to also perform as a de-capper. In addition, a nipple pick is built into the handle.

NEW!



.45 CALIBER



.50 CALIBER



.54 CALIBER

"QUICK LOOK" BORE ILLUMINATORS

Drop this aluminum disk down the barrel and reflect a flashlight beam to see the cleanliness and condition of the bore. Available in .45, .50 and .54-caliber.

NEW!



FLOW-VIEW FLASK WITH BRASS POWDER MEASURE

This brass powder flask has a built-in window to reveal the amount of powder remaining in the flask. The brass powder measure fits into the tip of the flask, allowing concise dispensing of powder, even in windy conditions.

NEW!

CYCLONE™ QUICK STARTER KIT

For fast, easy field loading — includes a Cyclone™ Quick Starter and three speed-loading Cyclone™ shells that allow pre-assembly of ready-to-load charges. The new shells have an increased length which permits the use of longer bullet assemblies such as sabots. Available in both .50 and .54-caliber.



BLACK POWDER CLEANING KIT

Everything you need to keep your black powder firearm clean and functioning reliably. Includes all-metal rod, an assortment of tips, cleaning patches, and all-natural Remington Bore Cleaner.



BLACK-OUT™ FLUSH CLEANING SYSTEM

The most effective way to give any percussion rifle a thorough flush cleaning without complete disassembly. Includes adapter, hose, and a supply of cleaning and seasoning patches.

ALL-NATURAL BORE CLEANER



ALL-NATURAL WONDER LUBE®



BALL/BULLET STARTER



BRASS POWDER MEASURE




SHOOTING PATCHES

CLEANING PATCHES



CLEANING ROD AND BRUSHES



BLACK POWDER ACCESSORY BAGS

Our Camo Belt Bag comes with our Black Powder Starter Kit, with virtually everything you need to get going in this exciting sport. The Cyclone™ Belt Bag is made of quiet, weather-resistant fleece camo, and is designed to hold our Cyclone™ Quick Starter and extra shells for fast reloading. And our shoulder-carried Possibles Bag is also made of quiet, weather-resistant fleece camo to keep your accessories — and your powder — dry.



POSSIBLES BAG



CYCLONE™ BELT BAG



CAMOUFLAGE BELT BAG

ACCESSORIES

SECURITY PROTECTION SYSTEMS

Premier™ Series Safes — Unmatched in Quality, Construction, and Appearance.



PREMIER™ SERIES

In terms of design, construction, and appearance, these are the finest safes in our line. All have double-wall construction, with a body of $\frac{3}{16}$ " steel. A fully recessed 1" door and internal ball-bearing hinges offer potent insurance against forced entry. Contents are fire-protected up to 1200°F. Additional fire protection on Triple- and Quad-Wall-equipped versions is provided by our Palusol® fire-seal gasket. A Sargent & Greenleaf lock with 1" chrome-plated locking bolts secures the door. Backed by extensive, drill-resistant hardplate, our fail-safe triple relocking system provides additional protection against torching, hammering, drilling, and punching. The three-spoke handle and dial are 14K gold plated for both beauty and durability. Inside, mildew-resistant nylon carpeting adds a handsome touch. For 1997, we've added the options of a luxurious velvet fabric interior and attractive wildlife prints reproduced from the Remington art collection. See page 57 for full details.



Premier™ Series Specifications

Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight with Triple-/Quad-Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
									Universal	Easy-Out	Collector	Executive
P-50	40 1/2" x 72 1/2" x 28"	29 1/2"	48	1380 lbs.	1480 / 1550 lbs.	22-1"	1"	3/16"	24, 32, 36	17	56	5 Shelves
P-40	36 1/2" x 66 1/2" x 28"	29 1/2"	40	1090 lbs.	1160 / 1220 lbs.	18-1"	1"	3/16"	24, 32, 36	17	48	5 Shelves
P-25	30 1/2" x 60 1/2" x 25"	27 1/2"	25	885 lbs.	920 / 975 lbs.	16-1"	1"	3/16"	9, 18	13	30	4 Shelves

All Premier™ safes feature: U.L. security rating, "Uni-Body" door, laboratory-tested double fire protection, optional velvet interior, internal hinges, 1" locking bolts, S&G bank-type locks, drill-resistant hardplate, "Auto-Fire" relockers, shielded bolts, Remington logo, and a limited lifetime break-in warranty.

Classic™ Series Safes — The Perfect Balance of Quality and Cost.



CLASSIC™ SERIES

Our Classic™ safes provide a perfect balance of quality and cost by incorporating many of the features found in our Premier™ safes at a more moderate price. Features include: Sargent & Greenleaf combination locks; up to 14 active 1" diameter chrome plated door bolts; three relocking devices; internal ball-bearing hinges; tight-fitting $\frac{1}{4}$ " recessed door; and $\frac{1}{4}$ " hardplate behind the lock and door bolts. The safe body is constructed of 10-gauge steel plate with attractive, 14K gold plated 3-spoke handle and combination dial equipped with key lock. All Classic™ safes have our quiet, easy-retracting bolt guides. Interiors are fitted with plush, moisture-resistant carpet. Fire protection options include Double-, Triple-, and Quad-Wall construction with Palusol® fire-seal gasket. Each one is backed by a limited lifetime break-in warranty, and is available in a choice of four sizes to fit your specific needs and available space. New for 1997 is the option of beautiful four-color wildlife prints from the Remington art collection. See page 57 for full details.



Classic™ Series Specifications

Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight with Double-/Triple-/Quad-Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
									Universal	Easy-Out	Collector	Executive
C-45	36 1/2" x 72 1/2" x 28"	29 1/2"	42	800 lbs.	980 / 1070 / 1110 lbs.	14-1"	1/4"	10 GA	24, 32, 36	17	48	5 shelves
C-35	36 1/2" x 60 1/2" x 28"	29 1/2"	36	670 lbs.	800 / 860 / 900 lbs.	12-1"	1/4"	10 GA	24, 32, 36	17	48	4 shelves
C-25	30 1/2" x 60 1/2" x 25"	27 1/2"	25	580 lbs.	665 / 705 / 745 lbs.	12-1"	1/4"	10 GA	9, 18	13	30	4 shelves
C-15	24 1/2" x 60 1/2" x 20"	22 1/2"	16	420 lbs.	500 / 520 / 580 lbs.	10-1"	1/4"	10 GA	11	8	20	4 shelves

All Classic™ safes feature: U.L. security rating, "Uni-Body" door, laboratory-tested fire protection options, internal hinges, 1" locking bolts, S&G bank-type locks, drill-resistant hardplate, "Auto-Fire" relockers, shielded bolts, Remington logo, and a limited lifetime break-in warranty.

For a full-color brochure describing each safe and all available options in detail, call the Remington Consumer Information Center at 1 (800) 243-8700.



"Trophy" Series Safes — Full-Size Capacity at a Moderate Price.



"TROPHY" SERIES

In 1997, we've expanded our safe line with the addition of the new, full-size, moderately priced "Trophy" series. The "Trophy" comes in a choice of three different sizes and has a seamless body of $\frac{1}{8}$ " steel plate. The close-fitting $\frac{3}{16}$ " recessed door has internal hinges and eight 1" locking bolts. Each safe is equipped with a reliable Sargent & Greenleaf combination lock. A 14K gold plated dial with brass plated handle and key lock is standard. Also available are many of the additional options offered with other Remington safes, including Double- and Triple-Wall fire protection*, as well as four interior shelving arrangements and two color choices. The outer surface has a high-gloss paint finish in choice of three colors, and is decorated with a single gold pinstripe and Remington logo. See page 57 for full details.



"Trophy" Series Specifications

Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight with Double-Wall/Triple-Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
									Universal	Easy-Out	Collector	Executive
T-25	30 1/2" x 60 1/2" x 25"	26 1/2"	25	485 lbs.	565 / 630 lbs.	10-1"	3/16"	1/8"	18	13	30	4 shelves
T-15	24 1/2" x 60 1/2" x 20"	21 1/2"	16	360 lbs.	430 / 470 lbs.	8-1"	3/16"	1/8"	11*	8	20	4 shelves
T-10	22 1/2" x 60 1/2" x 18"	19 1/2"	12	310 lbs.	370 / 390 lbs.	4-1"	3/16"	1/8"	11*	—	17	4 shelves

All "Trophy" safes feature: U.L. security rating, "Uni-Body" door, laboratory-tested fire protection options, internal hinges, 1" locking bolts, S&G bank-type locks, drill-resistant hardplate, "Auto-Fire" relockers, shielded bolts, Remington logo, and a limited lifetime break-in warranty. *T-15 and T-10 Universal interiors have center divider.† Quad-Wall not available in "Trophy Series"

Sportsman™ Series Safes — Proven Protection at a Practical Price.



SPORTSMAN™ SERIES

At a practical, economical price, the Sportsman™ series has proven anti-entry devices that include a Sargent & Greenleaf combination lock, multiple relockers, internal ball-bearing hinges, generous hardplate backing, and a $\frac{3}{16}$ "-thick, snug-fitting recessed door. The seamless body is made from $\frac{1}{8}$ " steel. Interiors come in a variety of optional arrangements to match your specific storage needs. The outside is finished in attractive, textured black enamel with single pinstripe and Remington logo. The door handle and key lock dial now have an attractive chrome finish. A choice of many optional features provides additional flexibility to further custom-tailor the Sportsman™ to your individual requirements. New for 1997 is a gray fabric interior, and the option of Triple-Wall fire protection construction.



Sportsman™ Series Specifications


Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight with Double-/Triple-/Quad-Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
									Universal	Easy-Out	Collector	Executive
S-25	30 1/2" x 60 1/2" x 25"	26 1/2"	25	485 lbs.	565 / 630 / 645 lbs.	10-1"	3/16"	1/8"	18	13	30	4 shelves
S-15	24 1/2" x 60 1/2" x 20"	21 1/2"	16	360 lbs.	430 / 470 / 490 lbs.	8-1"	3/16"	1/8"	11	8	20	4 shelves
S-10	22 1/2" x 60 1/2" x 18"	19 1/2"	12	310 lbs.	370 / 390 / N/A	4-1"	3/16"	1/8"	11	—	17	4 shelves

All Sportsman™ safes feature: U.L. security rating, "Uni-Body" door, laboratory-tested fire protection options, internal hinges, 1" locking bolts, S&G bank-type locks, drill-resistant hardplate, "Auto-Fire" relockers, shielded bolts, Remington logo, and a limited lifetime break-in warranty.

ACCESSORIES


SECURITY PROTECTION SYSTEMS

In-Wall Cabinets — Convenient Security Built-In.



IN-WALL PISTOL CABINET

Perfect for handguns and other small valuables, our new In-Wall Pistol Cabinet measures 10" high by 14 1/2" wide by 3 7/8" deep. It features a 22-gauge body with 16-gauge, key-locked door. The outside has an attractive, white textured finish.




IN-WALL LONG-GUN CABINET

Our new Long-Gun In-Wall Cabinet measures a generous 58" high by 14 1/2" wide by 3 7/8" deep, with three long-gun capacity. Construction includes a 22-gauge body, 16-gauge door with dual key locks, hinge-side dead bolt, and reversible swing door. The interior includes a foam gun rack, adjustable shelf, and carpeted floor. Furnished with white textured finish.



Remington® Safes — Omega Point Lab-Certified Fire Protection.

Our Quad-Wall fire protection package is one of the finest available, meeting Omega Point Laboratories' fire-rating certification for protecting fire-sensitive paper items. It consists of two continuous 1/2"-thick layers of U.L.-listed fire code "C" insulation sealed between the safe's inner and outer walls. The door is insulated with a 5/8"-thick U.L.-listed fire code "C" fireboard, and a 2 1/2" dead air space. And all Quad-Wall models are equipped with the added protection of a Palusol® fire-seal gasket. Abnormally high surface temperatures cause this unique sealant to expand and seal off all areas of the door jamb. When tested at 1200°F for 30 minutes, inside temperatures never reached 350°F — well below the 420°F at which paper begins to char.




Triple-Wall construction provides proven fire protection at a modest price. Now available on all Premier™, Classic™, "Trophy," and Sportsman™ safes. We install two continuous layers of U.L.-listed 5/8" insulation, and the Palusol® fire-seal gasket.

Double-Wall fire protection consists of a continuous 5/8"-thick layer of U.L.-listed fire code "C" insulation on all six interior surfaces, including the door. Contents are protected from up to 1200°F for 30 minutes — more than enough protection from most home fires. This type of protection is ideal for firearms, coins, and similar items.

Remington SAFE FIRE PROTECTION PERFORMANCE

INSIDE TEMPERATURE AFTER 30 MINUTES



Double-Wall — ideal for standard protection of guns, coins, etc.
Triple-Wall — increased protection for guns, coins, and documents
Quad-Wall — for maximum protection including paper documents (paper chars at 420°F)

A WIDE CHOICE OF OPTIONS FOR INDIVIDUAL PREFERENCES AND NEEDS

On all Remington safes, you can choose from a wide variety of options for additional convenience and storage flexibility.

SHELF PISTOL KIT

This acrylic rack is available in four- and eight-gun configurations, and fits conveniently on one of the shelves inside the safe.



DOOR-MOUNTED PISTOL RACK

Stores hand guns on the inside door panel of any Remington safe, allowing easy access while saving shelf space. Kit will mount up to 16 handguns, depending on the size of the safe door. (Customer installation required).



ELECTRIC DEHUMIDIFIER

An optional feature on all Remington safes is a U.L.-listed dehumidifier. This will provide firearms and other ferrous metal items with continuous anti-rust protection and prevent deterioration of valuable papers — particularly in the presence of high outside humidity.



ELECTRONIC DIGITAL LOCK

A unique 9-digit high-security electronic lock enhances the protection of the combination lock with pushbutton convenience. The telephone-type key pad allows you to unlock your safe as easily as dialing a phone number. It provides a virtually unlimited variety of number and letter combinations.



KEY LOCKING DIAL

Standard on all models, the key lock secures the combination dial so that it can not be turned unless released by the key.



INTERIOR DUPLEX OUTLET

An option on all Remington safes, this internal electrical outlet provides extra convenience for use of internal lighting and other items such as electric dehumidifiers.



PALLET COVER

For the convenience of leaving your safe on a movable pallet, we offer a variety of cover sizes that will convert any standard pallet into an attractive base for your safe.



BRASS LAMP

Here's a classy and convenient accessory for your safe. This desk-style brass lamp illuminates safe contents when door is opened.




TRIGGER BLOCK

Make doubly sure your firearms can't be used without your knowledge by using this convenient, easy-to-work trigger block. Interchangeable keys are available for securing multiple firearms.



GUN LOCK

Provides positive security by both disabling the action of a gun and securing it to a stationary object.



GRIZZLY BEAR

REMINGTON SAFE PRINTS

Dress up the door of your safe with these optional four-color prints, featuring scenes from paintings by noted wildlife artist Tom Beecham from the Remington art collection.



DEER & TURKEY



CANADA GEESE



WOOD DUCKS

Print size: 13 1/4" x 9 1/4".
(Available on Premier™ and Classic™ models only).

Carpet Colors — Premier™ and Classic™ Series feature your choice of Silver, Beige, or Remington Green moisture- and mildew-resistant plush carpeting. "Trophy" available with green and silver interior only. Sportsman™ Series comes with gray fabric only.



Green



Beige



Silver



Optional Green, Beige, or Silver
Velour (Premier™ series only)



Sportsman™
Gray Fabric




Finish Colors — Every Premier™ and Classic™ safe receives multiple coats of rust-resistant primer with three coats of high-gloss polyurethane enamel for a lustrous, durable finish. "Trophy" available in green, burgundy, or black only. Sportsman™ Series safes are finished with rust-resistant primer and rugged semi-gloss textured black enamel.



Classic Black



Metallic Burgundy



Arctic White



Midnight Blue



Metallic Brown



Forest Green

ACCESSORIES

HIGH-PERFORMANCE KNIVES


Remington® Grizzly™ Lockbacks — The "Magnum" of Folding Knives.

It's hard to find a tougher, more versatile knife than our Grizzly™. Though compact, it opens up and locks to the size and strength of a large fixed-blade knife. Rugged Kraton® handles provide a non-slip grip for tough outdoor jobs. All two-bladed knives in the series feature an individual locking system for each blade.



SERRATED EDGE SINGLE LOCKBACK

- 5" closed length
- Single blade design
- 3 1/2" serrated clip blade



STRAIGHT EDGE SINGLE LOCKBACK

- 5" closed length
- Single blade design
- 3 1/2" clip blade




SERRATED EDGE DOUBLE LOCKBACK

- 5" closed length
- Unique double lockback design
- 3 1/2" serrated clip blade
- 3 1/2" bone saw & gut hook



STRAIGHT EDGE DOUBLE LOCKBACK

- 5" closed length
- Unique double lockback design
- 3 1/2" clip blade
- 3 1/2" bone saw & gut hook



RUGGED BLACK NYLON
SHEATH IS FURNISHED WITH
ALL GRIZZLY™ KNIVES



SINGLE-BLADE LOCKBACK WITH GUT HOOK

- 5" closed length
- 3 1/2" drop point blade
- Gut hook on blade top




Remington® ATS Knives — Custom Knife Toughness and Beauty.

ATS 34 Steel is a tool steel so tough it's normally used only by custom knife makers. It stays sharper and holds an edge longer than other stainless or carbon steels. Our high-performance ATS knives have 3 7/8" blades, a Scotchbrite finish, and thumb serrations on the rear blade top. Handles are made of virtually indestructible Kevlar®-impregnated nylon with scalloped finger grips and handy lanyard hole. Each knife comes with a rugged black leather sheath.

ATS SERIES COMMON FEATURES:

- Kevlar®-impregnated nylon handles with Remington logo
- ATS 34 steel blades
- Hollow-ground blades with Scotchbrite finish
- Remington blade etch
- Furnished in attractive box
- Lanyard hole
- Lifetime warranty

ATS CLIP BLADE



ATS DROP POINT



Sportsman™ Knives — State-of-the-Art Materials in Traditional Designs.

These fixed-blade knives feature blades of 440A stainless steel, set in a variety of handle designs and colors to meet any need. (Note: All Sportsman™ fixed-blade knives available in box or claspack packaging.)

SPORTSMAN™

CLIP BLADE — ORANGE HANDLE

- 9⁷/₁₆" overall length
- 4¹/₄" blade length
- Orange Kraton® handle
- Black leather sheath



SPORTSMAN™

DROP POINT BLADE WITH GUT HOOK

- 9⁷/₁₆" overall length
- 4⁵/₁₆" drop point blade
- Gut hook blade end
- Black Kraton® handle
- Black leather sheath



BIRD AND TROUT KNIFE

- 8¹/₁₆" overall length
- 3³/₁₆" clip blade
- Black Kraton® handle
- Leather sheath with plastic liner
- Available in attractive claspack or display box



SPORTSMAN™

DROP POINT - BLACK HANDLE

- 9³/₁₆" overall length
- 4⁵/₁₆" blade length
- Black Kraton® handle
- Black leather sheath



BOOT KNIFE

- 7" overall length
- 3³/₄" blade
- Nickel-silver handle rivets
- Resin-impregnated hardwood handle
- Leather sheath with clip



SPORTSMAN™

CLIP BLADE - BLACK HANDLE

- 9⁷/₁₆" overall length
- 4¹/₄" blade length
- Black Kraton® handle
- Black leather sheath



Stren® Fillet Knives — Get Your Catch Ready for the Table Quickly.

FIXED BLADE STREN® FILLET KNIVES

Made of the same high-quality materials as the Remington Sportsman™ knives, these long, flexible-bladed beauties are perfect for their task. They combine corrosion-resistant 440A steel with contoured handles of durable, non-slipping Kraton®. Each is accompanied by a black plastic belt sheath with drain hole. Available in 6", 7¹/₂", and 9" lengths.



REMINGTON®

GAME SHEARS

- 8¹/₂" overall length
- Fully chrome-plated
- Come apart for cleaning
- Other uses:
 - Fish scaling
 - Screwdriver
 - Jar opener
 - Tack driver
 - Nut cracker



STREN® FOLDING FILLET

This single-blade, folding lockback is just 7¹/₄" long when closed, but its Scotchbrite-finished 5¹/₄" stainless-steel blade fillets with finesse. Secure grip is assured by the checkered Zytel® nylon handle. Extra corrosion resistance is provided by nickel-silver pins and a brass liner for the lanyard hole.



ACCESSORIES

FOLDING KNIVES

Remington® Delrin® and Laminated-Wood Folding Knives — Built-In Toughness and Utility.

A first pocket knife has been a traditional "rite of passage" for youngsters into the world of the outdoors. Shapes and styles have changed over the years, and Remington folders reflect the most enduring of them, both in popularity and quality of materials that will last a lifetime.

Delrin® Handles

UPLAND

- 3 1/4" closed length
- 2 1/4" clip blade
- 12/20-gauge choke tool/screwdriver
- Gut hook
- Remington shield & blade etch



3-BLADE STOCKMAN

- 3 1/4" closed length
- 2 1/4" clip blade
- 1 1/4" spey blade
- 1" sheepfoot blade
- Remington shield & blade etch



BIG-GAME

- 5" closed length
- 3 1/4" hollow-ground clip blade
- 3 1/4" self-cleaning bone saw & paunch hook
- Remington shield & blade etch
- Includes leather sheath
- Double lockback design



WATERFOWL

- 4 1/4" closed length
- 3" clip blade
- 2 1/4" serrated bone/cartilage blade
- 12/20-gauge choke tool/screwdriver
- Pin punch
- Remington shield & blade etch



WHITTler

- 3 1/4" closed length
- 2 1/4" clip blade
- 1 1/4" pen blade
- 1 1/2" coping blade
- Remington shield & blade etch



GENTLEMAN'S

- 3" closed length
- 2 1/4" hollow-ground clip blade
- Lockback design
- Remington shield & blade etch



TUXEDO KNIFE

- 3" closed length
- 440A stainless-steel blades
- 1 1/4" spear blade
- 1 1/4" pen blade



TRAPPER

- 4 1/4" closed length
- 3" clip blade
- 3" spey blade
- Remington shield & blade etch



PEN

- 2 1/2" closed length
- 1 1/4" pen blade
- 1 1/2" clip blade
- Remington blade etch



Multi-Color Laminated-Wood Handles

3-BLADE STOCKMAN

- 3 1/4" closed length
- 2 1/4" clip blade
- 1 1/4" spey blade
- 1" sheepfoot blade
- Remington shield & blade etch



WHITTler

- 3 1/4" closed length
- 2 1/4" clip blade
- 1 1/4" pen blade
- 1 1/2" coping blade
- Remington shield & blade etch



TRAPPER

- 4 1/4" closed length
- 3" clip blade
- 3" spey blade
- Remington shield & blade etch



PEANUT

- 2 1/4" closed length
- 2 1/4" clip blade
- Remington blade etch



GENTLEMAN'S

- 3" closed length
- 2 1/4" hollow-ground clip blade
- Lockback design
- Remington shield & blade etch



REMINGTON® FOLDING KNIFE FEATURES

- Nickel-silver bolsters
- Brass liners
- 440A stainless-steel blades
- Scotchbrite blade finish
- "Remington U.S.A." tang stamp
- Full lifetime warranty
- Includes attractive display box

4-BLADE CONGRESS

- 3 1/4" closed length
- Two 2" sheepfoot blades
- Two 1 1/4" pen blades
- Remington shield & blade etch



2-BLADE CONGRESS

- 3" closed length
- 1 1/4" sheepfoot blade
- 1 1/4" pen blade
- Remington shield & blade etch



Remington® 9500™ Series — The Enduring Tradition of Carbon Steel.



UPLAND

- 4" closed length
- 3 1/8" clip blade
- Gut hook
- 12/20-ga. choke tool/screwdriver
- Remington shield on handle



WATERFOWL

- 4 1/4" closed length
- 3 3/4" clip blade
- 2 1/2" sheepfoot blade
- 12/20-ga. choke tool/screwdriver
- Pin punch
- Remington shield on handle



9500™ SERIES FEATURES

- Polished carbon-steel blades
- Sawcut Delrin® handles
- Nickel-silver Remington shield
- Brass liners
- Nickel-silver bolsters
- "Remington U.S.A." tang stamp
- Lifetime warranty
- Includes attractive display box

2-BLADE SKINNER

- 3 1/4" closed length
- 2 3/4" Turkish clip blade
- 2 1/8" spey blade
- Remington shield on handle



CLASSIC BARLOW

- 3 1/4" closed length
- Distinctive long nickel-silver bolster
- 2 3/4" clip blade
- 1 1/4" pen blade
- Remington shield on handle



JACK KNIFE

- 3 1/4" closed length
- 2 3/4" clip blade
- 1 3/4" pen blade
- Remington shield on handle




TRAPPER

- 4" closed length
- 2 3/4" clip blade
- 2 1/8" spey blade
- Remington shield on handle




STOCKMAN

- 4 1/4" closed length
- 2 1/2" sheepfoot blade
- 2 3/4" clip blade
- 1 1/4" spey blade
- Remington shield on handle



MINI-STOCKMAN

- 2 3/4" closed length
- 1 1/2" clip blade
- 1 1/4" coping blade
- 1 1/4" pen blade
- Remington shield on handle



New Genuine Stag Handle Knives — For a Lifetime of Beauty and Service.

All three of these beautiful folding knives are constructed of the highest-quality materials, including stainless-steel blades with a mirror finish, brass liners, nickel-silver bolsters and pins, and genuine stag handles. Each is decorated with the Remington logo circle inlaid on the left handle, and the "Remington/UMC" stamp on the left tang of the single or master blade.




BARLOW

- 3 1/2" closed length
- 2 13/16" Turkish clip blade
- Remington shield on handle



TRAPPER

- 4" closed length
- 3 3/4" spey blade
- 3 1/2" clip blade
- Remington shield on handle



LOCKBACK

- 4" closed length
- 3 1/8" hollow-ground Turkish clip blade
- Remington shield on handle



ACCESSORIES

GIFT LINE / COLLECTIBLE KNIVES

Remington® Executive Knives — Gifts in Good Taste.

The Remington gift line provides an exceptional combination of handsome appearance, refined high quality, and useful practicality. They make appropriate, highly appreciated gifts for any occasion and reflect well on your own good taste.

PEARL TUXEDO KNIFE

- 3" closed length
- 440A stainless-steel blades
- 1 1/4" spear blade
- 1 1/4" pen blade
- Mother-of-pearl handles



MONEY CLIPS

- 2 1/4" closed length
- 440A stainless-steel blades
- 1 1/4" pen blade
- 1 1/4" nail file
- Stainless-steel liners
- Choice of handles:
 - Stainless steel with Remington logo
 - Malachite and pearl



PEARL PEN KNIFE

- 3 1/4" closed length
- 440A stainless-steel blades
- Mother-of-pearl handles
- 1 1/4" pen blade
- 1 1/4" spear blade
- Remington nickel-silver logo shield



PEARL CONGRESS

- 3" closed length
- 440A stainless-steel blades
- Mother-of-pearl handles
- 1 1/4" sheepfoot blade
- 1 1/4" pen blade
- Remington nickel-silver logo shield




PEARL LETTER OPENER

- 9 1/2" overall length
- Mother-of-pearl & malachite combination handles
- 5 1/2" stainless-steel blade
- Remington logo blade etching
- Special Remington gift box



Remington® Limited Edition Collector Knives.



"LUMBER-JACK"

BULLET™ KNIFE & POSTER

The 1997 Lumber-Jack Bullet™ Knife is a unique reproduction of the R4468 pattern, a rare original with cocobolo wood handles. This trapper-style folder has 2 1/4" clip and spey blades with handles that duplicate the richness of cocobolo wood. Blades are 440A stainless steel with a Scotchbrite finish, brass liners, and nickel-silver bolsters and pins. The traditional nickel-silver cartridge shield is flush-inlaid in the handle, and blades carry the traditional Remington logo and tang stamps. As an optional companion, a limited edition poster titled "Cut and Run" will be issued in artist Larry Duke's dramatic, 1920s cliff-hanger style.

REMINGTON RACING™ KNIFE

This twin-blade, trapper-style, limited-edition folding knife has bird's eye maple handles and duplicates the quality of Remington Bullet™ Knives with 440A stainless-steel blades, nickel-silver bolsters, and brass liners. The clip blade is etched with the Remington "Oldest Gunmaker" oval, and embossed on one handle is the #75 Remington Race Car Shield. Collector value is enhanced by a Remington Racing presentation box. Overall length is 4 1/4".



New Remington® Hearing Protection — A Critical Part of Your Safety Equipment.

All shooters should use hearing protection, so that's why we've introduced a new line of ear muffs and insert plugs that combine convenience, comfort and rated effectiveness. In fact, the name of each one contains a certified numerical noise reduction rating (NRR). The pocket-friendly plugs can be instantly available anywhere, and the muffs are effective, compact companions for both shooting ranges and proximity to loud machinery.



NEW!



NEW!

M-29 EAR MUFFS


The highest level of sound protection available in Remington ear muffs. Deep, generously sized cups provide total coverage of the outer ear. Oversized foam cushions and a padded headband make these muffs extremely comfortable for extended wear. NRR of 29.



NEW!

M-28 EAR MUFFS

Our highest rated, super-compact folding muffs store easily when not in use. Soft foam construction and light weight make them ideal for extended wear. Come complete with convenient belt clip. NRR of 28.




M-24 EAR MUFFS

These muffs can be worn in three positions for convenience. Comfortable vinyl cushions make an effective seal around the ear and are removable for washing. NRR of 24.

NEW!


NEW!



P-30 INSERT PLUGS

These convenient, always-ready plugs are made of comfortable, self-adjusting foam. Their soft, tapered smooth surface is designed for quick, easy insertion and comfortable wear. NRR of 30.

NEW!



P-27 INSERT PLUGS

Designed for repeated use, they're constructed of soft, sound-attenuating material around a pocket of air that effectively fractures air waves and reduces sound intensity. P-27 plugs include a linking cord. NRR of 27.

NEW!

ACCESSORIES

FIREARM CARE

Sportsman™ Cleaning Kits and Accessories — Complete Firearms Care at Modest Cost.

To keep your firearms performing with factory-new reliability, make a small investment in factory-designed cleaning equipment. Offered for use with rifles, shotguns, pistols, and universal use, our four Sportsman™ kits contain everything for complete firearms care, including all-metal cleaning rods. They're complemented by a wide selection of separately packaged bore brushes and swabs, aluminum slotted tips, and various-sized cleaning patches in cotton, and cotton "G.I." material.

UNIVERSAL



SHOTGUN



RIFLE



PISTOL




SPORTSMAN™ CLEANING RODS

Aluminum construction for a long life of hard use. Furnished with slotted tip for patch pulling.




ADAPTER/SLOTTED TIPS



PHOSPHOR BRONZE BORE BRUSHES

RIFLE .22 TO .45 CAL. SHOTGUN .410 TO 10-GA. PISTOL .22 TO .45 CAL.



REM™ OIL

Rem™ Oil displaces and repels moisture, leaving a thin but effective barrier against rust and corrosion. 1-oz. bottle packed with all Sportsman™ Cleaning Kits.



BRITE BORE™ SOLVENT/CLEANER

Remington Brite Bore™ is a versatile cleaner for barrels, choke tubes, and actions. 2-oz. bottle packed with all Sportsman™ Cleaning Kits.



UTILITY BRUSHES

Available with either nylon or phosphor bronze bristles.

CLEANING PATCHES IN 100% COTTON, & COTTON "G.I."

.17 to .45 and .410 to 12-ga.



Remington® Cleaners and Lubricants — What We Use on Our Own Guns.

NEW!

REMINGTON® NITRO CLP

This full mil spec cleaner, lubricant, and protector is the most advanced breakthrough in a synthetic oil formula. Cleans corrosion, grime, grease, and dirt from metal, and prevents deposits from attaching to the surface. Lubricates and prevents wear on moving metal parts even under high-speed, high-friction conditions. Completely protects exposed metal against rust and corrosion, including serious salt-water exposure. Nitro CLP is non-carcinogenic, meets California VOC requirements, and is used by the U.S. Armed Forces for everything from jeeps to jets.



REMINGTON® BORE CLEANER

Removes carbon, lead, copper, and plastic wad fouling by mechanical action. Non-acidic, non-corrosive, completely natural elements are suspended in mineral water and won't damage bores or bore brushes. Comes in 4-oz. squeeze bottle.

REMINGTON® BRITE BORE™ SOLVENT / CLEANER

Works effectively to clean powder residue and grime from actions, to remove copper and lead fouling from rifle barrels as well as plastic wad residue from shotgun barrels, and to soak off lead and powder deposits from shotgun choke tubes. CFC-free 6-oz. can with extension tube.



REM DRILUBE™

Teflon® base provides a tough, non-congealing film without the residue of dry graphite lubes. Keeps firearms functioning dependably to -40°F. Available in 4-oz. aerosol can.



WONDERLUBE™

Teflon® formula provides a slick, long-lasting lubricating film. Removes moisture from metal pores, creating a barrier against wet weather and hand-deposited body salts. Its low-viscosity formula frees up rusted bolts and threads and digs beneath adhesives and tape for easy separation. Permits fast wipe-off removal of grit, grease, and grime from metal surfaces. Available in 6-oz., 9-oz., and 12-oz. CFC-free spray cans.



REM™ ACTION CLEANER

Spray-cleans dirt, powder residue, and caked lubricants from actions and fire-control mechanisms with disassembly. Dries quickly and leaves no residue. CFC-free formula in 10.5 oz. can with extension tube.

REM™ OIL

The most versatile gun oil you can buy. It cleans dirt and grime from exposed metal surfaces, displaces non-visible moisture from metal pores, and protects internal and external metal parts from rust and corrosion. Its exclusive formula, containing Teflon®, provides a tough, thin, long-lasting lubricating film that keeps actions working smoothly by reducing metal-to-metal wear. Comes in 1-oz. squeeze bottle for field use and 4-oz. and 10-oz. aerosol.



ACCESSORIES

SHOOTING ACCESSORIES

Remington® Shooting Accessories and Genuine Factory Replacement Parts.



DECOY CARRY BAGS

These three new decoy bags are constructed of strong, weather-proof nylon mesh with sturdy shoulder straps to leave hands free. Sizes include a small backpack version (18" x 24"), and two larger bags for bigger rigs (36" x 48" & 36" x 55").

SHOTGUN AND RIFLE SLINGS

- Durable Cordura® material, reinforced with nylon stitching
- Non-slip tachiner inside surface
- 2 1/2" x 16" pads and adjustable 1" nylon straps.
- Color options: Mossy Oak® Treestand® camo, brown camo, black, and Advantage® camo



DUFFLE BAGS

- Small duffle bag made of 12-oz. canvas fabric with Propex nylon trim
- Large duffle constructed of durable Cordura® nylon in Mossy Oak® Treestand® camo
- Sizes:
 - Small: 12" x 24"
 - Large: 18" x 42"



MESH SHELL BAG



SHOOTER'S BAGS

- Available in Remington green or tan Propex nylon
- Multiple pockets with velcro closures
- Web carrying strap or belt loop
- Distinctive leather "Remington" patch



DIVIDED SHELL POUCH



REMINGTON® TARGETS

Includes a full array of targets used for competition, practice, and sighting-in. In centerfire, rimfire, and air-gun versions.



RELOADER'S SHELL BAG



SHOTGUN SCOPE RIB MOUNT

- Permits scope mounting on 12-ga. vent rib barrels
- Cantilever design allows normal scope eye relief
- Converts field barrel for big-game & turkey hunting



REPLACEMENT PARTS & ACCESSORIES

FACTORY SYNTHETIC STOCKS



MODEL 700™ & SEVEN™ (SHORT & LONG ACTION)

MODEL 870™ (12-GA ONLY)



MODEL 597™ RIFLE CLIPS



MODEL 597™ SCOPE MOUNT SYSTEM



SPARE PARTS

MODEL 1100™ & 11-87™ (12-GA ONLY)

Stren® — The Most Dependable Fishing Line in the World.

NEW!

STREN® CUL-M-RITE™ DIGITAL SCALES

This high-tech tournament tool is essential for serious competitors. It's one of the most accurate digital scales on the market, and the only one with instant culling guidance.



STREN® HIGH IMPACT™ SALTWATER LINES•

- Stren® High Impact™ Tournament in clear and hi-vis gold colors 8- to 130-lb. test
- Stren® High Impact™ Braided Dacron® in gray fleck color from 20- to 200-lb. test.
- Stren® Regular High Impact™ available in clear and lo-vis green from 10- to 130-lb. test



STREN® EASY CAST™

Made of two nylon copolymer resins, Easy Cast™ provides exceptional flexibility and handling, superior knot strength, high abrasion resistance and shock strength, controlled stretch, and low memory from the reel — all from the same line. Available in crystal clear and new coffee color: 4- to 30-lb. test.

NEW
Coffee Color



STREN®

- High tensile shock and knot strength
- High abrasion resistance
- Proper limpness and low memory for easy handling
- Controlled stretch
- Available clear/blue, lo-vis green, & hi-vis gold
- Graduated range of 2- to 80-lb. test



STREN® SUPER TOUGH

- Maximum abrasion resistance
- Superior knot strength
- Extra strength for large trophy angling
- Wide pound-test range, 2- to 40-lb.
- Clear & lo-vis green colors



STREN® MAGNATHIN®

- Low diameter, high strength
- Extremely limp & flexible
- Superior casting
- Extremely sensitive
- 50% more line capacity on reel
- From 2- to 130-lb. test, depending on color



STREN® MAGNUM 7/20™ & 14/40™

- Advanced oval design
- Maximum abrasion resistance for use in heavy cover
- Very quiet, accurate lure entry
- For use on revolving spool reels only
- Ratio of actual test diameter to rated test strength is 7/20-lb. and 14/40-lb.



STREN® POWERBRAID™ KEVLAR®

- Abrasion-resistant braided multifilament
- Exceptional strength per diameter
- Doesn't stretch, for instant hooksets
- High sensitivity even in deep water
- Sinks lures and baits more quickly
- Ideal for flippin', pitchin', and downrigger trolling.
- In 15-, 25-, 35-, and 50-lb. test

STREN® ACCESSORIES — FOR A WIDE VARIETY OF ANGLER NEEDS



- Angler's Clips
- Hook Hone
- Hemostat
- Sport Light
- Pin-On Reel
- Scissors/Forceps
- Stren® Fillet Knives
- Floating Safe
- Fish Scale
- Pliers
- Reel Stripper
- Hook Sharpener
- Multi-Tool
- Lok-Knot™ Adhesive
- Line Boxes
- Braided Line Scissors



The Remington Shooting School® — Where You Will Become a Better Shooter.




There are no secrets to being a top shotgunner, just proven techniques that work if someone shows them to you. That's the purpose of the Remington Shooting School. Remington's unique **REM** method of instruction provides shooters with solid recall of what they have learned... **Reading the target, Eye contact and Movement.** Whether your interests are



trap, skeet, sporting clays or wingshooting, the Remington School will help you develop and perfect your own natural abilities while enjoying a top-flight program. Our school is staffed by experienced NSCA-certified instructors and guest clay-target champions. A comprehensive 3-day program will cover every shooting technique, proper gun fit, and choke selection, as well as other important factors such as proper eye focus and mental attitude. The school has locations in upstate New York and Orlando, Florida, and our new expanded program will take the Remington Shooting School on the road. Our 3-day all-inclusive, value-packed, instructional program offers you fun, fine food, first-class accommodations, and unlimited targets and ammo. Classes are limited and filling fast, so call for additional information, locations and dates at 1 (800) 742-7053.

Remington Racing™ — Join Us In The Hunt For The NASCAR Winston Cup Trophy!

In 1997, we're shooting for trophies of another kind — NASCAR Winston Cup Series wins with car #75 — the Remington "Bullet." By teaming up with Butch Mock Motorsports, driver Rick Mast, and crew chief Gere Kennon, we will continue to introduce millions of race fans to "Remington Country" through NASCAR Winston Cup Racing — the fastest-growing spectator sport in America. Going racing is a natural fit for us — Remington Arms is America's oldest gun company, and NASCAR fans share our love of hunting, fishing and conservation. We'll see you in the winners' circle!



Associate Sponsors: Mossy Oak® Camouflage
and Smokey Mountain Chew, Inc.

Remington Racing™ Apparel

Remington Racing™
Mossy Oak®
Hat Rem 799
U.S. \$16.00



Remington
Racing Shirt
Rem 199
U.S. \$18.00



Call 1 (800) 242-3485, Dept. 75,
to order Remington Racing™ Merchandise

1997 Catalog Cover Limited Edition Print



"Hardwood Haven" by Tom Beecham.
Collect a limited-edition lithograph print
signed by the artist and numbered 1
through 997, for U.S. \$100 (includes
domestic shipping and handling — fram-
ing extra). To order call 1 (800) 421-5254.

9500, Accelerator, Brito Bore, Bronze Point, Bullet, CBee22, Classic, Copper Solid, Copper-Lokt, Core-Lokt, Cul-M-Rite, Cyclone, Driving Band, Duplex, Easy Cast, Express, Express-Steel, Fieldmaster, Figure 8, Fireball, Gamemaster, Golden, Golden Saber, High Impact, Kleanbore, Leadless, Lead-Lokt, Lok-Knot, MagnaThin, Magnum 14/40, Magnum 7/20, Marine Magnum, Model Seven, Model 11-87, Model 396, Model 40-XB, Model 40-XBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 522, Model 541-T, Model 552, Model 572, Model 581-S, Model 597, Model 700, Model 870, Model 90-T, Model 1100, Model 7400, Model 7600, Nitro 27, Nitro Mag, Nitro-Steel, Peerless, Power-Lokt, PowerBraid, Power Piston, Premier, Rangemaster, Rem, Rem DriLube, Rem-Lite, Remington, Remington Racing, Remington Shooting School and Remington Shooting School Logo, Rustless, Sendero, ShurShot, Slugger, SP-10, Speedmaster, Sportsman, STS, Stren, Subsonic, Targetmaster, Thunderbolt, UMC, Unibody, Viper, Wetproof, Wingmaster, WonderLube, and Yellow Jacket are trademarks of Remington Arms Company, Inc., Madison, NC 27025. Cordura, Delrin, Imron, Kevlar, and Zytel are trademarks of DuPont. Buckmasters is a trademark of Buckmasters Ltd. A-Frame is a trademark of Swift Bullet Co. Mossy Oak®, Bottomland®, Greenleaf®, Fall Foliage®, Treestand®, 1986, Haas Outdoors, Inc. Advantage is a trademark of Spartan-Realtree Products, Inc. Black Out, Cyclone, and Wonder Lube are trademarks of Ox-Yoke Originals, Inc. Kraton is a trademark of Shell.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size, and availability. All prices shown are manufacturer's suggested retail prices, and are subject to change without notice. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write Remington Arms Company, Inc., Ilion, New York 13357, for a free copy. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open, and safety on.

Remington.