

## 338 Lapua Hodgdon Load Data

Cartridge: 338 Lapua Magnum Load Type: Rifle					Starting Loads			Maximum Loads				
Bullet Weight (Gr.)	Manufacturer	Powder	Bullet Diam.	C.O.L.	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure		
160 GR. BAR XFB	IMR	IMR 7828	.338"	3.500"	96.0	3284	49,300 CUP	102.0	3450	53,000 CUP		
160 GR. BAR XFB	Hodgdon	H4831	.338"	3.500"	90.0	3133	43,700 CUP	99.5	3398	52,700 CUP		
160 GR. BAR XFB	IMR	IMR 4831	.338"	3.500"	90.0	3255	46,400 CUP	95.5	3471	52,700 CUP		
160 GR. BAR XFB	Hodgdon	H4350	.338"	3.500"	83.0	3176	43,000 CUP	92.7	3432	53,100 CUP		
160 GR. BAR XFB	Hodgdon	H414	.338"	3.500"	78.0	3131	44,900 CUP	86.5	3391	53,000 CUP		
160 GR. BAR XFB	IMR	IMR 4350	.338"	3.500"	87.5	3279	47,100 CUP	93.0	3473	53,000 CUP		
175 GR. BAR XFB	Hodgdon	H1000	.338"	3.460"	93.0	2957	42,400 CUP	103.0C	3247	52,400 CUP		
175 GR. BAR XFB	IMR	IMR 7828	.338"	3.460"	95.0	3191	48,100 CUP	100.0	3350	53,600 CUP		
175 GR. BAR XFB	Hodgdon	H4831	.338"	3.460"	85.0	2996	44,600 CUP	93.0	3196	52,400 CUP		
175 GR. BAR XFB	IMR	IMR 4831	.338"	3.460"	88.5	3154	47,900 CUP	94.0	3388	53,600 CUP		
175 GR. BAR XFB	Hodgdon	H4350	.338"	3.460"	79.0	3018	44,400 CUP	88.0	3264	52,600 CUP		
175 GR. BAR XFB	Hodgdon	H414	.338"	3.460"	75.0	2995	44,800 CUP	83.5	3246	53,000 CUP		
175 GR. BAR XFB	IMR	IMR 4350	.338"	3.460"	84.6	3153	47,400 CUP	90.0	3330	52,800 CUP		
185 GR. BAR XBTC	Hodgdon	H1000	.338"	3.575"	100.0	3059	44,900 CUP	106.0C	3209	49,400 CUP		
185 GR. BAR XBTC	IMR	IMR 7828	.338"	3.575"	92.5	3090	47,600 CUP	98.6	3251	52,600 CUP		
185 GR. BAR XBTC	Hodgdon	H4831	.338"	3.575"	87.0	2960	43,200 CUP	97.0	3223	52,900 CUP		
185 GR. BAR XBTC	IMR	IMR 4831	.338"	3.575"	88.0	3077	45,700 CUP	93.4	3279	52,300 CUP		
185 GR. BAR XBTC	Hodgdon	H4350	.338"	3.575"	82.0	3058	44,400 CUP	91.0	3283	52,700 CUP		
185 GR. BAR XBTC	Hodgdon	H414	.338"	3.575"	77.0	2966	42,800 CUP	86.0	3242	52,600 CUP		
185 GR. BAR XBTC	IMR	IMR 4350	.338"	3.510"	84.5	3055	44,300 CUP	90.0	3269	52,300 CUP		
200 GR. SPR SP	Hodgdon	Retumbo	.338"	3.525"	96.0	2928	43,700 CUP	104.0C	3189	52,600 CUP		
200 GR. SPR SP	Hodgdon	H1000	.338"	3.525"	92.0	2854	42,300 CUP	102.0C	3116	52,500 CUP		
200 GR. SPR SP	IMR	IMR 7828	.338"	3.525"	89.0	2965	44,300 CUP	95.0	3133	52,300 CUP		

200 GR. SPR SP	Hodgdon	H4831	.338"	3.525"	83.0	2855	44,900 CUP	92.0	3086	53,200 CUP		
200 GR. SPR SP	Hodgdon	Hybrid 100V	.338"	3.525"	81.0	2975	47,100 CUP	88.0	3155	53,200 CUP		
200 GR. SPR SP	IMR	IMR 4831	.338"	3.525"	85.5	2970	47,600 CUP	91.0	3162	53,100 CUP		
200 GR. SPR SP	Hodgdon	H4350	.338"	3.525"	79.0	2925	45,900 CUP	85.5	3099	52,500 CUP		
200 GR. SPR SP	Hodgdon	H414	.338"	3.525"	74.0	2840	45,000 CUP	81.0	3058	53,000 CUP		
200 GR. SPR SP	IMR	IMR 4350	.338"	3.525"	83.0	3001	47,400 CUP	88.0	3161	52,700 CUP		
210 GR. NOS PART	Hodgdon	Retumbo	.338"	3.525"	92.0	2846	42,100 CUP	102.0C	3142	52,600 CUP		
210 GR. NOS PART	Hodgdon	H1000	.338"	3.525"	90.0	2800	42,900 CUP	99.5	3052	52,500 CUP		
210 GR. NOS PART	IMR	IMR 7828	.338"	3.525"	88.0	2920	47,300 CUP	93.4	3099	52,900 CUP		
210 GR. NOS PART	Hodgdon	H4831	.338"	3.525"	80.0	2735	44,600 CUP	89.0	3006	53,000 CUP		
210 GR. NOS PART	Hodgdon	Hybrid 100V	.338"	3.525"	77.0	2760	45,200 CUP	84.0	2948	52,500 CUP		
210 GR. NOS PART	IMR	IMR 4831	.338"	3.525"	83.0	2920	47,900 CUP	88.5	3076	53,500 CUP		
210 GR. NOS PART	Hodgdon	H4350	.338"	3.525"	76.0	2834	47,000 CUP	82.0	3005	52,200 CUP		
210 GR. NOS PART	IMR	IMR 4350	.338"	3.525"	80.0	2891	46,400 CUP	85.0	3034	51,900 CUP		
215 GR. SIE SPBT	Hodgdon	Retumbo	.338"	3.550"	94.0	2849	43,700 CUP	104.0C	3125	51,900 CUP		
215 GR. SIE SPBT	Hodgdon	H1000	.338"	3.550"	92.0	2809	43,500 CUP	102.0C	3068	53,000 CUP		
215 GR. SIE SPBT	IMR	IMR 7828	.338"	3.550"	87.7	2906	47,600 CUP	93.3	3076	51,900 CUP		
215 GR. SIE SPBT	Winchester	Supreme 780	.338"	3.550"	88.4	2910	44,700 CUP	94.0	3067	50,500 CUP		
215 GR. SIE SPBT	Hodgdon	H4831	.338"	3.550"	82.0	2763	44,500 CUP	91.0	2997	53,000 CUP		
215 GR. SIE SPBT	IMR	IMR 4831	.338"	3.550"	83.0	2868	45,900 CUP	88.5	3033	52,600 CUP		
215 GR. SIE SPBT	Hodgdon	H4350	.338"	3.550"	76.0	2791	45,000 CUP	84.0	3015	52,800 CUP		
215 GR. SIE SPBT	IMR	IMR 4350	.338"	3.550"	80.0	2888	45,900 CUP	85.0	3042	52,200 CUP		
225 GR. NOS PART	Hodgdon	Retumbo	.338"	3.550"	92.0	2744	41,200 CUP	102.0C	3040	52,300 CUP		
225 GR. NOS PART	Hodgdon	H1000	.338"	3.550"	91.0	2713	42,100 CUP	101.0C	2995	53,100 CUP		
225 GR. NOS PART	IMR	IMR 7828	.338"	3.550"	85.0	2831	46,900 CUP	90.5	2966	52,100 CUP		
225 GR. NOS PART	Winchester	Supreme 780	.338"	3.550"	86.5	2877	44,100 CUP	92.0	3007	50,600 CUP		
225 GR. NOS PART	Hodgdon	H4831	.338"	3.550"	80.0	2699	44,000 CUP	89.6	2918	52,900 CUP		
225 GR. NOS PART	Hodgdon	Hybrid 100V	.338"	3.550"	76.0	2760	45,300 CUP	83.0	2942	52,700 CUP		

225 GR. NOS PART	IMR	IMR 4831	.338"	3.550"	81.8	2794	47,300 CUP	87.0	2965	53,500 CUP		
225 GR. NOS PART	Hodgdon	H4350	.338"	3.550"	74.0	2715	45,200 CUP	82.5	2936	52,800 CUP		
225 GR. NOS PART	IMR	IMR 4350	.338"	3.550"	78.0	2821	45,200 CUP	83.3	2944	52,300 CUP		
250 GR. HDY SP	Hodgdon	US 869	.338"	3.550"	101.5	2728	47,000 CUP	108.0	2879	51,100 CUP		
250 GR. HDY SP	Hodgdon	Retumbo	.338"	3.550"	90.0	2620	43,200 CUP	98.0C	2853	52,000 CUP		
250 GR. HDY SP	Hodgdon	H1000	.338"	3.550"	88.0	2567	41,400 CUP	98.0C	2838	52,800 CUP		
250 GR. HDY SP	IMR	IMR 7828	.338"	3.550"	83.0	2636	46,200 CUP	88.5	2802	52,100 CUP		
250 GR. HDY SP	Winchester	Supreme 780	.338"	3.550"	84.6	2700	43,900 CUP	90.0	2841	50,600 CUP		
250 GR. HDY SP	Hodgdon	H4831	.338"	3.550"	79.0	2600	46,100 CUP	85.0	2740	52,200 CUP		
250 GR. HDY SP	Hodgdon	Hybrid 100V	.338"	3.550"	75.0	2619	45,500 CUP	81.0	2765	52,200 CUP		
250 GR. HDY SP	IMR	IMR 4831	.338"	3.550"	80.0	2657	47,700 CUP	85.0	2801	52,900 CUP		
250 GR. HDY SP	Hodgdon	H4350	.338"	3.550"	74.0	2615	48,300 CUP	78.0	2742	52,300 CUP		
275 GR. SFT SP	Hodgdon	US 869	.338"	3.460"	99.0	2636	46,200 CUP	104.5	2761	52,200 CUP		
275 GR. SFT SP	Hodgdon	Retumbo	.338"	3.460"	80.0	2421	41,800 CUP	89.0	2671	52,700 CUP		
275 GR. SFT SP	Hodgdon	H1000	.338"	3.460"	83.0	2444	43,500 CUP	91.5C	2648	52,600 CUP		
275 GR. SFT SP	IMR	IMR 7828	.338"	3.460"	73.0	2429	44,500 CUP	81.0	2632	53,000 CUP		
275 GR. SFT SP	Winchester	Supreme 780	.338"	3.460"	79.0	2562	45,800 CUP	84.0	2676	50,700 CUP		
275 GR. SFT SP	Hodgdon	H4831	.338"	3.460"	71.0	2349	42,800 CUP	79.0	2572	52,800 CUP		
275 GR. SFT SP	IMR	IMR 4831	.338"	3.460"	73.0	2450	46,000 CUP	77.3	2584	52,900 CUP		
300 GR. SIE HPBT	Hodgdon	US 869	.338"	3.600"	98.5	2567	47,500 CUP	104.0	2677	51,500 CUP		
300 GR. SIE HPBT	Hodgdon	Retumbo	.338"	3.600"	85.0	2376	41,100 CUP	94.0C	2654	53,400 CUP		
300 GR. SIE HPBT	Hodgdon	H1000	.338"	3.600"	83.0	2383	43,200 CUP	92.0C	2590	53,000 CUP		
300 GR. SIE HPBT	IMR	IMR 7828	.338"	3.600"	73.0	2376	44,600 CUP	81.0	2566	53,000 CUP		
300 GR. SIE HPBT	Winchester	Supreme 780	.338"	3.600"	79.0	2460	45,100 CUP	84.0	2593	50,600 CUP		
300 GR. SIE HPBT	Hodgdon	H4831	.338"	3.600"	71.0	2307	44,400 CUP	79.0	2511	53,100 CUP		
300 GR. SIE HPBT	IMR	IMR 4831	.338"	3.600"	68.0	2316	43,500 CUP	76.0	2541	53,300 CUP		

**NEVER EXCEED MAXIMUM LOADS**



[www.hodgdon.com](http://www.hodgdon.com)



[www.imrpowder.com](http://www.imrpowder.com)



[www.wwpowder.com](http://www.wwpowder.com)