



**RED WING
SHOES®**

Made in U.S.A.

RED WING



Red Wing **Force**
IMPACT ABSORPTION SYSTEM

02246

10

E

RED WING
SHOES

Red Wing **Force**
IMPACT ABSORPTION SYSTEM

ANSI

STEEL TOE SHOE

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

COMPRESSION TEST

STEEL TOE SHOE

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

STEEL TOE SHOE

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

IMPACT TEST

Red Wing **Force**

Comfort

IMPACT ABSORPTION SYSTEM®



02246



10

E



Red Wing **Force**

IMPACT ABSORPTION SYSTEM®

- Durable • Ultra Comfort
- Flexible • Shock Absorbing



Red Wing's Revolutionary ComfortForce® footwear combines a fully removable footbed, special internal components and a variety of cushioned outsoles, for the Ultimate Comfort Experience.



A.N.S.I.

STEEL TOE SHOE COMPRESSION TEST

MINIMUM REQUIREMENTS COMPRESSION POUNDS

CLASSIFICATION	COMPRESSION	CLEARANCE (INCHES)
75	2,500	1/2"
50	1,750	1/2"
30	1,000	1/2"

COMPRESSION TEST

2,500	1,750	1,000
75	50	30

*American National Standards Institute

STEEL TOE SHOE IMPACT TEST

MINIMUM REQUIREMENTS IMPACT FOOT POUNDS

CLASSIFICATION	IMPACT FOOT LBS	CLEARANCE (INCHES)
75	75	1/2"
50	50	1/2"
30	30	1/2"

IMPACT TEST

18" Drop	12" Drop	7 1/2" Drop
75	50	30







Red Wing Force
COMFORT SYSTEM

The American National Standards Institute (ANSI) has prescribed standards of performance for the steel toe cap in footwear. A.F.S.I. sets three classes of performance as described on the reverse side. Compliance by the manufacturer is voluntary, and the class is stamped in or on the shoe last. For customer identification, Red Wing Shoes must use Wing Steel Toe Shoes model year of manufacture. CAUTION: Non-metal sole or shape of footwear reduces the performance of the steel toe device.

Red Wing is uniquely designed for comfort. Red Wing shoes are designed to reduce maximum pressure and are all types of walking. The Red Wing design is made to the best of the design. The design is made to the best of the design. The design is made to the best of the design.

1. 1" of heel to give the shoe a slight rise.
2. 1" of heel to give the shoe a slight rise.
3. 1" of heel to give the shoe a slight rise.
4. 1" of heel to give the shoe a slight rise.
5. 1" of heel to give the shoe a slight rise.

RED WING
STEEL TOE
FOOTWEAR

The American National Standards Institute (ANSI) has prescribed standards of performance for the steel toe cap in footwear. A.F.S.I. sets three classes of performance as described on the reverse side. Compliance by the manufacturer is voluntary, and the class is stamped in or on the shoe last. For customer identification, Red Wing Shoes must use Wing Steel Toe Shoes model year of manufacture. CAUTION: Non-metal sole or shape of footwear reduces the performance of the steel toe device.

RED WING SHOES
MADE IN U.S.A.

